

To
M/s MADHAV KRG HRC PVT LTD,
VILLAGE AKALGARH, NEAR TOLL PLAZA, AMLOH
BHADSON ROAD, BHADALTHUHA, PATIALA, PUNJAB-147203

Report No.	RBEL/2605/095B	Report Date	19.05.2026
Your Ref. No	Nil	Type of sample	Ambient Air Sample
Sample Code Given by Customer	Nil	Date of sampling	13.05.2026
Sampling Location	Within Premises	Date of Sample Receipt	14.05.2026
Sample Collected By	Lab Person	Sample I.D.	RBEL/2605/095B
Sampling procedure	As per SOP	Date of test	14.05.2026-19.05.2026

TECHNICAL DATA		
1	Location of Sampling Station	Near Main Gate
2	Instrument Used for Sampling	Respirable Dust Sampler
3	Source of Sampling	Ambient Air Sample
4	Temperature of Sampling Location	36°C
5	Environmental Condition	Max temp. 39°C
		Min temp. 25°C
		Clear sky and wind direction west to east
6	Time Period for Sampling	480Minutes

Sr.N.	PARAMETERS	RESULTS	STANDARD	TEST METHOD
1.	Respirable suspended particulate matter(PM ₁₀)	73	100.0 µg/m ³	IS 5182: 2006
2.	Sulphur dioxide (SO ₂)	30	80.0 µg/m ³	IS 5182 (Part-2): 2006
3.	Nitrogen dioxide (NO ₂)	22	80.0 µg/m ³	IS 5182 (Part-6): 2006
4.	Fine particulate matter (PM _{2.5})	39	60.0 µg/m ³	IS 5182: 2006
5.	CO (One Hours)	ND	2.0 mg/m ³	NIOSH to 6604: 1996
6.	Nickel (Ni)	ND	20.0 ng/m ³	IS 5182 (Part-22): 2004
7.	Arsenic (As)	ND	6.0 ng/m ³	IS 5182 (Part-22): 2004
8.	Lead (Pb)	ND	1.0 µg/m ³	IS 5182 (Part-22): 2004
9.	Benzene (C ₆ H ₆)	ND	5.0 µg/m ³	IS 5182 (Part-11): 2006
10.	Benzo(a)pyrene (BaP)	ND	1.0 ng/m ³	IS 5182 (Part-12): 2006
11.	Ammonia (NH ₃)	ND	400.0 µg/m ³	NIOSH to 6015: 1994
12.	Ozone (O ₃)	ND	100.0 µg/m ³	IS 5182 (Part-9): 1974

Note: ND denotes NOT Detectable

- The test report refers only to tested sample and applicable parameters.
- This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
- The sample will be destroyed after fifteen days from the date of issue of test report unless otherwise specified.

(Authorized Signatory)

End of Report

Disclaimer:

- Legal disputes are subject to Mohali Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of RB Enviro Laboratories (OPC) Pvt. Ltd. shall prevail.
- In case of any feedback/complaints, please send email to rbenvirosolution@gmail.com in or call at +91 84374 73298, 62394 47329

To
M/s MADHAV KRG HRC PVT LTD,
VILLAGE AKALGARH, NEAR TOLL PLAZA, AMLOH
BHADSON ROAD, BHADALTHUHA, PATIALA, PUNJAB-147203

Report No.	RBEL/2605/095C	Report Date	19.05.2026
Your Ref. No	Nil	Type of sample	Ambient Air Sample
Sample Code Given by Customer	Nil	Date of sampling	13.05.2026
Sampling Location	Within Premises	Date of Sample Receipt	14.05.2026
Sample Collected By	Lab Person	Sample I.D.	RBEL/2605/095C
Sampling procedure	As per SOP	Date of test	14.05.2026-19.05.2026

TECHNICAL DATA		
1	Location of Sampling Station	Near F.G Gate
2	Instrument Used for Sampling	Respirable Dust Sampler
3	Source of Sampling	Ambient Air Sample
4	Temperature of Sampling Location	36°C
5	Environmental Condition	Max temp. 39°C
		Min temp. 25°C
		Clear sky and wind direction west to east
6	Time Period for Sampling	480Minutes

Sr.N.	PARAMETERS	RESULTS	STANDARD	TEST METHOD
1.	Respirable suspended particulate matter(PM ₁₀)	69	100.0 µg/m ³	IS 5182: 2006
2.	Sulphur dioxide (SO ₂)	23	80.0 µg/m ³	IS 5182 (Part-2): 2006
3.	Nitrogen dioxide (NO ₂)	30	80.0 µg/m ³	IS 5182 (Part-6): 2006
4.	Fine particulate matter (PM _{2.5})	34	60.0 µg/m ³	IS 5182: 2006
5.	CO (One Hours)	ND	2.0 mg/m ³	NIOSH to 6604: 1996
6.	Nickel (Ni)	ND	20.0 ng/m ³	IS 5182 (Part-22): 2004
7.	Arsenic (As)	ND	6.0 ng/m ³	IS 5182 (Part-22): 2004
8.	Lead (Pb)	ND	1.0 µg/m ³	IS 5182 (Part-22): 2004
9.	Benzene (C ₆ H ₆)	ND	5.0 µg/m ³	IS 5182 (Part-11): 2006
10.	Benzo(a)pyrene (BaP)	ND	1.0 ng/m ³	IS 5182 (Part-12): 2006
11.	Ammonia (NH ₃)	ND	400.0 µg/m ³	NIOSH to 6015: 1994
12.	Ozone (O ₃)	ND	100.0 µg/m ³	IS 5182 (Part-9): 1974

Note: ND denotes NOT Detectable

1. The test report refers only to tested sample and applicable parameters.
2. This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
3. The sample will be destroyed after fifteen days from the date of issue of test report unless otherwise specified.

(Authorized Signatory)

End of Report

Disclaimer:

- Legal disputes are subject to Mohali Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of RB Enviro Laboratories (OPC) Pvt. Ltd. shall prevail.
- In case of any feedback/complaints, please send email to rbenvirosolution@gmail.com in or call at +91 84374 73298, 62394 47329



RB ENVIRO LABORATORIES (OPC) PRIVATE LIMITED

Plot No. 56, First Floor, Shivalik City-Nijjer Road, Sec. 127, Kharar, SAS Nagar, Mohali

ISO 9001: 2015, ISO 14001:2015, ISO 45001:2018

GSTIN : 03AANC1768G1Z9, Email: rbenvirosolution@gmail.com

+91 6239447329, 8437473298

Page 1 of 1

To
M/s MADHAV KRG HRC PVT LTD,
VILLAGE AKALGARH, NEAR TOLL PLAZA, AMLOH
BHADSON ROAD, BHADALTHUHA, PATIALA, PUNJAB-147203

Report No.	RBEL/2605/095D	Report Date	19.05.2026
Your Ref. No	Nil	Type of sample	Ambient Air Sample
Sample Code Given by Customer	Nil	Date of sampling	13.05.2026
Sampling Location	Within Premises	Date of Sample Receipt	14.05.2026
Sample Collected By	Lab Person	Sample I.D.	RBEL/2605/095D
Sampling procedure	As per SOP	Date of test	14.05.2026-19.05.2026

TECHNICAL DATA		
1	Location of Sampling Station	Near Scrap Yard security post
2	Instrument Used for Sampling	Respirable Dust Sampler
3	Source of Sampling	Ambient Air Sample
4	Temperature of Sampling Location	36°C
5	Environmental Condition	Max temp. 39°C
		Min temp. 25°C
		Clear sky and wind direction west to east
6	Time Period for Sampling	480 Minutes

Sr.N.	PARAMETERS	RESULTS	STANDARD	TEST METHOD
1.	Respirable suspended particulate matter (PM ₁₀)	75	100.0 µg/m ³	IS 5182: 2006
2.	Sulphur dioxide (SO ₂)	20	80.0 µg/m ³	IS 5182 (Part-2): 2006
3.	Nitrogen dioxide (NO ₂)	28	80.0 µg/m ³	IS 5182 (Part-6): 2006
4.	Fine particulate matter (PM _{2.5})	32	60.0 µg/m ³	IS 5182: 2006
5.	CO (One Hours)	ND	2.0 mg/m ³	NIOSH to 6604: 1996
6.	Nickel (Ni)	ND	20.0 ng/m ³	IS 5182 (Part-22): 2004
7.	Arsenic (As)	ND	6.0 ng/m ³	IS 5182 (Part-22): 2004
8.	Lead (Pb)	ND	1.0 µg/m ³	IS 5182 (Part-22): 2004
9.	Benzene (C ₆ H ₆)	ND	5.0 µg/m ³	IS 5182 (Part-11): 2006
10.	Benzo(a)pyrene (BaP)	ND	1.0 ng/m ³	IS 5182 (Part-12): 2006
11.	Ammonia (NH ₃)	ND	400.0 µg/m ³	NIOSH to 6015: 1994
12.	Ozone (O ₃)	ND	100.0 µg/m ³	IS 5182 (Part-9): 1974

Note: ND denotes NOT Detectable

1. The test report refers only to tested sample and applicable parameters.
2. This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
3. The sample will be destroyed after fifteen days from the date of issue of test report unless otherwise specified.

(Authorized Signatory)

End of Report

Disclaimer:

- Legal disputes are subject to Mohali Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of RB Enviro Laboratories (OPC) Pvt. Ltd. shall prevail.
- In case of any feedback/complaints, please send email to rbenvirosolution@gmail.com in or call at +91 84374 73298, 62394 47329

To
M/s MADHAV KRG HRC PVT LTD,
VILLAGE AKALGARH, NEAR TOLL PLAZA, AMLOH
BHADSON ROAD, BHADALTHUHA, PATIALA, PUNJAB-147203

Report No.	RBEL/2605/095E	Report Date	19.05.2026
Your Ref. No	Nil	Type of sample	Ambient Air Sample
Sample Code Given by Customer	Nil	Date of sampling	13.05.2026
Sampling Location	Within Premises	Date of Sample Receipt	14.05.2026
Sample Collected By	Lab Person	Sample I.D.	RBEL/2605/095E
Sampling procedure	As per SOP	Date of test	14.05.2026-19.05.2026

TECHNICAL DATA		
1	Location of Sampling Station	Near Shed No-6
2	Instrument Used for Sampling	Respirable Dust Sampler
3	Source of Sampling	Ambient Air Sample
4	Temperature of Sampling Location	36°C
5	Environmental Condition	Max temp. 39°C
		Min temp. 25°C
		Clear sky and wind direction west to east
6	Time Period for Sampling	480Minutes

Sr.N.	PARAMETERS	RESULTS	STANDARD	TEST METHOD
1.	Respirable suspended particulate matter(PM ₁₀)	76	100.0 µg/m ³	IS 5182: 2006
2.	Sulphur dioxide (SO ₂)	29	80.0 µg/m ³	IS 5182 (Part-2): 2006
3.	Nitrogen dioxide (NO ₂)	24	80.0 µg/m ³	IS 5182 (Part-6): 2006
4.	Fine particulate matter (PM _{2.5})	36	60.0 µg/m ³	IS 5182: 2006
5.	CO (One Hours)	ND	2.0 mg/m ³	NIOSH to 6604: 1996
6.	Nickel (Ni)	ND	20.0 ng/m ³	IS 5182 (Part-22): 2004
7.	Arsenic (As)	ND	6.0 ng/m ³	IS 5182 (Part-22): 2004
8.	Lead (Pb)	ND	1.0 µg/m ³	IS 5182 (Part-22): 2004
9.	Banzene (C ₆ H ₆)	ND	5.0 µg/m ³	IS 5182 (Part-11): 2006
10.	Benzo(a)pyrene (BaP)	ND	1.0 ng/m ³	IS 5182 (Part-12): 2006
11.	Ammonia (NH ₃)	ND	400.0 µg/m ³	NIOSH to 6015: 1994
12.	Ozone (O ₃)	ND	100.0 µg/m ³	IS 5182 (Part-9): 1974

Note: ND denotes NOT Detectable

- The test report refers only to tested sample and applicable parameters.
- This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
- The sample will be destroyed after fifteen days from the date of issue of test report unless otherwise specified.

(Authorized Signatory)

End of Report

Disclaimer:

- Legal disputes are subject to Mohali Jurisdiction only.
- Any complaint/discrepancies in this Test Report Should be communicated in writing within 15 days of the dispatch of Test Report.
- In case of any dispute, the terms & conditions of RB Enviro Laboratories (OPC) Pvt. Ltd. shall prevail.
- In case of any feedback/complaints, please send email to rbenvirosolution@gmail.com in or call at +91 84374 73298, 62394 47329