

May 30, 2026

To

The Additional Director

Ministry of Environment, Forest & Climate Change,

Regional Office (North)

Government of India,

Bay No. 24-25, Sector – 31 A,

Chandigarh.

(Mail ids.: ecompliance-nro@gov.in and ronz.chd-mef@nic.in)

Subject: Submission of six monthly report for period ending 31.03.2026 for the Steel Manufacturing Unit namely "Madhav KRG HRC Pvt. Ltd." located at Village Akalgarh & Bhagwanpura, Tehsil Nabha & Amloh, Distt. Patiala & Fatehgarh Sahib, Punjab.

Ref.: EC# EC22B008PB110661 Dated 03.07.2022.

Dear Sir,

With reference to the EIA Notification & its amendments regarding submission of six monthly compliance report, we are hereby submitting the six monthly compliance report for period ending 31.03.2026 for the above said project in soft copy through mail for your perusal.

Kindly acknowledge the receipt of the same.

Thanking you.

Sincerely,

For M/s Madhav KRG HRC Pvt. Ltd.

(Authorized Signatory)

CC to:

1. **Member Secretary**, SEIAA Punjab, Directorate of Environment and Climate Change, C/o Punjab State Council for Science & Technology, MGSIPA Complex, Sector 26, Chandigarh-160019 (Upload on Parivesh Portal and through e-mail seiaapb2017@gmail.com)
2. **Environmental Engineer**, Punjab Pollution Control Board, Regional Office, RIMT Management College, Mandi Gobindgarh, Distt. Fatehgarh Sahib, Punjab (mail id: eerofgs@gmail.com)

[Back](#)

View Half Yearly Compliance Report at Project Proponent

Proposal Details

Proposal No	EC22B008PB110661	Category	Industrial Projects - 1
Name of Project	Madhav KRG HRC Pvt. Ltd. (MKHPL), Proposed steel manufacturing unit at Village Akalgarh and Bhagwanpura, Amloh-Bhadson Road, Near toll plaza, Tehsil Nabha and Amloh, District Patiala and Fatehgarh sahib, Punjab.		
Plot / Survey/ Khasra No.		Village(s)	
Sub-District(s)			
State	PUNJAB	District	PATIALA
MoEF File No	SEIAA/PB/IND/2022/EC/05	Name of the Entity/ Corporate Office	Madhav KRG HRC Pvt. Ltd.
Entity's PAN	*****2481R		
Entity Name as per PAN	MADHAV KRG HRC PRIVATE LIMITED	Entity details mentioned above is correct ?	Agree

Covering Letter

Covering Letter [Click to View](#)

Compliance Reporting Details

Reporting Year	2026	Reporting Period	01 Jun(01 Oct - 31 Mar)
Remark(if any)			

Details of Production and Project Area

Date of Commencement of Project/Activity 06-04-2024

Status of implementation of the project Operational

	Project Area as per EC Granted(ha.)	Actual Project Area in Possession(ha.)
Private	28.83	28.83

Revenue Land	0	0
Forest	0	0
Others		
Total	28.83	28.83

Others Table

Sr.No.	Others Name	Area Granted	Actual Area	Action
1	Total Area	28.83 acres	28.83 acres	 Delete Row

Land Documents

Video

NA

NA

Production Table

Sr.No.	Name of the Product	Units	As per EC Granted	As per CTO Granted	CTO ID	CTO Valid Up To	Last Financial Year w.r.t. Reporting Year	Production during last financial year w.r.t. Reporting Year	Last Financial Year w.r.t. Reporting Year	Production during last financial year w.r.t. Reporting Year
1	Hot Rolled Coil (HRC)	Tons per Annum (TPA)	750000	750000	R22PTA821818	31-03-2026	FY 2025-2026	233754	FY 2026-2027	NA

Conditions

Specific Conditions

Sr.No.	Condition Heading	Condition Details	Status of Compliance,Remarks / Reason and Supporting Documents
--------	-------------------	-------------------	--

General Conditions

Sr.No.	Condition Heading	Condition Details	Status of Compliance,Remarks / Reason and Supporting Documents	
1	Statutory Compliance	The project proponent shall obtain forest clearance under the provisions of the Forest (Conservation) Act, 1986, in case of the diversion of forest land for non-forest purposes involved in the project.	PPs Submission	Complied. NOC has been obtained regarding diversion of forest land; copy of the same is enclosed as annexure-01. Complied 31-05-2026 Attachment: Click to View
2	Statutory Compliance	The project proponent shall obtain clearance from the National Board for Wildlife, if applicable.	PPs Submission	Complied - The clearance has been obtained. Annexure-02 Complied

			31-05-2026 Attachment: Click to View
3	Statutory Compliance	The project proponent shall prepare a Site-Specific Conservation Plan and Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan/ Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation report shall be furnished along with the six-monthly compliance report. (in case of the presence of Schedule-I species in the study area)	PPs Submission Complied NBWL permission is not required, as the project falls outside of the Eco-sensitive zone of the Bir Bhadson Wildlife Sanctuary. Notification of Bir Bhadson Wildlife Sanctuary mentioning the eco-sensitive zone is enclosed as annexure-03. Complied 31-05-2026 Attachment: Click to View
4	Statutory Compliance	The project proponent shall obtain Consent to Establish/ Operate under the provisions of the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974 from the concerned Punjab Pollution Control Board.	PPs Submission Being Complied Consent to Operate under the provisions of Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974 from Punjab pollution Control Board was valid upto 31.03.2026 and now we applied for renewal of the same and application forms are attached as Annexure -04. Being Complied 31-05-2026 Attachment: Click to View
5	Statutory Compliance	The project proponent shall obtain the necessary permission from the Central Ground Water Authority/competent authority concerned, in case of drawl of groundwater and also in case of drawl of surface water required for the project. In case of non-grant of permission by CGWA for groundwater abstraction, the industry shall make alternative arrangements by using surface water or treated city sewage effluent after obtaining permission from the competent authority.	PPs Submission Being Complied Permission has been obtained permission from Punjab Ground Water Regulation and Development Authority (PWRDA) annexure-05 attached Being Complied 31-05-2026 Attachment: Click to View

6	Statutory Compliance	The project proponent shall obtain authorization under the Hazardous and other Waste Management Rules, 2016 as amended from time to time.	PPs Submission	Being Complied Authorization of Hazardous waste was valid upto 31.03.2026 and now we applied for renewal of the same the application form is attached as annexure-06 Being Complied 31-05-2026 Attachment: Click to View
7	Statutory Compliance	The project proponent shall comply with the siting criteria, standard operating practices, code of practice, and guidelines if any prescribed by the SPCB/CPCB/MoEFandCC for such types of units.	PPs Submission	Company is being complying all the siting criteria, standard operating practices, code of practice and guidelines as prescribed by the CPCB/PPCB/MoEF and CC for such type of units Being Complied 31-05-2026 Attachment:NA
8	Statutory Compliance	The project proponent shall comply with the CLU conditions imposed by the Competent Authority, if any.	PPs Submission	Being Complied The conditions imposed by the District Town Planner is being complied. Being Complied 31-05-2026 Attachment:NA
9	Air Quality Monitoring And Preservation	The project proponent shall install 24x7 continuous emission monitoring system at the inlet as well as at the outlet (stack) of each APCD to monitor the SPM concentration with respect to standards prescribed in Environment (Protection) Rules 1986 vide G.S.R 277 (E) dated 31st March 2012 (applicable to IF/EMF) as amended from time to time; S.O. 3305 (E) dated 7th December 2015 (Thermal Power Plants) as amended from time to time) and connected to SPCB and CPCB online servers and calibrate these systems from time to time according to equipment supplier specifications through labs recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.	PPs Submission	Being Complied Continuous emission monitoring system has been installed to monitor stack emission with respect to standards and connected to SPCB and CPCB online servers and calibration of stack system is being done on regular basis. Annexure-07 attached. Being Complied 01-06-2026 Attachment: Click to View
10	Air Quality Monitoring And	The project proponent shall monitor fugitive	PPs Submission	Being Complied Fugitive emissions in the plant premises are being

	Preservation	emissions in the plant premises at least once every quarter through laboratories recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories.		monitored on quarterly basis through laboratories recognized under Environment (Protection) Act, 1986 or NABL accredited laboratories. Latest report attached as annexure-08. Being Complied 31-05-2026 Attachment: Click to View
11	Air Quality Monitoring And Preservation	The project proponent shall install a system to carry out Manual Ambient Air Quality monitoring for parameters relevant to the main pollutants released (e.g. PM10 and PM2.5 in reference to PM emission, and SO2 and NOx in reference to SO2 and NOx emissions) within and outside the plant area (at least at four locations one within and three outside the plant area at an angle of 120 each), covering upwind and downwind directions.	PPs Submission	Being Complied Regular ambient air monitoring has been done on quarterly basis by NABL accredited laboratory. Recent Test reports are attached as Annexure-09. Being Complied 31-05-2026 Attachment: Click to View
12	Air Quality Monitoring And Preservation	The project proponent shall submit a monthly summary report of continuous stack emission and air quality monitoring and results of manual stack monitoring and manual monitoring of air quality/ fugitive emissions to the Regional Office of MoEFandCC, Zonal	PPs Submission	Being Complied. the industry has installed internal monitoring system and monitor the stack emission and the report of the same is attached as annexure-10 Being Complied 31-05-2026 Attachment: Click to View
13	Air Quality Monitoring And Preservation	Appropriate Air Pollution Control (APC) system shall be provided for all the dustgenerating points including fugitive dust from all vulnerable sources.	PPs Submission	Complied Dog house suction hood has been provided on Induction Furnaces followed by Pulse Jet Bag Filter as APCD based on the design approved by PSCST Chandigarh. For Fugitive emissions proper exhaust systems has been provided. Annexure-11 Complied 31-05-2026 Attachment: Click to View
14	Air Quality Monitoring And Preservation	The project proponent shall provide leakage detection and mechanized bag cleaning facilities for better maintenance of bags.	PPs Submission	Being Complied For Leakage detection system differential meter are installed and mechanized bag cleaning facilities for has been provided for maintenance of bags. Annexure- 12 Being Complied

				31-05-2026 Attachment: Click to View
15	Air Quality Monitoring And Preservation	Sufficient number of mobile or stationary vacuum cleaners shall be provided to clean plant roads, shop floors, roofs, etc. regularly.	PPs Submission	Being Complied Mobile vacuum cleaners have been provided to clean plant roads, shop floors, roofs, regularly and a dedicated housekeeping team is also there for this purpose annexure-13 Being Complied 31-05-2026 Attachment: Click to View
16	Air Quality Monitoring And Preservation	Recycle and reuse of iron ore fines, coal and coke fines, lime fines, and such other fines collected in the pollution control devices and vacuum cleaning devices in the process after briquetting/agglomeration should be ensured.	PPs Submission	Being Complied APCD dust generated is being given to own subsidiary unit. (Madhav KRG environmental Solutions Ltd.) for zinc extraction. Being Complied 31-05-2026 Attachment:NA
17	Air Quality Monitoring And Preservation	The project proponent shall use leak-proof trucks/dumpers carrying coal and other raw materials and cover them with tarpaulin.	PPs Submission	Being Complied Covered trucks are being used to carry the raw materials annexure-14 Being Complied 31-05-2026 Attachment: Click to View
18	Air Quality Monitoring And Preservation	The project proponent shall provide covered sheds for raw materials like scrap and sponge iron, lump ore, coke, coal, etc.	PPs Submission	Being Complied Scrap is being kept in the covered sheds only. Annexure-15 Being Complied 31-05-2026 Attachment: Click to View
19	Air Quality Monitoring And Preservation	The project proponent shall provide primary and secondary fume extraction systems at all melting furnaces.	PPs Submission	Being Complied. All melting furnaces are provided with primary and secondary fume extraction system. Annexure-11 Being Complied 31-05-2026 Attachment: Click to View
20	Air Quality Monitoring And Preservation	Design and implementation of the ventilation system for adequate air changes as per the ACGIH document for all tunnels, motor houses, and Oil Cellars should be ensured.	PPs Submission	We need not to design the ventilation system for adequate air changes as per ACGIH document as we not have tunnels, motor houses, Oil Cellars. Complied 31-05-2026 Attachment:NA

21	Water Quality Monitoring And Preservation	The project proponent shall monitor regularly groundwater quality at least twice a year (pre and post-monsoon) at sufficient numbers of piezometers/ sampling wells in the plant and adjacent areas through labs recognized under Environment (Protection) Act, 1986 and NABL accredited laboratories.	PPs Submission	Being Complied Monitoring of ground water has been done on quarterly basis by NABL accredited laboratory. Test reports of ground water are attached as Annexure-16 Being Complied 31-05-2026 Attachment: Click to View
22	Water Quality Monitoring And Preservation	Garland drains and collection pits shall be provided for each stockpile to arrest the runoff in the event of heavy rains and to check the water pollution due to surface runoff.	PPs Submission	Complied Proper drainage system has been provided within the project premises to collect the run-off. Complied 31-05-2026 Attachment:NA
23	Water Quality Monitoring And Preservation	The project proponent shall practice rainwater harvesting to the maximum possible extent. For this, rain water harvesting shall be carried out at 4 no. of ponds at village Bhadalthua, Village Badecha, Village Akalgarh and Village Sakrali Mandi Gobindgarh having total recharge potential of volume - 52,8117 m3 to recharge the water - 26,4059 m3/annum. As an additional safety measure, the stream carrying waste water of the village shall be diverted in one corner of Phytoid plants trench (designed based on the technology developed by CSIR-NEERIs) divided into different parts, the overflow of each chamber shall be allowed to enter into another chamber which will ultimately lead to the purification of water and collected into the pond to avoid any contamination of ground water aquifer. Pond water will percolate through natural strata (without injection) to augment the ground water and remaining water shall be used for irrigation	PPs Submission	Being Complied Being Complied 31-05-2026 Attachment:NA

		purposes by pumping method in the nearby fields		
24	Water Quality Monitoring And Preservation	The project proponent shall make efforts to minimize water consumption in the steel plant complex by segregation of used water, practicing cascade use, and recycling treated water	PPs Submission	Being Complied. The industry has installed STP and colling tower to minimize the water consumption and images of the same is attached as annexure-17 Being Complied 31-05-2026 Attachment: Click to View
25	Noise Monitoring & Prevention	A noise level survey shall be carried out as per the prescribed guidelines and the report in this regard shall be submitted to the Regional Officer of the Ministry as a part of a sixmonthly compliance report.	PPs Submission	Being Complied Monitoring of noise has been done on quarterly basis by NABL accredited laboratory and results are being submitted with six monthly compliance reports. Being Complied 31-05-2026 Attachment:NA
26	Noise Monitoring & Prevention	The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during daytime and 70 dB(A) during night-time.	PPs Submission	Being Complied Monitoring of noise has been done on quarterly basis by NABL accredited laboratory and results are found within the permissible limit. Test report is enclosed as annexure-18 Being Complied 31-05-2026 Attachment: Click to View
27	Energy Preservation Measures	The project proponent shall practice hot charging of slabs and billets/blooms as far as possible.	PPs Submission	Being Complied Being Complied 31-05-2026 Attachment:NA
28	Energy Preservation Measures	The project proponent shall provide solar power generation on rooftops of buildings, a solar light system for all common areas, street lights, parking around the project area, and maintain the same regularly.	PPs Submission	Agreed to Comply Agreed to Comply 31-05-2026 Attachment:NA
29	Energy Preservation Measures	The project proponent shall provide LED lights in their offices and residential areas.	PPs Submission	Being Complied LED lights has been provided in offices and sheds. Being Complied 31-05-2026 Attachment:NA
30	Energy Preservation Measures	The Project Proponent shall practice hot charging of slabs and	PPs Submission	Being Complied Being Complied

		billets/blooms as far as possible.		31-05-2026 Attachment:NA
31	Waste Management	Used refractories shall be recycled as far as possible.	PPs Submission	Being Complied Being Complied 31-05-2026 Attachment:NA
32	Waste Management	100 percent utilization of fly ash shall be ensured. All the fly ash shall be provided to cement and brick manufacturers for further utilization and a Memorandum of Understanding in this regard shall be submitted to the Ministry's Regional Office.	PPs Submission	Being Complied. Slag, generated from the unit is being given to own subsidiary unit M/s Madhav KRG Environmental Solutions Ltd. for further processing. M/s Madhav KRG Environmental Solutions Ltd provide remanent to cement and brick manufacturers for further utilization. APCD Dust also is also being given to M/s Madhav KRG Environmental Solutions Ltd. for further processing Being Complied 31-05-2026 Attachment:NA
33	Waste Management	The waste oil, grease, and other hazardous waste shall be disposed of as per the Hazardous and Other waste (Management and Transboundary Movement) Rules, 2016.	PPs Submission	Being Complied Being Complied 31-05-2026 Attachment:NA
34	Waste Management	Kitchen waste shall be composted or converted to compost or biogas for further use.	PPs Submission	Being Complied Currently, Kitchen waste is being given to Pig/Swine Husbandry farmers. Being Complied 31-05-2026 Attachment:NA
35	Greenbelt	Green belt shall be developed in an area of 36798.86 Sqm (9.09 acres) (equal to 33.5 percent of the plant area) with native tree species in accordance with SEIAA guidelines. Total 5505 tall saplings (minimum 6 feet height) of indigenous species such as Neem, Drek, Kusum, Kadam, Banyan, Peepal, Amaltas, Arjun, Chakarasia etc will be planted.	PPs Submission	Being Complied Actual area developed within the premises is 18,596 sqm, and to meet the requirement of project area as green belt, land area measuring 8.79 acres, already developed as green belt on account of shortage, in the revenue estate of Village Faridpur, Sub Tehsil Bhadson, Tehsil Nabha, Distt. Patiala at distance of 1.6 Km from the project site. As of now, the unit has developed 13.4 Acres, under green belt. Annexure-19 Being Complied 31-05-2026 Attachment: Click to View

36	Greenbelt	The Project Proponent shall develop a green belt in 33 percent of the total land area with native tree species (having canopy type structure and especially trees, and not grass) before the completion of the project. The greenbelt shall inter alia cover the entire periphery of the unit. The canopy trees shall also be planted around the parking area to provide shade to the parked vehicles	PPs Submission	Being Complied Being Complied 01-06-2026 Attachment:NA
37	Greenbelt	The project proponent shall plant tall saplings having a height not less than 6 ft. The proponent shall make adequate provision of funds for raising the plantation and subsequent maintenance for three years in the Environment Management Plan.	PPs Submission	Being Complied Being Complied 31-05-2026 Attachment:NA
38	Greenbelt	The project proponent shall submit the progress of developing the green belt in the six monthly compliance report.	PPs Submission	Being Complied. Pics of the green belt images attached as annexure-19 Being Complied 31-05-2026 Attachment: Click to View
39	Public Hearing	An emergency preparedness plan based on the Hazard Identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.	PPs Submission	Being Complied .Copy of HIRA enclosed herewith as annexure-20 Being Complied 31-05-2026 Attachment: Click to View
40	Public Hearing	The project proponent shall carry out heat stress analysis for the workmen who work in the high-temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of the Factory Act.	PPs Submission	Being Complied Occupational Health Centre do regular health check-up of workmen who work in high temperature work zone and provide Personal Protection Equipment (PPE) as per the norms of Factory Act. Annexure-21 Being Complied 01-06-2026 Attachment: Click to View
41	Public Hearing	Provision shall be made for the housing of construction labour within the site with all necessary infrastructure	PPs Submission	Being Complied In case of construction proponent use local labour only Being Complied

		and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, creche, etc. The housing may be in the form of temporary structures to be removed after the completion of the project.		01-06-2026 Attachment:NA
42	Public Hearing	Occupational health surveillance of the workers shall be done regularly and records maintained as per the Factories Act.	PPs Submission	Being Complied Being Complied 01-06-2026 Attachment:NA
43	Public Hearing	The project proponent shall carry out the activities apart from CER activities and spent an amount as committed during the public hearing as per the public hearing action plan.	PPs Submission	Agreed to Comply Agreed to Comply 01-06-2026 Attachment:NA
44	Public Hearing	The Project Proponent shall submit compliance of the action plan proposed to address the public hearing issues along with the six-monthly compliance report of EC condition on the Parivesh portal.	PPs Submission	Agreed to Comply Agreed to Comply 31-05-2026 Attachment:NA
45	Energy Preservation Measures	The company shall have a well-laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe standard operating procedures to have proper checks and balances and to bring into focus any infringements/ deviation/ violations of the environmental/ forest/ wildlife norms/ conditions. The company shall have defined system of reporting infringements/ deviation/ violation of the environmental/ forest/ wildlife norms/ conditions to all/ or shareholders/ stakeholders. A copy of the board resolution in this regard shall be submitted to the	PPs Submission	Complied and environment policy attached as annexure-22 Complied 31-05-2026 Attachment: Click to View

		MoEFandCC as a part of the six-monthly report.		
46	Energy Preservation Measures	A separate Environmental Cell both at the project and company headquarters level, with qualified personnel, shall be set up under the control of the Senior Executive, who will directly report to the head of the organization	PPs Submission	Complied Environmental Management Cell has been constituted. Details of EMC is enclosed as Annexure-23 Complied 31-05-2026 Attachment: Click to View
47	Energy Preservation Measures	An action plan for implementing EMP and environmental conditions along with the responsibility matrix of the company shall be prepared and shall be duly approved by the competent authority. The year-wise funds earmarked for environmental protection measures shall be kept in a separate account and will not be diverted for any other purpose. The project proponent shall spend a minimum amount of Rs 1337 Lakhs towards the capital cost and Rs 69 Lakhs/annum towards recurring costs including the environmental monitoring cost for the implementation of EMP as proposed in the EMP plan as under: Sr. No. Environmental Protection Measures Capital Cost (Rs. in lakhs) Recurring Cost (Rs. in LPA) 1. Air Pollution Control (Installation of APCD and continuous emission monitoring system) 853 2.5 2. Water Pollution Control (STP of capacity 90 KLD) 150 2 3. Noise Pollution Control (Provision of acoustic enclose for DG sets) 5 2 4. Green belt development by planting of 5950 tall plants of indigenous tree species 55 55 (for 3 years) 5. Solid Waste Management 3 0.5 6. Environment Monitoring and Management 3 5 7. Health, Safety and Risk Assessment (PPE kit for	PPs Submission	Being Complied Annexure-24 attached Being Complied 01-06-2026 Attachment: Click to View

		workers) 5 1 8. Rain water harvesting system 8 0.5 9. CER activities 250 - 10. Miscellaneous 5 0.5 Total Rs. 1,337 lakhs Rs. 69 lakhs			
48	Corporate Environmental Responsibility	Sr. No. Activities Annual Expenditure Timeline (5 years from the start of the project) Total Expenditure 1. Rainwater Harvesting Adoption of four (4) ponds; out of which 2 ponds are located in Village Bhadalthuha and Badecha of Nabha Block and the other 2 ponds are located in Village Akalgarh and Sakrali of Block Amloh for rainwater harvesting and maintenance of Rs. 36 lakhs (i.e. Rs. 9 lakhs per pond) 5 years Rs. 180 lakhs ponds as per measures given below: i) Nano-Bubble technology to treat wastewater discharge into the pond ii) Tree plantation of 6 ft. size around the pond iii) Removal of solid waste, sludge, and silt from the pond iv) Landscaping around the pond 2. Issues raised during public hearing: i. Rainwater Harvesting Adoption of the pond located in the Village Bhamarsi Jher of Sirhind Block based on Seechewal model for rainwater harvesting and pond maintenance through measures given below: i) Nano-Bubble technology to treat wastewater discharge into the pond ii) Tree plantation of 6 ft. size around the pond iii) Removal of solid waste, sludge, and silt from the pond iv) Landscaping around the pond Rs. 6 lakhs 5 years Rs. 30 lakhs ii. Plantation Plantation drives in nearby villages Rs. 2 lakhs 5 years Rs. 10 lakhs iii. Education i) Providing uniforms, books, etc. to needy students and repairing of	<table><tr><td>PPs Submission</td><td>Being Complied Annexure-24 attached Being Complied 01-06-2026 Attachment: Click to View</td></tr></table>	PPs Submission	Being Complied Annexure-24 attached Being Complied 01-06-2026 Attachment: Click to View
PPs Submission	Being Complied Annexure-24 attached Being Complied 01-06-2026 Attachment: Click to View				

		Primary School building located in Village Chehal. Rs. 4 lakhs Rs. 2 lakhs 5 years 5 years Rs. 20 lakhs Rs. 10 lakhs ii) Providing uniforms, books, etc. to needy students of the nearby villages Total Rs. 50 lakhs - Rs. 250 Lakhs The entire cost of the environmental management plan will continue to be borne by the project proponent throughout the life of the Project. Year-wise progress of implementation of the action plan shall be reported to the Ministry/Regional Office along with the Six-monthly Compliance Reports.		
49	Corporate Environmental Responsibility	The self-environmental audit shall be conducted annually. Every three years thirdparty environmental audit shall be carried out.	PPs Submission	Self Environmental Audit is being done on Annual basis. Annexure-25 Being Complied 01-06-2026 Attachment: Click to View
50	Corporate Environmental Responsibility	All the recommendations made in the Charter on Corporate Responsibility for Environment Protection (CREP) for the plants shall be implemented.	PPs Submission	Agreed to Comply Agreed to Comply 01-06-2026 Attachment:NA
51	Statutory Compliance	This environmental clearance will be valid for a period of ten years from the date of its issue as per MoEF and CC, Gol notification No. S.O. 1807 (E) dated 12.04.2022 or till the completion of the project, whichever is earlier.	PPs Submission	Being Complied Being Complied 31-05-2026 Attachment:NA
52	Miscellaneous	The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition, this shall also	PPs Submission	Being Complied Advertisement has been published in the newspaper regarding the grant of EC; copy of the advertisement is already shared with previous compliance. Further, Environmental Clearance letter has been uploaded on the Company's website annexure-26 Being Complied 31-05-2026 Attachment: Click to View

		be displayed in the project proponent's website permanently.		
53	Miscellaneous	The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.	PPs Submission	Complied Copy of Environmental Clearance letter submitted to concerned departments. Complied 31-05-2026 Attachment:NA
54	Miscellaneous	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on a half-yearly basis.	PPs Submission	Complied Environmental Clearance letter has been uploaded along with the previously submitted six monthly compliance reports on company's website. Screenshot showing the same is attached along as Annexure-27 Being Complied 31-05-2026 Attachment: Click to View
55	Miscellaneous	The project proponent shall monitor the criteria pollutants level namely; PM10, SO2, NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects and display the same at a convenient location for disclosure to the public and put on the website of the company.	PPs Submission	Being Complied Environment data board displayed near main gate. Annexure-28 Being Complied 31-05-2026 Attachment: Click to View
56	Miscellaneous	The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the Ministry of Environment, Forest and Climate Change at the environment clearance portal.	PPs Submission	Being Complied Being Complied 01-06-2026 Attachment:NA
57	Miscellaneous	The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended	PPs Submission	Complied Environment statement of every financial year in Form-V has been submitted to RO, PPCB. Annexure-29 Being Complied 31-05-2026 Attachment: Click to View

		subsequently and put on the website of the company.		
58	Miscellaneous	The project proponent shall inform the Regional Office of the Ministry and PPCB, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and the start of production operation by the project.	PPs Submission	Agreed to Comply Agreed to Comply 01-06-2026 Attachment:NA
59	Miscellaneous	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government	PPs Submission	Being Complied Stipulations made by the Punjab Pollution Control Board and State Government are being followed strictly. Being Complied 31-05-2026 Attachment:NA
60	Miscellaneous	The project proponent shall abide by all the commitments and recommendations made in the EIA /EMP report, commitments made during Public Hearing and also that during their presentation to the SEAC and SEIAA.	PPs Submission	Being Complied The project proponent abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the SEAC and SEIAA. Being Complied 31-05-2026 Attachment:NA
61	Miscellaneous	No further expansion or modifications in the project shall be carried out other than those permitted in this EC without prior approval of SEIAA. In case of deviation or alterations in the project proposal from those submitted to the Ministry/SEIAA for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	PPs Submission	Agreed to Comply Agreed to Comply 01-06-2026 Attachment:NA
62	Miscellaneous	The Regional Office, MoEFandCC, Chandigarh, Punjab Pollution Control Board and SEIAA/ SEAC members nominated for the purpose shall	PPs Submission	Agreed to Comply Agreed. Full cooperation will be extended to the officer of the Regional Office and PPCB by furnishing the requisite data/ information/ monitoring

		monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer(s) entrusted with this monitoring by furnishing the requisite data/ information/monitoring reports.		reports. Agreed to Comply 31-05-2026 Attachment:NA
63	Miscellaneous	The industry shall submit the approved building plan for the total land area of 27.07 acres within six months.	PPs Submission	Pls. see attachment of approved building plan as annexure-30 Complied 31-05-2026 Attachment: Click to View
64	Miscellaneous	The industry shall install an online monitoring system at the inlet as well as at the outlet of each APCD for monitoring SPM.	PPs Submission	Online monitoring system has been installed on APCD for monitoring SPM. Being Complied 31-05-2026 Attachment:NA
65	Miscellaneous	The project proponent shall utilize the approach road of their adjoining subsidiary unit namely Madhav KRG Ltd. till the time clearance under the Forest Conservation Act, 1980 is obtained.	PPs Submission	Clearance under the Forest Conservation Act, 1980 has been obtained. Annexure-31 Complied 31-05-2026 Attachment: Click to View
66	Miscellaneous	The project proponent shall construct causeways on the Katcha Road in front of the agricultural land of the complainant for passing the peak flow of rainwater under the guidance of the Drainage Department. The entire cost of constructing these causeways shall be borne by the industry.	PPs Submission	Project proponent is ready to construct causeways but it should be under the guidance and supervision of the Drainage Department. Alternatively We can pay expenses to Drainage Department for construction of Causeway. In the meantime drainage department has visited the site and in its report, department has raised question on construction of causeway. Copy of the letter attached herewith as annexure-32 Agreed to Comply 31-05-2026 Attachment: Click to View
67	Miscellaneous	Drainage Department will keep strict vigil during the monsoon season for any obstruction to rainwater flow resulting in damage to the crops of the complainants and take necessary action under the provision of	PPs Submission	Agreed to Comply Agreed to Comply 31-05-2026 Attachment:NA

		the Canal and Drainage Act, 1873.		
68	Miscellaneous	In case obstruction to the natural flow of water is still reported, the project proponent shall construct a well-designed drain along the boundary wall of the existing industry to discharge the rainwater from the agricultural land of the complainant as per the commitment made during the public hearing conducted on 01.03.2011 and pay compensation for the damage of the crops of the complainants as assessed by the Revenue Department.	PPs Submission	Complied Project proponent has constructed a well- designed drain along the boundary wall of the existing industry to discharge the rainwater from the agricultural. Agreed to Comply 31-05-2026 Attachment:NA
69	Miscellaneous	As proposed, a Storm water drain shall be constructed all along the road within the project site as per the layout plan submitted by the project proponent. The rainwater will be collected in a storage tank, and subsequently utilized in the project for cooling purposes.	PPs Submission	Complied Storage tanks has been constructed by the proponent Complied 31-05-2026 Attachment:NA
70	Miscellaneous	The SEIAA reserves the right to stipulate additional conditions if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time-bound manner. SEIAA may revoke or suspend the environmental clearance if the implementation of any of the above conditions is not found to be satisfactory	PPs Submission	Agreed to Comply Agreed to Comply 31-05-2026 Attachment:NA
71	Miscellaneous	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of the Environment (Protection) Act, 1986.	PPs Submission	Agreed to Comply Agreed to Comply 31-05-2026 Attachment:NA

72	Miscellaneous	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	PPs Submission	Agreed to Comply Agreed to Comply 31-05-2026 Attachment:NA
73	Miscellaneous	The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016, the Public Liability Insurance Act, 1991 read with subsequent amendments therein and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.	PPs Submission	Agreed to Comply Agreed to Comply 31-05-2026 Attachment:NA
74	Miscellaneous	This issues with the approval of the Competent Authority.	PPs Submission	Agreed to Comply Agreed to Comply 31-05-2026 Attachment:NA

Document uploaded by the PP

Last Site Visit Report (if available) NA

Additional Attachment (if any) NA

Last Site Visit Report Date (if available)

Additional Remarks (if any)

- ☒ I 'Madhav KRG HRC Pvt. Ltd.' hereby give undertaking that the data and information given in the filed compliance and enclosures are true to be best of my knowledge and belief and I am aware that if any part of the data and information found to be false or misleading at any stage, the clearance given to the project will be revoked at our risk and cost. In addition to above, I hereby give undertaking that no activity such as change in project layout, construction, expansion, etc. has been taken up without due approval.

Cover Letter From RO/SRO

Cover Letter From
RO/SRO

Back

I/60730/2023



भारत सरकार
GOVERNMENT OF INDIA
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय
MINISTRY OF ENVIRONMENT, FOREST AND CLIMATE CHANGE
क्षेत्रीय कार्यालय, चंडीगढ़ / Regional Office, Chandigarh



मिसिल संख्या :- 9-PBB419/2023-CHA
सेवा में,

दिनांक: .12.2023

अतिरिक्त मुख्य सचिव (वन),
पंजाब सरकार, लघु सचिवालय,
सेक्टर-9, चण्डीगढ़।
(fcf@punjab.gov.in)

विषय:- Diversion of 0.0212 ha of forest land permission for construction of approach access to Madhav KRG HRC Pvt. Ltd., on Nabha-Bhawanigarh-Gobindgarh road KM 41-42 R/side, at village Bhagwanpura Tehsil Amloh District Fatehgarh Sahib village Akalgarh Tehsil Nabha, District Patiala, Punjab. (Online proposal no. FPPB/Approach/153259/2022)

संदर्भ (i) State Government online proposal received on dated 21.07.2023.

(ii) अतिरिक्त प्रधान मुख्य वन संरक्षक, पंजाब सरकार के पत्र संख्या FOREST-FCA0FC2P/79/2022-FCA दिनांक 19.12.2023.

महोदय,

मुझे आपका ध्यान उपर्युक्त प्रस्ताव की और दिलाने का निर्देश हुआ है, जिसमें वन (संरक्षण) अधिनियम, 1980 की धारा- 2 के अधीन केन्द्रीय सरकार की अनुमति मांगी गई है। इस प्रस्ताव में इस कार्यालय के समसंख्यक पत्र दिनांक 28.10.2023 द्वारा सैद्धांतिक स्वीकृति प्रदान की गई थी, जिसकी अनुपालना रिपोर्ट अतिरिक्त प्रधान मुख्य वन संरक्षक व नोडल अधिकारी के पत्र संख्या FOREST-FCA0FC2P/79/2022-FCA दिनांक 19.12.2023 (ऑनलाइन पोर्टल) द्वारा प्राप्त होने के उपरान्त केन्द्र सरकार द्वारा उपर्युक्त उद्देश्य हेतु 0.0212 हेक्टेयर वन भूमि के उपयोग हेतु विधिवत स्वीकृति निम्नलिखित शर्तें पूरी करने पर प्रदान की जाती है:-

- वन भूमि की विधिक स्थिति बदली नहीं जाएगी।
- काटे जाने वाले बाधक वृक्षों/पौधों की संख्या किसी भी रूप में प्रस्ताव में दर्शायी गई संख्या से अधिक नहीं होगी और वृक्षों की कटाई के दौरान वन्यजीवों को किसी तरह का नुकसान नहीं पहुंचाया जाएगा।
- प्रतिपूर्ति पौधारोपण राज्य सरकार द्वारा प्रस्तावित सीए योजना के अनुसार Gulaher Minor RD Village Paid to Tail B/side, Samana & District Patiala, में पौधे लगाकर किया जाएगा और धन प्रयोक्ता एजेंसी द्वारा प्रदान किया जाएगा।
- अतिरिक्त प्रतिपूर्ति पौधारोपण राज्य सरकार द्वारा प्रस्तावित एसीए योजना के अनुसार Gulaher Minor RD Village Paid to Tail B/side, Samana & District Patiala, में पौधे लगाकर किया जाएगा और धन प्रयोक्ता एजेंसी द्वारा प्रदान किया जाएगा।
- प्रतिपूर्ति पौधारोपण और अतिरिक्त प्रतिपूर्ति पौधारोपण इस पत्र के जारी होने की तिथि से एक वर्ष के अन्दर हो जाना चाहिए।
- CEO, State CAMPA, इस कार्यालय द्वारा अनुमोदित सीए योजना के अनुसार CA वृक्षारोपण के लिए DFO को CAMPA Scheme के तहत धनराशि जारी करना सुनिश्चित करेंगे।
- DFO अनुमोदित CA Sites पर वृक्षारोपण करना सुनिश्चित करेंगे और MoEF&CC की अनुमति प्राप्त किए बिना अनुमोदित को नहीं बदलेंगे।
- राज्य सरकार प्रयोक्ता एजेंसी को वन भूमि को गैर वानिकी कार्यों के लिए हस्तान्तरण से पूर्व स्वीकृत प्रतिपूर्ति पौधारोपण (CA) क्षेत्र की KML फाइल को भारतीय वन सर्वेक्षण (FSI) के E-Green Watch पोर्टल पर अपलोड करना सुनिश्चित करेंगी।
- वन भूमि का प्रयोग प्रस्ताव में दर्शाये गये उद्देश्य के अलावा किसी अन्य उद्देश्य के लिये नहीं किया जायेगा।

I/60730/2023

- x. माननीय उच्चतम न्यायालय के निर्देशानुसार जब कभी भी NPV की राशि बढ़ाई जायेगी तो उस बढ़ी हुई NPV की राशि को जमा करने के लिए प्रयोक्ता एजेंसी बाध्य होगी और राज्य सरकार बढ़ी हुई राशि जमा कराना सुनिश्चित करेगी।
- xi. इस प्रस्ताव को 99 वर्षों के लिए अनुमति प्रदान की जायेगी, इसके उपरांत पुनः यह अनुमति भारत सरकार से प्राप्त करनी होगी। इस अनुमोदन के तहत Diversion की अवधि प्रयोक्ता एजेंसी के पक्ष में दी जाने वाली Lease की अवधि या परियोजना की अवधि जो भी कम हो के सह-समाप्ति होगी।
- xii. साथ लगते वन और वनभूमि को किसी तरह का कोई नुकसान नहीं पहुंचाया जायेगा और साथ लगते हुए वन और वनभूमि को बचाने के लिये सभी प्रयत्न किये जायेंगे।
- xiii. स्थानान्तरण के लिए प्रस्तावित वनभूमि को केंद्रीय सरकार की पूर्व अनुमति के बिना किसी भी परिस्थिति में किसी अन्य एजेंसी, विभाग या व्यक्ति विशेष को हस्तांतरित नहीं किया जायेगा।
- xiv. केंद्रीय सरकार की अनुमति के बिना प्रस्ताव के लेआउट प्लान को बदला नहीं जायेगा।
- xv. कूड़ा कर्कट निपटान जारी योजना के अनुसार किया जायेगा।
- xvi. अन्य कोई भी शर्त इस क्षेत्रीय कार्यालय द्वारा वन तथा वन्यजीवों के संरक्षण, सुरक्षा तथा विकास हेतु समय – समय पर लगाई जा सकती है।
- xvii. यदि आवश्यक हो तो प्रयोक्ता एजेंसी पर्यावरण (सुरक्षा) अधिनियम 1986, के अनुसार पर्यावरण अनुमति प्राप्त करेगी।
- xviii. इनमें से किसी भी शर्त का उल्लंघन वन संरक्षण अधिनियम, 1980 का उल्लंघन होगा तथा पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय के Handbook of Forest (Conservation) Act, 1980 and Forest Conservation Rules, 2003 (Guidelines & Clarifications), 2019 में उल्लिखित दिशानिर्देश 1.21 के अनुसार कार्यवाई की जायेगी।
- xix. यदि कोई अन्य सम्बंधित अधिनियम/अनुच्छेद/नियम/न्यायालय आदेश/अनुदेशआदि इस प्रस्ताव पर लागू होते हैं तो उनके अधीन जरूरी अनुमति लेना राज्य सरकार की जिम्मेवारी होगी।

2. मंत्रालय इस स्वीकृति को स्थगित/रद्द कर सकता है यदि उपरोक्त शर्तों में से किसी भी शर्त का कार्यान्वयन सन्तोषप्रद नहीं है। **राज्य सरकार वन विभाग के माध्यम से इन शर्तों का पालन सुनिश्चित करेगी।**

भवदीय,

Signed by

Raja Ram Singh

Date: 22-12-2023 12:05:01

हस्ता/-

(राजा राम सिंह)

उप-वन- महानिरीक्षक

RO, MoEF&CC

प्रतिलिपि:-

1. वन महानिरीक्षक (ROHQ), पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, इंदिरा पर्यावरण भवन, जोर बाग, अलीगंज, नई दिल्ली। (ramesh.pandy@nic.in)
2. प्रधान मुख्य वन संरक्षक, पंजाब, फॉरेस्ट कॉम्प्लेक्स, सै०-68, एस० ए० एस० नगर, मोहाली, पंजाब। (pccfpunjab@gmail.com)
3. मुख्य कार्यकारी अधिकारी, CAMPA, फॉरेस्ट कॉम्प्लेक्स, सै०-68, एस० ए० एस० नगर, मोहाली, पंजाब। (ceo.puncampa@gmail.com)
4. वन मण्डल अधिकारी, वन मण्डल और जिला पटियाला, पंजाब। (dfo-pta@gmail.com)
5. Madhav KRG HRC Private Limited village Akalgarh Tehsil Nabha District Patiala। (Harjitsingh66955@gmail.com)

File No.W/DFWP-CWLW0T-14(WCP)/1/2022-TECH BR-DFWP-CWLW

I/356543/2022

**Government of Punjab
Department Forest and Wildlife Preservation
O/o Principal Chief Conservator of Forests and
Chief Wildlife Warden, Punjab,
Forest Complex, Tower No. 2, 2nd Floor,
Sector-68, S.A.S. Nagar.**

To

M/s MADHAV KRG HRC PVT LTD.
Village Akalgarh, Amloh, Bhadson Road,
Patiala.

**Subject: Regarding "Final" approval of Wildlife Conservation Plan
for the project namely MADHAV KRG HRC PVT LTD.
Village Akalgarh, Amloh, Bhadson Road Patiala.**

Ref: Your Email dated 05.04.2022.

With reference to the above mentioned subject, it is informed that "In Principle" approval to the Wildlife Conservation Plan was issued by this office vide letter No 338842/2022 dated 29.03.2022. As per the conditions laid down in the "In-Principle approval", your office has deposited the requisite funds (Rs.32.00 Lakh) to this office and accordingly this office hereby conveys "Final approval" to the Wildlife Conservation Plan subject to the following conditions:-

1. An annual Compliance Certificate on the stipulated conditions shall be submitted by the project proponent to the office of Chief Wildlife Warden, Punjab.
2. The Divisional Forest Officer (Wildlife), Patiala will undertake and maintain plantation of fruit bearing species around the project site, so as to enrich the area with avian biodiversity.
3. The Divisional Forest officer (Wildlife), Patiala will conduct nature awareness programs in the area and Project Proponent will extend their support and co-operation to Divisional Forest Officer (Wildlife), Patiala in this regard.
4. The Project Proponent shall ensure the compliance to the provisions of all Acts, Rules, Regulations and the guidelines for the time being in force, as applicable to the Project.
5. The Project Proponent will implement the Wildlife Conservation Plan in letter and spirit failing which the "Final approval" of this plan will

I/356543/2022

be revoked by the competent authority.



Raman Kant Mishra Ifs
CHIEF WILDLIFE WARDEN

05/05/2022

A copy is sent to the followings for information and further necessary action:-

1. Member Secretary, State Environment Impact Assessment Authority (SEIAA)O/o Punjab Pollution Control Board, Patiala.
2. Member Secreatary, State Level Expert Appraisal Committee (SEAC) Directorate of Environment and Climate Change, C/o Punjab State Council for Science & Technology, MGSIPA Complex, Sector-26, Chandigarh.
3. Divisional Forest Officer (Wildlife), Patiala.
4. DDO O/o Chief Wildlife Warden, Punjab.
5. Incharge Account Branch O/o Chief Wildlife Warden, Punjab.



Raman Kant Mishra Ifs
CHIEF WILDLIFE WARDEN

05/05/2022

5. पर्यावरण प्रभाव निर्धारण अधिसूचना, 2006 के अधीन आने वाली गतिविधियों की संविक्षा के मामलों का सारांश ।
ब्यौरे एक पृथक् उपाबंध के रूप में उपाबद्ध किए जा सकते हैं ।
6. पर्यावरण प्रभाव निर्धारण अधिसूचना, 2006 के अधीन न आने वाली गतिविधियों की संविक्षा के मामलों का सारांश । ब्यौरे एक पृथक् उपाबंध के रूप में उपाबद्ध किए जा सकते हैं ।
7. पर्यावरण (संरक्षण) अधिनियम, 1986 की धारा 19 के अधीन दर्ज की गई शिकायतों का सारांश ।
8. कोई अन्य महत्वपूर्ण विषय ।

MINISTRY OF ENVIRONMENT, FOREST AND CLIMATE CHANGE

NOTIFICATION

New Delhi, the 21st July, 2016

S.O. 2483(E).— WHEREAS a draft notification was published in the Gazette of India, Extraordinary, *vide* notification of the Government of the India in the Ministry of Environment, Forest and Climate Change number S.O.1394 (E), dated the 20th May, 2015, inviting objections and suggestions from all persons likely to be affected thereby within the period of sixty days from date on which copies of the Gazette containing the said notification were made available to the public;

WHEREAS, the Bir Bhadson Wildlife Sanctuary is the largest protected area situated in the Patiala District of the State of Punjab and spread over an area of 1022.63 hectare and located on left side of Bhadson-Gobindgarh Road;

AND WHEREAS, the protected area as per the forest classification of Champion and Seth, has the forests that fall under sub-group 5(b) of Northern Dry Mixed Deciduous Forest Type comprising of tree species such as Eucalyptus, Mulberry, Shisham, Kikkar, Khair, Dhak, Beri, Jand, Simbal, Jamun, Neem, Toot, Arjun, Kareer, Kahi, Nara, Amb, Khajoor, Karonda and Bamboo etc.;

AND WHEREAS, the area is known to support a variety of animals and birds and the main faunal species are Porcupine, Wild Boar, Blue Bull, Jackal, Jungle Cat, Rhesus Monkey, Peafowl, Black and Grey Partridges, Parakeets and Doves etc.;

AND WHEREAS, it is necessary to conserve and protect the area, the extent and boundaries of which is specified in paragraph 1 of this notification around the protected area of the Bir Bhadson Wildlife Sanctuary as Eco-sensitive Zone from ecological and environmental point of view and to prohibit industries or class of industries and their operations and processes in the said Eco-sensitive Zone;

NOW, THEREFORE, in exercise of the powers conferred by sub-section (1), clause (v) and clause (xiv) of sub-section (2) and sub-section (3) of section 3 of the Environment (Protection) Act, 1986 (29 of 1986) read with sub-rule (3) of rule 5 of the Environment (Protection) Rules, 1986, the Central Government hereby notifies an area to an extent upto 100 metres from the boundary of the Bir Bhadson Wildlife Sanctuary in the State of Punjab as the Bir Bhadson Wildlife Sanctuary Eco-sensitive Zone (hereinafter referred to as the Eco-sensitive Zone) details of which are as under, namely:-

1. **Extent and boundaries of Eco-sensitive Zone.**-(1) The extent of Eco-sensitive Zone is upto 100 meters from the boundary of the Bir Bhadson Wildlife Sanctuary comprising an area of 170 hectares.

(2) The Eco-sensitive Zone is bounded by 30°30'54.769"N latitude and 76°14'29.364"E longitude towards east (point No.B of Annexure I map); 30°30'11.44"N latitude and 76°10'58.703"E longitude towards west-south (point No.E of Annexure I map); 30°31'54.171"N latitude and 76°14'23.354"E longitude towards north-east (point No.A of Annexure I map) and 30°29'42.05"N latitude and 76°11'10.52"E longitude towards south-west (point No.D of Annexure I map).

(3) The map of the Eco-sensitive Zone together with its latitudes and longitudes is appended as **Annexure I**.

(4) The list of 13 villages falling within the Bir Bhadson Wildlife Sanctuary Eco-sensitive Zone alongwith their longitudes and latitudes at prominent points is appended as **Annexure II**.

2. Zonal Master Plan for the Eco-sensitive Zone.-(1) The State Government shall, for the purpose of the Eco-sensitive Zone prepare a Zonal Master Plan, within a period of two years from the date of publication of this notification in the Official Gazette, in consultation with local people and adhering to the stipulations given in this notification.

- (2) The Zonal Master Plan shall be approved by the competent authority in the State Government.
- (3) The Zonal Master Plan for the Eco-sensitive Zone shall be prepared by the State Government in such manner as is specified in this notification and also in consonance with the relevant Central and State laws and the guidelines issued by the Central Government, if any.
- (4) The Zonal Master Plan shall be prepared in consultation with all concerned State Departments, namely:-
- (i) Environment;
 - (ii) Forest;
 - (iii) Urban Development;
 - (iv) Tourism;
 - (v) Municipal;
 - (vi) Revenue;
 - (vii) Agriculture; and
 - (viii) Punjab State Pollution Control Board,

for integrating environmental and ecological considerations into it.

(5) The Zonal Master Plan shall not impose any restriction on the approved existing land use, infrastructure and activities, unless so specified in this notification and the Zonal Master Plan shall factor in improvement of all infrastructure and activities to be more efficient and eco-friendly.

(6) The Zonal Master Plan shall provide for restoration of denuded areas, conservation of existing water bodies, management of catchment areas, watershed management, groundwater management, soil and moisture conservation, needs of local community and such other aspects of ecology and environment that need attention.

(7) The Zonal Master Plan shall demarcate all the existing worshipping places, village and urban settlements, types and kinds of forests, agricultural areas, fertile lands, green area, such as, parks and like places, horticultural areas, orchards, lakes and other water bodies.

(8) The Zonal Master Plan shall regulate development in Eco-sensitive Zone so as to ensure eco-friendly development and livelihood security of local communities.

3. Measures to be taken by State Government.-The State Government shall take the following measures for giving effect to the provisions of this notification, namely:-

(1) **Land use.**- Forests, horticulture areas, agricultural areas, parks and open spaces earmarked for recreational purposes in the Eco-sensitive Zone shall not be used or converted into areas for commercial or industrial related development activities:

Provided that the conversion of agricultural lands within the Eco-sensitive Zone may be permitted on the recommendation of the Monitoring Committee and with the prior approval of the State Government to meet the residential needs of local residents, and for the activities listed against serial numbers 24, 28, 32 and 37 in column (2) of the table in paragraph 4, namely:-

- (i) small scale industries not causing pollution;
- (ii) eco-friendly cottages for temporary occupation of tourists such as tents, wooden houses, for eco-friendly tourism activities;
- (iii) rainwater harvesting; and
- (iv) cottage industries including village artisans:

Provided further that no use of tribal land shall be permitted for commercial and industrial development activities without the prior approval of the State Government and without compliance of the provisions of article 244 of

the Constitution or the law for the time being in force, including the Scheduled Tribes and other Traditional Forest Dwellers (Recognition of Forest Rights) Act, 2006 (2 of 2007):

Provided also that any error appearing in the land records within the Eco-sensitive Zone shall be corrected by the State Government after obtaining the views of the Monitoring Committee, once in each case and the correction of said error shall be intimated to the Central Government in the Ministry of Environment, Forest and Climate Change:

Provided also that the above correction of error shall not include change of land use in any case except as provided under this sub-paragraph:

Provided also that there shall be no consequential reduction in green area, such as forest area and agricultural area and efforts shall be made to reforest the unused or unproductive agricultural areas.

(2) **Natural springs.**—The catchment areas of all natural springs shall be identified and plans for their conservation and rejuvenation shall be incorporated in the Zonal Master Plan and the guidelines shall be drawn up by the State Government in such a manner as to prohibit development activities at or near these areas which are detrimental to such areas.

(3) **Tourism.**—(a) The activity relating to tourism within the Eco-sensitive Zone shall be as per Tourism Master Plan, which shall form part of the Zonal Master Plan.

(b) The Tourism Master Plan shall be prepared by the Department of Tourism, Government of Punjab in consultation with Department of Revenue and Forests, Government of Punjab.

(c) The activity of tourism shall be regulated as under, namely:—

(i) all new tourism activities or expansion of existing tourism activities within the Eco-sensitive Zone shall be in accordance with the eco-tourism guidelines issued by the National Tiger Conservation Authority, Ministry of Environment, Forest and Climate Change (as amended from time to time) with emphasis on eco-tourism, eco-education and eco-development and based on carrying capacity study of the Eco-sensitive Zone;

(ii) new construction of hotels and resorts shall not be permitted within the Eco-sensitive Zone;

(iii) till the Zonal Master Plan is approved, development for tourism and expansion of existing tourism activities shall be permitted by the concerned regulatory authorities based on the actual site specific scrutiny and recommendation of the Monitoring Committee.

(4) **Natural heritage.**— All sites of valuable natural heritage in the Eco-sensitive Zone, such as the gene pool reserve areas, rock formations, waterfalls, springs, gorges, groves, caves, points, walks, rides, cliffs, etc. shall be identified and preserved and plan shall be drawn up for their protection and conservation, within six months from the date of publication of this notification and such plan shall form part of the Zonal Master Plan.

(5) **Man-made heritage sites.**— Buildings, structures, artefacts, areas and precincts of historical, architectural, aesthetic, and cultural significance shall be identified in the Eco-sensitive Zone and plans for their conservation shall be prepared within six months from the date of publication of this notification and incorporated in the Zonal Master Plan.

(6) **Noise pollution.**— The Environment Department of the State Government shall draw up guidelines and regulations for the control of noise pollution in the Eco-sensitive Zone in accordance with the provisions of the Air (Prevention and Control of Pollution) Act, 1981 (14 of 1981) and the rules made thereunder.

(7) **Air pollution.**— The Environment Department of the State Government shall draw up guidelines and regulations for the control of air pollution in the Eco-sensitive Zone in accordance with the provisions of the Air (Prevention and Control of Pollution) Act, 1981 (14 of 1981) and the rules made thereunder.

(8) **Discharge of effluents.-** The discharge of treated effluent in Eco-sensitive Zone shall be in accordance with the provisions of the Water (Prevention and Control of Pollution) Act, 1974(6 of 1974) and the rules made thereunder.

(9) **Solid wastes. -** Disposal of solid wastes shall be as under.-

(i) the solid waste disposal in Eco-sensitive Zone shall be carried out as per the provisions of the Municipal Solid Waste (Management and Handling) Rules, 2000 published by the Government of India in the erstwhile Ministry of Environment and Forests *vide* notification number S.O. 908 (E), dated the 25th September, 2000 as amended from time to time;

(ii) the local authorities shall draw up plans for the segregation of solid wastes into biodegradable and non-biodegradable components;

(iii) the biodegradable material shall be recycled preferably through composting or vermiculture;

(iv) the inorganic material shall be disposed of in an environmentally acceptable manner at site identified outside the Eco-sensitive Zone and no burning or incineration of solid wastes shall be permitted in the Eco-sensitive Zone.

(10) **Bio-medical waste.-** The bio-medical waste disposal in the Eco-sensitive Zone shall be carried out as per the provisions of the Bio-Medical Waste (Management and Handling) Rules, 1998 published by the Government of India in the erstwhile Ministry of Environment and Forests *vide* notification number S.O. 630(E), dated the 20th July, 1998 as amended from time to time.

(11) **Vehicular traffic. -** The vehicular movement of traffic shall be regulated in a habitat friendly manner and specific provisions in this regard shall be incorporated in the Zonal Master Plan and till such time as the Zonal Master Plan is prepared and approved by the competent authority in the State Government, the Monitoring Committee shall monitor compliance of vehicular movement under the relevant Acts and the rules and regulations made thereunder.

4. List of activities prohibited or to be regulated within the Eco-sensitive Zone.- All activities in the Eco-sensitive Zone shall be governed by the provisions of the Environment (Protection) Act, 1986 (29 of 1986) and the rules made thereunder and shall be regulated in the manner specified in the table below, namely:-

Table

Sl. No.	Activity	Remarks
1	2	3
Prohibited Activities		
1.	Commercial mining, stone quarrying and crushing units.	(a) All new and existing mining (minor and major minerals), stone quarrying and crushing units shall be prohibited except for the domestic needs of <i>bona fide</i> local residents. (b) The mining operations shall strictly be in accordance with the orders of the Hon'ble Supreme Court dated the 4 th August, 2006 in the matter of T.N. Godavarman Thirumulpad Vs. Union of India in Writ Petition (Civil) No.202 of 1995 and orders of the Hon'ble Supreme Court dated the 21 st April, 2014 in the matter of Goa Foundation Vs. Union of India in Writ Petition (Civil) No.435 of 2012.
2.	Setting up of saw mills.	No new or expansion of existing saw mills shall be permitted within the Eco-sensitive Zone.
3.	Setting up of industries causing water, air, soil or noise pollution.	No new or expansion of existing polluting industries shall be permitted within the Eco-sensitive Zone.
4.	Use or production of any hazardous substances.	Prohibited (except as otherwise provided) as per applicable laws.

5.	Commercial establishment of hotels and resorts.	No new or expansion of existing commercial establishments such as hotels and resorts shall be permitted within the Eco-sensitive Zone.
6.	Commercial use of firewood.	Prohibited (except as otherwise provided) as per applicable laws.
7.	Establishment of new major hydroelectric projects.	Prohibited (except as otherwise provided) as per applicable laws.
8.	Undertaking activities related to tourism like over-flying the sanctuary area by hot-air balloons, etc.	Prohibited (except as otherwise provided) as per applicable laws.
9.	Uses of plastic carry bags.	Prohibited (except as otherwise provided) as per applicable laws.
10.	Discharge of untreated effluents and solid waste in natural water bodies or land area.	Prohibited (except as otherwise provided) as per applicable laws.
11.	Construction activities.	No new construction of any kind shall be permitted within the Eco-sensitive Zone, except for the domestic needs of local residents including the activities listed in sub-paragraph (1) of paragraph 3. In case of the construction activity related to small scale industries not causing pollution shall be regulated and kept at the minimum.
Regulated Activities		
12.	Felling of trees.	(a) There shall be no felling of trees on the forest land or Government or revenue or private lands without prior permission of the competent authority in the State Government. (b) The felling of trees shall be regulated in accordance with the provisions of the concerned Central or State Act and the rules made thereunder.
13.	Drastic change of agriculture system.	Regulated under applicable laws.
14.	Commercial water resources including ground water harvesting.	(a) The extraction of surface water and ground water shall be permitted only for <i>bona fide</i> agricultural use and domestic consumption of the occupier of the land. (b) The extraction of surface water and ground water for industrial or commercial use including the amount that can be extracted, shall require prior written permission from the concerned regulatory authority. (c) No sale of surface water or ground water shall be permitted. (d) Steps shall be taken to prevent contamination or pollution of water from any source including agriculture.
15.	Erection of electrical cables and telecommunication towers.	Promote underground cabling.
16.	Fencing of existing premises of hotels and lodges.	Regulated under applicable laws.

17.	Widening and strengthening of existing roads and construction of new roads.	Shall be done with proper Environment Impact Assessment and mitigation measures, as applicable.
18.	Movement of vehicular traffic at night.	Regulated for commercial purpose, under applicable laws.
19.	Introduction of exotic species.	Regulated under applicable laws.
20.	Protection of hill slopes and river banks.	Regulated under applicable laws.
21.	Commercial sign boards and hoardings.	Regulated under applicable laws.
22.	Air (including noise) and vehicular pollution.	Regulated under applicable laws.
23.	Discharge of treated effluents in natural water bodies or land area.	Recycling of treated effluent shall be encouraged and for disposal of sludge or solid wastes, the existing regulations shall be followed.
24.	Small scale industries not causing pollution.	Non-polluting, non-hazardous, small-scale and service industry, agriculture, floriculture, horticulture or agro-based industry producing products from indigenous goods from the Eco-sensitive Zone which do not cause any adverse impact on environment shall be permitted.
25.	Collection of Forest produce or Non-Timber Forest Produce .	Regulated under applicable laws.
26.	Security Forces Camp.	Regulated under applicable laws.
27.	New wood based industry.	No establishment of new wood based industry shall be permitted within the limits of Eco-sensitive Zone: Provided that new wood based industry may be set up in the Eco-sensitive using 100% imported wood stock.
28.	Eco-friendly cottages for temporary occupation of tourists such as tents, wooden houses, etc. for eco-friendly tourism activities.	Regulated under applicable laws.
29.	Solid Waste Management.	Regulated under applicable laws.
30.	Eco-Tourism.	Regulated under applicable laws.
Promoted Activities		
31.	Ongoing agriculture and horticulture practices by local communities along with dairies, dairy farming and fisheries.	Permitted under applicable laws.
32.	Rain water harvesting.	Shall be actively promoted.
33.	Organic farming.	Shall be actively promoted.
34.	Adoption of green technology for all activities.	Shall be actively promoted.
35.	Use of renewable energy sources.	Permitted under applicable laws.
36.	Vegetative fencing.	Permitted under applicable laws.
37.	Cottage industries including village artisans, etc.	Shall be actively promoted.
38.	Agro Forestry.	Shall be actively promoted.
39.	Environmental Awareness.	Shall be actively promoted.

5. **Eco-sensitive Zone Monitoring Committee.-** The Central Government hereby constitutes a Monitoring Committee for three years, for effective monitoring of the Eco-sensitive Zone, which shall comprise of the following, namely:-

- | | | |
|-----|---|---------------------|
| (a) | District Collector, Patiala | - Chairman |
| (b) | The Chief Conservator of Forests (Wildlife), Government of Punjab | - Member; |
| (c) | Representative of Department of Rural Development and Panchayat, Government of Punjab | - Member; |
| (d) | Regional Officer, Punjab State Pollution Control Board | -Member; |
| (e) | One representative of non-Governmental Organisation (Working in the field of environment including heritage Conservation) to be nominated by the Government of Punjab for a period of three years | -Member |
| (f) | An expert in the area of ecology and environment to be nominated by the Government of Punjab for a period of three years | -Member |
| (g) | Representative of Department of Rural Development and Housing Department, Government of Punjab | - Member; |
| (h) | Representative of Department of Agricultural, Government of Punjab | - Member; |
| (i) | Representative of State Bio Diversity Board | - Member; |
| (j) | Divisional Forest Officer (In-charge of PA) | - Member-Secretary. |

6. **Terms of Reference.-** (1) The Monitoring Committee shall monitor the compliance of the provisions of this notification.
- (2) The activities that are covered in the schedule to the notification of the Government of India in the erstwhile Ministry of Environment and Forests number S.O. 1533(E), dated the 14th September, 2006, and are falling in the Eco-sensitive Zone, except for the prohibited activities as specified in the table under paragraph 4 thereof, shall be scrutinised by the Monitoring Committee based on the actual site-specific conditions and referred to the Central Government in the Ministry of Environment, Forest and Climate Change for prior environmental clearances under the provisions of the said notification.
- (3) The activities that are not covered in the schedule to the notification of the Government of India in the erstwhile Ministry of Environment and Forests number S.O. 1533(E), dated the 14th September, 2006 and are falling in the Eco-sensitive Zone, except for the prohibited activities as specified in the table under paragraph 4 thereof, shall be scrutinised by the Monitoring Committee based on the actual site-specific conditions and referred to the concerned regulatory authorities.
- (4) The Member-Secretary of the Monitoring Committee or the concerned Chief Conservator of Forests (Wildlife) shall be competent to file complaints under section 19 of the Environment (Protection) Act, 1986 (29 of 1986) against any person who contravenes the provisions of this notification.
- (5) The Monitoring Committee may invite representatives or experts from concerned departments, industry associations or stakeholders to assist in its deliberations depending on the requirements on issue to issue basis.
- (6) The Monitoring Committee shall submit the annual action taken report of its activities as on 31st March every year by 30th June of that year to the Chief Wildlife Warden of the State as per proforma appended at **Annexure III**.
- (7) The Central Government in the Ministry of Environment, Forest and Climate Change may give such directions as it deems fit, to the Monitoring Committee for effective discharge of its functions.

6. The Central Government and State Government may specify additional measures, if any, for giving effect to provisions of this notification.


7. The provisions of this notification shall be subject to the orders, if any, passed, or to be passed by the Hon'ble Supreme Court of India or the High Court or the National Green Tribunal.

[F.No.25/26/2014-ESZ-RE]

Dr. T. CHANDINI, Scientist 'G'

Annexure I

Map of Eco-sensitive Zone boundary of Bir Bhadson Wildlife Sanctuary, Punjab together with its latitudes and longitude of extremes and extent.



Co-ordinates of Bir Bhadson Wildlife Sanctuary

Sl. No.	Latitude	Longitude
1.	30°30' 11.893" N	76° 13' 46.23" E
2.	30°31' 30.615" N	76° 12' 30.892" E
3.	30°31' 32.185" N	76° 13' 06.099" E

ANNEXURE-II

Villages falling within the proposed Eco-sensitive Zone of Bir Bhadson Wildlife Sanctuary, Punjab.

S.No	NAME	Latitude			Longitude		
		Degree	Minute	Second	Degree	Minute	Second
1.	Ramgarh	30	32	06.51	76	13	07.49
2.	Chahal	30	32	44.76	76	14	15.97
3.	Dargapur	30	32	19.85	76	13	30.97

4.	Ghunder	30	32	06.22	76	13	07.52
5.	Khanoura	30	32	05.51	76	11	42.29
6.	Punniwal (Sirinagar)	30	31	19.81	76	11	30.19
7.	Raisal	30	30	53.25	76	10	53.86
8.	Gobindpura	30	30	37.73	76	10	06.90
9.	Hallotali	30	29	32.41	76	11	54.23
10.	Sudhewal	30	29	56.53	76	12	22.40
11.	Chaswal	30	29	27.61	76	14	21.19
12.	Bhadson	30	30	26.06	76	14	49.22
13.	BirAgol	30	28	15.50	76	11	02.30

Annexure III**Proforma of Action Taken Report:- Eco-sensitive Zone Monitoring Committee.-**

1. Number and date of meetings.
2. Minutes of the meetings: mention main noteworthy points. Attached minutes of the meeting as separate annexure.
3. Status of preparation of Zonal Master Plan including Tourism Master Plan.
4. Summary of cases dealt for rectification of error apparent on face of land record. Details may be attached as annexure.
5. Summary of cases scrutinised for activities covered under Environment Impact Assessment notification, 2006. Details may be attached as separate Annexure.
6. Summary of case scrutinised for activities not covered under Environment Impact Assessment notification, 2006. Details may be attached as separate Annexure.
7. Summary of complaints lodged under section 19 of the Environment (Protection) Act, 1986.
8. Any other matter of importance.

PUNJAB POLLUTION CONTROL BOARD

Application form for obtaining 'Consent to establish' (NOC)/'Consent to Operate' u/s 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and u/s 21 of the Air(Prevention & Control of Pollution) Act, 1981/Authorization under Rule 6 (1) of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

Industry ID :- R22PTA821818

Application ID :- 31303318

From:

Madhav KRG HRC Pvt. Ltd.

Village Akalgarh & Bhagwanpura, Amlah-Bhadson Road, Near Toll Plaza

FATEHGARH SAHIB

FATEHGARH SAHIB

To

The Member Secretary,
Punjab Pollution Control Board,
Patiala.

I/We hereby, apply for obtaining,

- (i) 'Consent to establish' (NOC) under the provisions of the Water(Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981.
- ✓ (ii) 'Consent to operate' u/s 25/26 of the Water(Prevention & Control of Pollution) Act, 1974.
- (iii) 'Consent to operate' u/s 21 of the Air(Prevention & Control of Pollution)Act,1981.
- (iv) Authorization under Rule 6 (1) of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

1. The detailed information pertaining to my/our industry/project is given in the Annexure-I to this form attached herewith.

2. I/We undertake to furnish any further information sought by the Board from time to time in connection with this application.

3. I/We undertake to obtain revised/varied/fresh consent as the case may be, in case there is any change in the process/product/effluents/hazardous waste etc. before the aforesaid change is affected.

4. I/We that the information furnished herewith is correct to best of my/our knowledge and nothing has been concealed therein. The Board would be at liberty to take penal action against the industry/project and the person(s) responsible to comply with the provisions of the pollution control statues in case information/document is detected as incorrect/false/misleading at any point of time.

5. I/We hereby agree to apply for obtaining renewal of 'consent to operate' under the water (Prevention & Control of Pollution) Act, 1974 and authorization under the Hazardous Wastes (management, Handling and Trans-boundary Movement) Rules, 2008 three months before the expiry of the previous consent(s)/authorization granted to the industry/project.

Date: 10/03/2026

Signature of Applicant:

Name: Sudhir Goyal

Designation: Director

Address: Amloh

**Village Akalgarh & Bhagwanpura, Amloh-Bhadson
Road, Near Toll Plaza, Tehsil Nabha & Amloh, Distt.
Patiala & Fatehgarh Sahib
FATEHGARH SAHIB
Punjab**

Enclosures:

1. Analysis Report of effluent/emission from Board /Approved Lab
2. CA s certificate regarding un-depreciated value of the fixed assets of the industry at the end of last financial year
3. Compliance report of previous consent conditions in annotated form
4. Other Documents Attachment
5. Photo Attachment
6. Electricity Bills Attachment
7. Bank Acc Details Attachment
8. Gst No Attachment
9. Pan Card Attachment

**** This is Computer Generated filled Application Form ****

PART-A: GENERAL INFORMATION:

1. **Name & Address of the Industry** : Madhav KRG HRC Pvt. Ltd.
Village Akalgarh & Bhagwanpura,
Amloh-Bhadson Road, Near Toll
Plaza
FATEHGARH
SAHIB,FATEHGARH SAHIB
2. **Name & Designation of the Applicant** : Sudhir Goyal/Director
3. **(i) Name(s) and Designation of the Occupier** : Sudhir Goyal/Director
(ii) Name(s) and Designation of the Director(s)/ Partner(s)/ Proprietor : Sudhir Goyal, Director,#117-118,
Bullepur Road, New Khanna City,
Khanna Pin code 141401
(iii) Name(s) of person(s) authorized to sign the application form. (Please attach self attested copy of resolution/certificate) : Sudhir Goyal
(iv) Ownership of Industry : Private Limited Company
4. **Communication Details(Telephone No./Fax No./e-mail etc.)** : 01765-500075
-
regulatory@madhavkrggroup.com
5. **Address of Correspondence** : Amloh-Bhadson Road Near Toll
Plaza, Khanna, Ludhiana, 147203
6. **Total investment of the industry/project**
(i) Total cost of the industry/project(in Lacs) : 58479.0
(ii) Cost of Plant & Machinery(in Lacs) : 52583.0
7. **(i) Scale of the Industry(Large/Medium/Small)** : Large
(ii) Category/Type of the Industry : ORANGE / 104.2 Induction
furnace/arc furnace
8. **Name and address of the City/Town/Village/Plot/Khasra/Patwari Halka No. with PIN code where the project site is located** : Village Akalgarh & Bhagwanpura,
Amloh-Bhadson Road, Near Toll
Plaza
Amloh
Pin - 147203
9. **(i) Total Land area of the industry/project (in square meters)** : 109548.4
(ii) Built up area of the project(to be mentioned in case of construction/area development projects only) (in square meters) : 35188.26
10. **Whether the site of the industry/project is located within or outside the municipal limits (please attach a certificate from the M.C. in this regard)** : Outside M.C. limit

11. Whether the site of the industry/project is situated in any Focal Points/Industrial Estate developed by the Govt. or any other authorized by the Govt. (please attach a copy of allotment letter of plot/land) : No
12. (i) Whether the site of the industry/project is located within the notified/draft Master Plan/LPA (Local planning Area) of any town/city and if yes, the classification of the area in which the site is located.(Please attach the certificate from the Deptt. of the Town & Country Planning, Punjab in this regard.) :
(ii) In case the industry/project is not satisfied in the approved industrial area within the notified/draft Master Plan/LPA, whether it has obtained the change of land Use (CLU) from the competent authority of the State or not and if yes, please attach a copy of the same : No
(iii) In case the industry/project is not covered under (i) and (ii) above ; please attach a certificate from the deptt. of Town & Country Planning, Punjab regarding the classification of the area in which the site is located and whether CLU is required or not : No
13. Whether the industry/project is located in Critically Polluted Area or not and if yes, please indicate the code assigned to the industry by the CPCB/MoEF : NO
14. Month and Year in which the industry was commissioned/is likely to be commissioned : Apr/2024
15. Undepreciated value of the fixed assets of the industry (Please indicate the date as on which the value of fixed assets has been considered) (Applicable in the cases of 'consent to operate' only) : Rs. 58479.0 (in Lakhs)
Date:- 31-12-2025
16. Details of consent fee deposited:
- | Sr. No. | Fee For | Amount (In Rupees) |
|---------|-----------|--------------------|
| 1 | CTO Water | 630000.0 |
17. Total No. of average working days in a year and total no. of working shifts per day : 350 days / 3 shifts

18. (a) Total No. of Workers including officials working in industry : 1122
- (b) No. of Workers and officials residing in the industrial premises: : 0
- (c) Total population to be served, :
 (i) during construction phase :
 (ii) during operation phase :

(To be mentioned in case of construction/area development projects only)

19. Whether the industry/project:

(i) is covered under the Environment Impact Assessment (EIA) Notification dated 14.9.2006 as amended from time to time or not and if yes, the status of obtaining environment clearance from MoEF/State Level Environment Impact Assessment Authority : /

(ii) is covered under the 1st Schedule of Factories Act, 1948 or not if yes, the status of obtaining site clearance from SCA-cum-SAC : /

(iii) is covered under Press Note-17 (1984 series) or not and if yes, the status of obtaining the environmental from SCA-cum-SAC : /

20. Whether the industry has the complete machinery for which it had obtained 'consent to establish'(NOC) from the Board or not and if not, the details thereof. (To be filled up in case of 'consent to operate' cases only) : /

21. Inspection Audit Type :

Last Consent Details:

Sr. No.	Application Type	Application For	Consent No	Consent For	Date of Issue	Valid Upto
---------	------------------	-----------------	------------	-------------	---------------	------------

PART-B: TECHNICAL INFORMATION(GENERAL):

1. Raw Material & Chemicals Details:

Sr. No.	Name of the Raw-material/Chemicals used/to be used	Quantity of the Raw-material/Chemicals used/being used	Unit
1	SCRAP	427000	MT/Year
2	DIRECT REDUCED IRON	107000	MT/Year

2. Production Detail:

Sr. No.	Name of the Product produced/to be produced		Quantity of Products produced/to be produced.			
			Licensed production capacity	Installed Production Capacity	Avg. Actual Production	Average Actual production for which the consent is sought
1	HOT ROLLED COIL	MT/Year	750000	500000	500000	500000

Sr. No.	Name of the By-Products produced/to be produced		Quantity of By-Products produced/to be produced.			
			Licensed production capacity	Installed Production Capacity	Avg. Actual Production	Average Actual production for which the consent is sought
-----NIL-----						

3.Details of Power Load/power consumption:

- (i) Total power load available with the : 54000.0 industry(in KW)
- (ii) Power Load required by the industry(in : 54000.0 KW)
- (iii) Estimated power consumption for : 1100000.0 intended production per day(in Units consumed per day)

4. Manufacturing Proceses involved : /

(please attach separate sheet, in case the space provided herein with is insufficient)

5. Solid Waste Generation Details:

Sr. No.	Source of Generation of Solid Waste		Nature/Type of solid waste	Quantity of Solid Waste generated/to be generated per day	Mode of Disposal
1	DOMESTIC SOLID WASTE	Kgs/day	SOLID WASTE MSW	150	SOLID WASTE WILL BE DISPOSED OF AS PER SOLID WASTE MANAGEMENT RULES 2016

PART-C: TECHNICAL INFORMATION REQUIRED FOR CONSENT UNDER WATER ACT, 1974 :

1. Source of Water Supply :

(Own Tubewell/Municipal Supply/Surface Water)

Sr. No.	Source Type	Source Name	Quantity (KLD)
1	Ground Water (within premises)	SUBMERSIBLE PUMP	964.0

2. Details of flow measuring devices provided by the industry/project

(i) for measurement of water consumed :

(ii) for measurement of,

(a) Waste water generated :

(b) Waste water recycled :

(c) Waste water discharged :

3. Water Consumption Details:

Sr. No.	Water Consumed For	Quantity(KLD)
1	Domestic	90.0
2	Cooling	672.0
3	Others	202.0

4. Wastewater Generation Details:

Sr. No.	Wastewater Generated	Quantity(KLD)
1	Domestic	72.0

5. Wastewater Treatment Details:

Sr. No.	Use	Effluent Generation(KLD)	Treatment Arrangement Status	Treatment Details
1	Domestic Effluent	72.0	Yes	STP

6. Characteristics of Wastewater:

Sr. No.	Type of Effluent	Parameters	Conc. of Pollutant		Unit
			Untreated	Treated	
-----NIL-----					

7. Treated Wastewater Disposal Details:

Sr. No.	Wastewater Disposal System	Quantity	Mode of Disposal(please indicate the land area in acres in case of disposal onto land for plantation/irrigation)
(i)	Wastewater being / to be recycled with or without treatment	72	
(ii)	Wastewater being/ to be discharged after treatment		
1	Domestic Effluent	65.0	ON LAND FOR PLANTATION AFTER TREATMENT IN STP

8. Power consumption details of wastewater treatment facilities :

(i) Total power load connected to Wastewater treatment facilities(in KW) : 0

(ii) Average daily power consumption on wastewater treatment facilities(i.e. no. of units consumed/day) : 0

Date: 10/03/2026

Signature of Applicant:

Name: Sudhir Goyal

Designation: Director

Address: Amloh

**** This is Computer Generated filled Application Form ****

**** This is Computer Generated filled Application Form ****

Additional Details	
Photo(Occupier/ Owner)	 Attached
Aadhar Card(Occupier/Owner)	*****
Industry Pan Card	AANCM2481R
Industry GST No.(Occupier/Owner)	G.S.T Applicable, 03AANCM2481R1ZV
Bank Account Details(Industry/Owner)(Name and Passbook)	MADHAV KRG HRC PVT LTD.
Occupier Details(S/O, D/O)(Occupier/Owner)	Sudhir Goyal
Electricity Bills(Include the Electricity Bills no.,PSPCL Consumer ID, Sub-division name With latest bill attachment.)(Occupier/Owner)	3008629408
Permanent Address(Occupier/ Owner)	VILL. AKALGARH , NEAR TOLL PLAZA , AMLOH BHADSON ROAD PATIALA , PUNJAB 147203
Other Documents(Passport/ Driving Licence/)(Occupier/Owner)	Pan Card

PUNJAB POLLUTION CONTROL BOARD

Application form for obtaining 'Consent to establish' (NOC)/'Consent to Operate' u/s 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and u/s 21 of the Air(Prevention & Control of Pollution) Act, 1981/Authorization under Rule 6 (1) of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

Industry ID :- R22PTA821818

Application ID :- 31303294

From:

Madhav KRG HRC Pvt. Ltd.

Village Akalgarh & Bhagwanpura, Amlah-Bhadson Road, Near Toll Plaza

FATEHGARH SAHIB

FATEHGARH SAHIB

To

The Member Secretary,
Punjab Pollution Control Board,
Patiala.

I/We hereby, apply for obtaining,

- (i) **'Consent to establish' (NOC) under the provisions of the Water(Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981.**
- (ii) **'Consent to operate' u/s 25/26 of the Water(Prevention & Control of Pollution) Act, 1974.**
-  (iii) **'Consent to operate' u/s 21 of the Air(Prevention & Control of Pollution)Act,1981.**
- (iv) **Authorization under Rule 6 (1) of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.**

1. The detailed information pertaining to my/our industry/project is given in the Annexure-I to this form attached herewith.

2. I/We undertake to furnish any further information sought by the Board from time to time in connection with this application.

3. I/We undertake to obtain revised/varied/fresh consent as the case may be, in case there is any change in the process/product/effluents/hazardous waste etc. before the aforesaid change is affected.

4. I/We that the information furnished herewith is correct to best of my/our knowledge and nothing has been concealed therein. The Board would be at liberty to take penal action against the industry/project and the person(s) responsible to comply with the provisions of the pollution control statues in case information/document is detected as incorrect/false/misleading at any point of time.

5. I/We hereby agree to apply for obtaining renewal of 'consent to operate' (NOC) under the Air(Prevention & Control of Pollution) Act, 1981 and authorization under the Hazardous Wastes(management, Handling and Trans-boundry Movement)Rules, 2008 three months before the expiry of the previous consent(s)/authorization granted to the industry/project.

Date: 10/03/2026

Signature of Applicant:

Name: Sudhir Goyal

Designation: Director

Address: Amloh

**Village Akalgarh & Bhagwanpura, Amloh-Bhadson
Road, Near Toll Plaza, Tehsil Nabha & Amloh, Distt.
Patiala & Fatehgarh Sahib
FATEHGARH SAHIB
Punjab**

Enclosures:

1. Analysis Report of effluent/emission from Board /Approved Lab
2. CA s certificate regarding un-depreciated value of the fixed assets of the industry at the end of last financial year
3. Compliance report of previous consent conditions in annotated form
4. OtherDocumentsAttachment
5. PhotoAttachment
6. ElectricityBillsAttachment
7. BankAccDetailsAttachment
8. GstNoAttachment
9. PanCardAttachment

**** This is Computer Generated filled Application Form ****

PART-A: GENERAL INFORMATION:

1. **Name & Address of the Industry** : Madhav KRG HRC Pvt. Ltd.
Village Akalgarh & Bhagwanpura,
Amloh-Bhadson Road, Near Toll
Plaza
FATEHGARH
SAHIB,FATEHGARH SAHIB
2. **Name & Designation of the Applicant** : Sudhir Goyal/Director
3. **(i) Name(s) and Designation of the Occupier** : Sudhir Goyal/Director
(ii) Name(s) and Designation of the Director(s)/ Partner(s)/ Proprietor : Sudhir Goyal, Director,#117-118,
Bullepur Road, New Khanna City,
Khanna Pin code 141401
(iii) Name(s) of person(s) authorized to sign the application form. (Please attach self attested copy of resolution/certificate) : Sudhir Goyal
(iv) Ownership of Industry : Private Limited Company
4. **Communication Details(Telephone No./Fax No./e-mail etc.)** : 01765-500075
-
regulatory@madhavkrggroup.com
5. **Address of Correspondence** : Amloh-Bhadson Road Near Toll
Plaza, Khanna, Ludhiana, 147203
6. **Total investment of the industry/project**
(i) Total cost of the industry/project(in Lacs) : 58479.0
(ii) Cost of Plant & Machinery(in Lacs) : 52583.0
7. **(i) Scale of the Industry(Large/Medium/Small)** : Large
(ii) Category/Type of the Industry : ORANGE / 104.2 Induction
furnace/arc furnace
8. **Name and address of the City/Town/Village/Plot/Khasra/Patwari Halka No. with PIN code where the project site is located** : Village Akalgarh & Bhagwanpura,
Amloh-Bhadson Road, Near Toll
Plaza
Amloh
Pin - 147203
9. **(i) Total Land area of the industry/project (in square meters)** : 109548.4
(ii) Built up area of the project(to be mentioned in case of construction/area development projects only) (in square meters) : 35188.26
10. **Whether the site of the industry/project is located within or outside the municipal limits (please attach a certificate from the M.C. in this regard)** : Outside M.C. limit

11. Whether the site of the industry/project is situated in any Focal Points/Industrial Estate developed by the Govt. or any other authorized by the Govt. (please attach a copy of allotment letter of plot/land) : No
12. (i) Whether the site of the industry/project is located within the notified/draft Master Plan/LPA (Local planning Area) of any town/city and if yes, the classification of the area in which the site is located.(Please attach the certificate from the Deptt. of the Town & Country Planning, Punjab in this regard.) :
(ii) In case the industry/project is not satisfied in the approved industrial area within the notified/draft Master Plan/LPA, whether it has obtained the change of land Use (CLU) from the competent authority of the State or not and if yes, please attach a copy of the same : No
(iii) In case the industry/project is not covered under (i) and (ii) above ; please attach a certificate from the deptt. of Town & Country Planning, Punjab regarding the classification of the area in which the site is located and whether CLU is required or not : No
13. Whether the industry/project is located in Critically Polluted Area or not and if yes, please indicate the code assigned to the industry by the CPCB/MoEF : NO
14. Month and Year in which the industry was commissioned/is likely to be commissioned : Apr/2024
15. Undepreciated value of the fixed assets of the industry (Please indicate the date as on which the value of fixed assets has been considered) (Applicable in the cases of 'consent to operate' only) : Rs. 58479.0 (in Lakhs)
Date:- 31-12-2025
16. Details of consent fee deposited:
- | Sr. No. | Fee For | Amount (In Rupees) |
|---------|---------|--------------------|
| 1 | CTO Air | 630000.0 |
17. Total No. of average working days in a year and total no. of working shifts per day : 350 days / 3 shifts

18. (a) Total No. of Workers including officials working in industry : 1122
- (b) No. of Workers and officials residing in the industrial premises: : 0
- (c) Total population to be served, :
 (i) during construction phase :
 (ii) during operation phase :

(To be mentioned in case of construction/area development projects only)

19. Whether the industry/project:

(i) is covered under the Environment Impact Assessment (EIA) Notification dated 14.9.2006 as amended from time to time or not and if yes, the status of obtaining environment clearance from MoEF/State Level Environment Impact Assessment Authority : /

(ii) is covered under the 1st Schedule of Factories Act, 1948 or not if yes, the status of obtaining site clearance from SCA-cum-SAC : /

(iii) is covered under Press Note-17 (1984 series) or not and if yes, the status of obtaining the environmental from SCA-cum-SAC : /

20. Whether the industry has the complete machinery for which it had obtained 'consent to establish'(NOC) from the Board or not and if not, the details thereof. (To be filled up in case of 'consent to operate' cases only) : /

21. Inspection Audit Type :

Last Consent Details:

Sr. No.	Application Type	Application For	Consent No	Consent For	Date of Issue	Valid Upto
---------	------------------	-----------------	------------	-------------	---------------	------------

PART-B: TECHNICAL INFORMATION(GENERAL):

1. Raw Material & Chemicals Details:

Sr. No.	Name of the Raw-material/Chemicals used/to be used	Quantity of the Raw-material/Chemicals used/being used	Unit
1	SCRAP	427000	MT/Year
2	DIRECT REDUCED IRON	107000	MT/Year

2. Production Detail:

Sr. No.	Name of the Product produced/to be produced		Quantity of Products produced/to be produced.			
			Licensed production capacity	Installed Production Capacity	Avg. Actual Production	Average Actual production for which the consent is sought
1	HOT ROLLED COIL	MT/Year	500000	750000	500000	500000

Sr. No.	Name of the By-Products produced/to be produced	Quantity of By-Products produced/to be produced.			
		Licensed production capacity	Installed Production Capacity	Avg. Actual Production	Average Actual production for which the consent is sought
-----NIL-----					

3.Details of Power Load/power consumption:

- (i) Total power load available with the : 54000.0 industry(in KW)
- (ii) Power Load required by the industry(in : 54000.0 KW)
- (iii) Estimated power consumption for : 1100000.0 intended production per day(in Units consumed per day)

4. Manufacturing Proceses involved : /

(please attach separate sheet, in case the space provided herein with is insufficient)

5. Solid Waste Generation Details:

Sr. No.	Source of Generation of Solid Waste		Nature/Type of solid waste	Quantity of Solid Waste generated/to be generated per day	Mode of Disposal
1	DOMESTIC SOLID WASTE	Kgs/day	SOLID WASTE MSW	150	SOLID WASTE WILL BE DISPOSED OF AS PER SOLID WASTE MANAGEMENT RULES 2016

PART-D: TECHNICAL INFORMATION REQUIRED FOR CONSENT UNDER AIR ACT,1981 :

1. Sources of Air Pollution :

(a)Boilers/Furnaces :

Sr. No.	Type & Capacity of Boiler/Furnace			Type & Quantity of fuel used/to be used (in TPH and TPD/lts/day)		Details of APCD provided/to be provided	Stack Attached	Height of Stack attached /to be attached (in mts.)	Diameter of Stack at Bottom level	Diameter of Stack at Top level	Whether emission sampling facilities provided or not
1	INDUCTION FURNACE	70	TPH	ELECTRICITY	1100	Bag Filter	TWO INDUCTION FURNACES OF FIFTY TON EACH PLUS LADLE REFINING FURNACE OF FIFTY FIVE TON	45	3.8	3.8	Yes

(b) D.G Sets :

Sr. No.	Capacity of D.G. set in(KVA)	Quantity of Fuel used/to be used (in Lts./day)	Ht. of Stack provided/to be provided above roof level(in mts.)	Whether canopy/acoustic enclosure provided/ to be provided(please define clearly)
1	500	40	3.5	Yes
2	500	40	3.5	Yes
3	500	40	3.5	Yes
4	500	40	3.5	Yes
5	500	40	3.5	Yes

(c) Process Emissions: :

Sr. No.	Source of Generation of process Emissions	Name of the emissions(i.e SO2/NOx/Acid Mist/any other).	Details of APCD provided/to be provided to control process emissions.	Height of Stack provided/to be provided for discharge of process emissions(in mts)..		Whether emission sampling facilities provided or not
				Above Ground Level	Above Roof Level	
1	TWO INDUCTIONS FURNACE OF FIFTY TON EACH PLUS LADLE REFINING FURNACE OF FIFTY FIVE TON	APCD DUST	[Bag Filter]	45	3.5	Yes

2. Characteristics of Emissions :

(i) Flue gas Emissions :

Sr. No.	Stack	Parameters	Conc. of pollutants		Units
			Untreated	Treated	
1	TWO INDUCTION FURNACES OF FIFTY TON EACH PLUS LADLE REFINING FURNACE OF FIFTY FIVE TON	SPM	150	50	mg/Nm3

(ii) Process Emissions:

Sr. No.	Process	Parameters	Conc. of pollutants		Units
			Untreated	Treated	
1	TWO INDUCTIONS FURNACE OF FIFTY TON EACH PLUS LADLE REFINING FURNACE OF FIFTY FIVE TON	Particulate Matter (PM)	150	50	mg/Nm3

3. Power consumption details of Air Pollution Control devices: :

(i) Total power load to Air Pollution Control : 0
Devices(in KW)

(ii) Average daily power consumption on Air : 0
Pollution Control Devices(i.e. no. of units
consumed per hr.& per day)

Date: 10/03/2026

Signature of Applicant:

Name: Sudhir Goyal

Designation: Director

Address: Amloh

**** This is Computer Generated filled Application Form ****

**** This is Computer Generated filled Application Form ****

Additional Details	
Photo(Occupier/ Owner)	 Attached
Aadhar Card(Occupier/Owner)	*****
Industry Pan Card	AANCM2481R
Industry GST No.(Occupier/Owner)	G.S.T Applicable, 03AANCM2481R1ZV
Bank Account Details(Industry/Owner)(Name and Passbook)	MADHAV KRG HRC PVT LTD.
Occupier Details(S/O, D/O)(Occupier/Owner)	Sudhir Goyal
Electricity Bills(Include the Electricity Bills no.,PSPCL Consumer ID, Sub-division name With latest bill attachment.)(Occupier/Owner)	3008629408
Permanent Address(Occupier/ Owner)	VILL. AKALGARH , NEAR TOLL PLAZA , AMLOH BHADSON ROAD PATIALA , PUNJAB 147203
Other Documents(Passport/ Driving Licence/)(Occupier/Owner)	Pan Card



PUNJAB WATER REGULATION AND DEVELOPMENT AUTHORITY
SCO 149-152, SECTOR 17, CHANDIGARH – 160017

PERMISSION FOR EXTRACTION OF GROUNDWATER

(Under The Punjab Groundwater Extraction And Conservation Directions, 2023)

Unit ID	Permission Number	Date of Grant of Permission	Valid up to
20230100382	GW/PWRDA/01/2024/L3/20	31-Jan-2024	30-Jan-2027

1	Name of Unit	Madhav KRG HRC Pvt Ltd	
2	Activity of Unit	Industrial	
3	Address/Location of Unit	Village Akalgarh, Tehsil Nabha, Amloh Bhadson Road, District Patiala, Toll PLaza	
		Akalgarh (125)	PIN: 147203
4	Assessment Area(Block)	NABHA	Status: ORANGE
5	District	PATIALA	
6	Head Office Address	1002, 10TH FLOOR, AGGARWL MILLENIUM, TOWER-1, NETAJI SUBHASH PLACE, PRITAMPURA, NORTH WEST DELHI	
		NORTH EAST, DELHI	PIN: 110034
	Email	regulatory@madhavkrggroup.com	
	Phone/Mobile No.	9115101607	
7	Project Status	New : 01-11-2023	
8	No. of Existing Tube-Wells	No. of Proposed Tube-Wells	Total Number of Tube-Wells Permitted
	0	4	4
9	Volume of Ground Water Permitted to be Extracted (m3/month)	Fresh	Brackish/Saline
		29400	0

Note: This permission is granted in terms of the Punjab Groundwater Extraction and Conservation Directions, 2023 notified on 27th January, 2023 under section 15 of the Punjab Water Resources (Management and Regulation) Act, 2020 and is subject to the conditions given overleaf.

Digitally signed by JIWAN KUMAR JAIN
Reason: Approval
Location: Chandigarh
Date: 31-01-2024 10:30:09 AM

Designation : A.O.L-3

Terms and Conditions

1. User shall comply with the provisions of the Punjab Water Resources (Management and Regulation) Act, 2020, The Punjab Groundwater Extraction and Conservation Directions, 2023 and other Regulations, Directions and instructions issued by the Authority from time to time.
2. The User shall install a water meter of required Specifications at each extraction structure and inform PWRDA along with a Calibration Certificate within three months of issue of this Permission. The water meter shall conform to the technical specifications, performance parameters and connectivity standards, etc. as required by the Authority.
3. The User (if required to install piezometer as per Directions) shall install the piezometer of the required specifications within three months of issue of this permission. (refer para 5.2 of the Directions).
4. Payment Cycle and Schedule shall be as per para 4.8 of the Directions.
5. In case of proposed water extraction structure which is yet to be commissioned, the user will intimate the Authority regarding all the details of the structure within 15 days of energizing of structure.
6. This Permission does not absolve the Unit of its obligations to obtain other required statutory and administrative clearances from appropriate Authorities.
7. The issue of this Permission does not imply that other statutory or administrative clearances shall necessarily be granted to the unit by the concerned Authorities.
8. This Permission is being issued without any prejudice to the orders of any court of law in cases related to groundwater or any other related matters.
9. The Authority may inspect the Unit and original documents at any time. In case it is found that any material facts have been concealed or misreported or any material difference is found in the information submitted and the site conditions or documents, the Authority may suspend the permission granted immediately and may cancel or alter the permission after giving a notice to the Unit. This will be without prejudice to any other action that may be taken under the law for supply of wrong information.
10. The User is advised to keep on checking the website of the Authority for updates on Directions and instructions on matters related to extraction of groundwater.
11. The User shall obtain revised/varied/fresh permission as the case may be, in case there is any change in ground water extraction structure, volume etc, before the aforesaid change is affected or within the time permitted under the Directions.
12. A user shall apply for renewal of permission in the required format three months prior to the expiry of permission.



Punjab Pollution Control Board

[See Rules 6(1)]

APPLICATION REQUIRED FOR GRANT/RENEWAL OF AUTHORISATION FOR GENERATION OR COLLECTION OR STORAGE OR TRANSPORT OR RECEPTION OR RECYCLING OR REUSE OR RECOVERY OR PRE PROCESSING OR CO- PROCESSING OR UTILISATION OR TREATMENT OR DISPOSAL OF HAZARDOUS AND OTHER WASTE

Industry Id : R22PTA821818

Application No : 31437284

To
The Member Secretary,
Punjab Pollution Control Board, Patiala.

Sir ,
 I/We hereby apply for authorisation/renewal of authorisation under the Sub-rule (1) of Rule 6 of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016.

1 a)	Name and address of the unit and location of the activity	Madhav KRG HRC Pvt. Ltd. Village Akalgarh & Bhagwanpura, Amloh-Bhadson Road, Near Toll Plaza
b)	Name of the Occupier of the facility /Operator of disposal facility	Sudhir Goyal
c)	Designation	Director
d)	Mobile No	9115101607
e)	e-mail Id	regulatory@madhavkrggroup.com
f)	Authorization Type Applied For	renew
g)	Authorisation required for	Generation,Collection,Storage,Disposal
2	Nature and quantity of Hazardous waste handled in T/Annum (or) KL/Annum	

	Name of Process	Name of Hazardous Waste (Category No)	Quantity	Waste Type	Waste Storage	Waste Disposal	Source of generation of waste	Physical status	Quantity stored at any time	Quantity accumulated as on 31st March
	5. Industrial operations using mineral or synthetic oil as lubricant in hydraulic systems or other applications	5.1-Used or spent oil	1.4 KL/Annunum	Recyclable	MS Drums/Tanks	Disposal to common TSDF facility	WASTE OIL FROM DG SET	Liquid	0.2	0.2 KL
	5. Industrial operations using mineral or synthetic oil as lubricant in hydraulic systems or other applications	5.2-Wastes or residues containing oil	01 T/Annunum	Incinerable	Keep as it is in folded form	Incineration (through TSDF)	HAND GLOVES USED BY WORKERS WHILE WORKING	Solid	0.032	0.039 T
	5. Industrial operations using mineral or synthetic oil as lubricant in hydraulic systems or other applications	5.2-Wastes or residues containing oil	3.2 T/Annunum	Incinerable	Keep as it is in folded form	Incineration (through TSDF)	APCFES BAGS	Solid	0	0 T
	35. Purification and treatment of exhaust air/gases, water and waste water from the processes in this schedule and common industrial effluent treatment plants (CETP's)	35.1-Exhaust Air or Gas cleaning residue	1200 T/Annunum	Recyclable	HDPE Bags	Handover to sister concern M/s Madhav KRG Environmental Solutions limited	INDUCTION FURNACE UNIT	Solid	0	3.320 T
3 a)	Year of commissioning and commencement of Production?					2024				
b)	Whether the industry works 1 shift/2 shifts/round the clock?					Round the clock				

4	Provide copy of the Emergency Response Plan (ERP) which should address procedures for dealing with emergency situations (viz. Spillage or release or fire) as specified in the guidelines of Central Pollution Control Board. Such ERP shall comprise the following, but not limited to: ½ Containing and controlling incidents so as to minimise the effects and to limit danger to the persons, environment and property; ½ Implementing the measures necessary to protect persons and the environment; ½ Description of the actions which should be taken to control the conditions at events and to limit their consequences, including a description of the safety equipment and resources available; ½ Arrangements for training staff in the duties which they are expected to perform; ½ Arrangements for informing concerned authorities and emergency services; and ½ Arrangements for providing assistance with off-site mitigatory action. (To be attached separately)	Attached
5	Provide undertaking or declaration to comply with all provisions including the scope of submitting bank guarantee in the event of spillage, leakage or fire while handling the hazardous and other waste (To be attached separately)	Attached

Place:


Signature of the Applicant

Date:

Name and Designation

Enclosures :

1. Site Plan of the industry showing the location of hazardous waste storage area/room (Attached)
2. Production details of the industry (Attached)
3. Manufacturing process Details alongwith process flow Chart (Attached)
4. Copy of agreement signed with Common Hazardous Waste Treatment Facility regarding disposal of hazardous waste (Attached)
5. List of Directors and Partners (Attached)
6. Verification from prescribed by the board for verification of the data mentioned in Form-IV (Attached)
7. Annual return in form IV as prescribed in the Hazardous Waste (Management, Handling & trans-Boundary Movements)Rules ,2008 (Attached)
8. Copy of the Emergency Response Plan (Attached)
9. Undertaking or declaration to comply (Attached)





RB ENVIRO LABORATORIES (OPC) PRIVATE LIMITED

Plot No. 56, First Floor, Shivalik City-Nijjer Road, Sec. 127, Kharar, SAS Nagar, Mohali

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

GSTIN: 03AANCR1768G1Z9, Email: rbenvirosolution@gmail.com

+91 6239447329, 8437473298

Page 1 of 1

To
M/s MADHAV KRG HRC PVT LTD,
VILLAGE AKALGARH, NEAR TOLL PLAZA, AMLOH
BHADSON ROAD, BHADALTHUHA, PATIALA, PUNJAB-147203

Report No.	RBEL/2511/100A	Report Date	18.11.2025
Your Ref. No	Nil	Type of sample	Process Stack
Sample Code given by Customer	OLD	Date of sampling	10.11.2025
		Date of Sample Receipt	11.11.2025
Sampling Location	Within Premises		
Sample Collected By	Lab Person	Sample I.D.	RBEL/2511/100A
Sampling procedure	As per SOP	Date of test	11.11.2025-18.11.2025

TECHNICAL DATA

1	Instrument Used for Sampling	VSSI
2	Source of Emission	Process Stack of Induction Furnace
3	Fuel used in source	Electricity
4	Type of stack	Circular of Metal
5	Velocity of fuel gases	7.82 m/s
6	Sampling Duration	54 min.
7	Ambient air temperature	24 °C
8	Stack temperature	76 °C
9	Stack height from ground level	45 meter (GL)
10	Diameter of stack	3.8 meter
11	No. of traverse point selected	01
12	Type of APCD Installed	Bag house Filter

S. NO	PARAMETER	RESULT (mg/nm ³)	Limits (mg/nm ³) CPCB-2010	TEST METHOD
1.	Particulate Matter, mg/Nm ³	12.5	50	IS:11255(Pt -1): 1985

Note:

1. The test report refers only to tested sample and applicable parameters.
2. This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
3. The sample will be destroyed after Fifteen days from the date of issue of test report unless otherwise specified.

** End of Report **





RB ENVIRO LABORATORIES (OPC) PRIVATE LIMITED

Plot No. 56, First Floor, Shivalik City-Nijjer Road, Sec. 127, Kharar, SAS Nagar, Mohali

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

GSTIN: 03AANCR1768G1Z9, Email: rbenvirosolution@gmail.com

+91 6239447329, 8437473298

Page 1 of 1

To
M/s MADHAV KRG HRC PVT LTD.
VILLAGE AKALGARH, NEAR TOLL PLAZA, AMLOH
BHADSON ROAD, BHADALTHUHA, PATIALA, PUNJAB-147203

Report No.	RBEL/2602/149A	Report Date	16.02.2026
Your Ref. No	Nil	Type of sample	Process Stack
Sample Code given by Customer	OLD	Date of sampling	10.02.2026
		Date of Sample Receipt	11.02.2026
Sampling Location	Within Premises		
Sample Collected By	Lab Person	Sample I.D.	RBEL/2602/149A
Sampling procedure	As per SOP	Date of test	11.02.2026-16.02.2026

TECHNICAL DATA

1	Instrument Used for Sampling	VSSI
2	Source of Emission	Process Stack of Induction Furnace
3	Fuel used in source	Electricity
4	Type of stack	Circular of Metal
5	Velocity of fuel gases	7.9 m/s
6	Sampling Duration	62 min.
7	Ambient air temperature	18 °C
8	Stack temperature	74 °C
9	Stack height from ground level	45 meter (GL)
10	Diameter of stack	3.8 meter
11	No. of traverse point selected	01
12	Type of APCD Installed	Bag house Filter

S. NO	PARAMETER	RESULT (mg/nm ³)	Limits (mg/nm ³) CPCB-2010	TEST METHOD
1.	Particulate Matter, mg/Nm3	13.2	50	IS:11255(Pt -I): 1985

Note:

1. The test report refers only to tested sample and applicable parameters.
2. This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
3. The sample will be destroyed after Fifteen days from the date of issue of test report unless otherwise specified.

** End of Report **





RB ENVIRO LABORATORIES (OPC) PRIVATE LIMITED

Plot No. 56, First Floor, Shivalik City-Nijjer Road, Sec. 127, Kharar, SAS Nagar, Mohali

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

GSTIN: 03AANC1768G1Z9, Email: rbenvirosolution@gmail.com

+91 6239447329, 8437473298

Page 1 of 1

To
M/s MADHAV KRG HRC PVT LTD,
VILLAGE AKALGARH, NEAR TOLL PLAZA, AMLOH
BHADSON ROAD, BHADALTHUHA, PATIALA, PUNJAB-147203

Report No.	RBEL/2511/100B	Report Date	18.11.2025
Your Ref. No	Nil	Type of sample	Ambient Air Sample
Sample Code Given by Customer	Nil	Date of sampling	10.11.2025
Sampling Location	Within Premises	Date of Sample Receipt	11.11.2025
Sample Collected By	Lab Person	Sample I.D.	RBEL/2511/100B
Sampling procedure	As per SOP	Date of test	11.11.2025-18.11.2025

TECHNICAL DATA

1	Location of Sampling Station	Near Main Gate
2	Instrument Used for Sampling	Respirable Dust Sampler
3	Source of Sampling	Ambient Air Sample
4	Temperature of Sampling Location	24°C
5	Environmental Condition	Max temp. 28°C Min temp. 10°C Clear sky and wind direction west to east
6	Time Period for Sampling	480Minutes

Sr.N.	PARAMETERS	RESULTS	STANDARD	TEST METHOD
1.	Respirable suspended particulate matter (PM ₁₀)	72	100.0 µg/m ³	IS 5182: 2006
2.	Sulphur dioxide (SO ₂)	33	80.0 µg/m ³	IS 5182 (Part-2): 2006
3.	Nitrogen dioxide (NO ₂)	25	80.0 µg/m ³	IS 5182 (Part-6): 2006
4.	Fine particulate matter (PM _{2.5})	37	60.0 µg/m ³	IS 5182: 2006
5.	CO (One Hours)	ND	2.0 mg/m ³	NIOSH to 6604: 1996
6.	Nickel (Ni)	ND	20.0 ng/m ³	IS 5182 (Part-22): 2004
7.	Arsenic (As)	ND	6.0 ng/m ³	IS 5182 (Part-22): 2004
8.	Lead (Pb)	ND	1.0 µg/m ³	IS 5182 (Part-22): 2004
9.	Benzene (C ₆ H ₆)	ND	5.0 µg/m ³	IS 5182 (Part-11): 2006
10.	Benzo(a)pyrene (BaP)	ND	1.0 ng/m ³	IS 5182 (Part-12): 2006
11.	Ammonia (NH ₃)	ND	400.0 µg/m ³	NIOSH to 6015: 1994
12.	Ozone (O ₃)	ND	100.0 µg/m ³	IS 5182 (Part-9): 1974

Note: ND denotes NOT Detectable

- The test report refers only to tested sample and applicable parameters.
- This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
- The sample will be destroyed after fifteen days from the date of issue of test report unless otherwise specified.

End of Report





RB ENVIRO LABORATORIES (OPC) PRIVATE LIMITED

Plot No. 56, First Floor, Shivalik City-Nijjer Road, Sec. 127, Kharar, SAS Nagar, Mohali

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

GSTIN: 03AANC1768G129, Email: rbenvirosolution@gmail.com

+91 6239447329, 8437473298

Page 1 of 1

To
M/s MADHAV KRG HRC PVT LTD,
VILLAGE AKALGARH, NEAR TOLL PLAZA, AMLOH
BHADSON ROAD, BHADALTHUHA, PATIALA, PUNJAB-147203

Report No.	RBEL/2511/100C	Report Date	18.11.2025
Your Ref. No	Nil	Type of sample	Ambient Air Sample
Sample Code Given by Customer	Nil	Date of sampling	10.11.2025
Sampling Location	Within Premises	Date of Sample Receipt	11.11.2025
Sample Collected By	Lab Person	Sample I.D.	RBEL/2511/100C
Sampling procedure	As per SOP	Date of test	11.11.2025-18.11.2025

TECHNICAL DATA

1	Location of Sampling Station	Near F.G Gate
2	Instrument Used for Sampling	Respirable Dust Sampler
3	Source of Sampling	Ambient Air Sample
4	Temperature of Sampling Location	24°C
5	Environmental Condition	Max temp. 28°C Min temp. 10°C Clear sky and wind direction west to east
6	Time Period for Sampling	480Minutes

Sr.N.	PARAMETERS	RESULTS	STANDARD	TEST METHOD
1.	Respirable suspended particulate matter(PM ₁₀)	67	100.0 µg/m ³	IS 5182: 2006
2.	Sulphur dioxide (SO ₂)	21	80.0 µg/m ³	IS 5182 (Part-2): 2006
3.	Nitrogen dioxide (NO ₂)	27	80.0 µg/m ³	IS 5182 (Part-6): 2006
4.	Fine particulate matter (PM _{2.5})	31	60.0 µg/m ³	IS 5182: 2006
5.	CO (One Hours)	ND	2.0 mg/m ³	NIOSH to 6604: 1996
6.	Nickel (Ni)	ND	20.0 ng/m ³	IS 5182 (Part-22): 2004
7.	Arsenic (As)	ND	6.0 ng/m ³	IS 5182 (Part-22): 2004
8.	Lead (Pb)	ND	1.0 µg/m ³	IS 5182 (Part-22): 2004
9.	Banzen (C ₆ H ₆)	ND	5.0 µg/m ³	IS 5182 (Part-11): 2006
10.	Benzo(a)pyrene (BaP)	ND	1.0 ng/m ³	IS 5182 (Part-12): 2006
11.	Ammonia (NH ₃)	ND	400.0 µg/m ³	NIOSH to 6015: 1994
12.	Ozone (O ₃)	ND	100.0 µg/m ³	IS 5182 (Part-9): 1974

Note: ND denotes NOT Detectable

1. The test report refers only to tested sample and applicable parameters.
2. This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
3. The sample will be destroyed after fifteen days from the date of issue of test report unless otherwise specified.



End of Report



RB ENVIRO LABORATORIES (OPC) PRIVATE LIMITED

Plot No. 56, First Floor, Shivalik City-Nijjer Road, Sec. 127, Kharar, SAS Nagar, Mohali

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

GSTIN: 03AANC1768G1Z9, Email: rbenvirosolution@gmail.com

+91 6239447329, 8437473298

Page 1 of 1

To
M/s MADHAV KRG HRC PVT LTD,
VILLAGE AKALGARH, NEAR TOLL PLAZA, AMLOH
BHADSON ROAD, BHADALTHUHA, PATIALA, PUNJAB-147203

Report No.	RBEL/2511/100D	Report Date	18.11.2025
Your Ref. No	Nil	Type of sample	Ambient Air Sample
Sample Code Given by Customer	Nil	Date of sampling	10.11.2025
Sampling Location	Within Premises	Date of Sample Receipt	11.11.2025
Sample Collected By	Lab Person	Sample I.D.	RBEL/2511/100D
Sampling procedure	As per SOP	Date of test	11.11.2025-18.11.2025

TECHNICAL DATA

1	Location of Sampling Station	Near Scrap Yard security post
2	Instrument Used for Sampling	Respirable Dust Sampler
3	Source of Sampling	Ambient Air Sample
4	Temperature of Sampling Location	24°C
5	Environmental Condition	Max temp. 28°C Min temp. 10°C Clear sky and wind direction west to east
6	Time Period for Sampling	480Minutes

Sr.N.	PARAMETERS	RESULTS	STANDARD	TEST METHOD
1.	Respirable suspended particulate matter (PM ₁₀)	69	100.0 µg/m ³	IS 5182: 2006
2.	Sulphur dioxide (SO ₂)	18	80.0 µg/m ³	IS 5182 (Part-2): 2006
3.	Nitrogen dioxide (NO ₂)	27	80.0 µg/m ³	IS 5182 (Part-6): 2006
4.	Fine particulate matter (PM _{2.5})	28	60.0 µg/m ³	IS 5182: 2006
5.	CO (One Hours)	ND	2.0 mg/m ³	NIOSH to 6604: 1996
6.	Nickel (Ni)	ND	20.0 ng/m ³	IS 5182 (Part-22): 2004
7.	Arsenic (As)	ND	6.0 ng/m ³	IS 5182 (Part-22): 2004
8.	Lead (Pb)	ND	1.0 µg/m ³	IS 5182 (Part-22): 2004
9.	Benzene (C ₆ H ₆)	ND	5.0 µg/m ³	IS 5182 (Part-11): 2006
10.	Benzo(a)pyrene (BaP)	ND	1.0 ng/m ³	IS 5182 (Part-12): 2006
11.	Ammonia (NH ₃)	ND	400.0 µg/m ³	NIOSH to 6015: 1994
12.	Ozone (O ₃)	ND	100.0 µg/m ³	IS 5182 (Part-9): 1974

Note: ND denotes NOT Detectable

1. The test report refers only to tested sample and applicable parameters.
2. This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
3. The sample will be destroyed after fifteen days from the date of issue of test report unless otherwise specified.



End of Report

RB ENVIRO LABORATORIES (OPC) PRIVATE LIMITED

Plot No. 56, First Floor, Shivalik City-Nijjer Road, Sec. 127, Kharar, SAS Nagar, Mohali

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

GSTIN: 03AANCR1768G1Z9, Email: rbenvirosolution@gmail.com

+91 6239447329, 8437473298

Page 1 of 1

To
M/s MADHAV KRG HRC PVT LTD,
VILLAGE AKALGARH, NEAR TOLL PLAZA, AMLOH
BHADSON ROAD, BHADALTHUHA, PATIALA, PUNJAB-147203

Report No.	RBEL/2511/100E	Report Date	18.11.2025
Your Ref. No	Nil	Type of sample	Ambient Air Sample
Sample Code Given by Customer	Nil	Date of sampling	10.11.2025
Sampling Location	Within Premises	Date of Sample Receipt	11.11.2025
Sample Collected By	Lab Person	Sample I.D.	RBEL/2511/100E
Sampling procedure	As per SOP	Date of test	11.11.2025-18.11.2025

TECHNICAL DATA	
1	Location of Sampling Station
2	Instrument Used for Sampling
3	Source of Sampling
4	Temperature of Sampling Location
5	Environmental Condition
6	Time Period for Sampling

Sr.N.	PARAMETERS	RESULTS	STANDARD	TEST METHOD
1.	Respirable suspended particulate matter (PM ₁₀)	71	100.0 µg/m ³	IS 5182: 2006
2.	Sulphur dioxide (SO ₂)	31	80.0 µg/m ³	IS 5182 (Part-2): 2006
3.	Nitrogen dioxide (NO ₂)	21	80.0 µg/m ³	IS 5182 (Part-6): 2006
4.	Fine particulate matter (PM _{2.5})	32	60.0 µg/m ³	IS 5182: 2006
5.	CO (One Hours)	ND	2.0 mg/m ³	NIOSH to 6604: 1996
6.	Nickel (Ni)	ND	20.0 ng/m ³	IS 5182 (Part-22): 2004
7.	Arsenic (As)	ND	6.0 ng/m ³	IS 5182 (Part-22): 2004
8.	Lead (Pb)	ND	1.0 µg/m ³	IS 5182 (Part-22): 2004
9.	Benzene (C ₆ H ₆)	ND	5.0 µg/m ³	IS 5182 (Part-11): 2006
10.	Benzo(a)pyrene (BaP)	ND	1.0 ng/m ³	IS 5182 (Part-12): 2006
11.	Ammonia (NH ₃)	ND	400.0 µg/m ³	NIOSH to 6015: 1994
12.	Ozone (O ₃)	ND	100.0 µg/m ³	IS 5182 (Part-9): 1974

Note: ND denotes NOT Detectable

- The test report refers only to tested sample and applicable parameters.
- This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
- The sample will be destroyed after fifteen days from the date of issue of test report unless otherwise specified.



End of Report

RB ENVIRO LABORATORIES (OPC) PRIVATE LIMITED

Plot No. 56, First Floor, Shivalik City-Nijjer Road, Sec. 127, Kharar, SAS Nagar, Mohali

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

GSTIN: 03AANCR1768G1Z9, Email: rbenvirosolution@gmail.com

+91 6239447329, 8437473298

Page 1 of 1

To
M/s MADHAV KRG HRC PVT LTD.
VILLAGE AKALGARH, NEAR TOLL PLAZA, AMLOH
BHADSON ROAD, BHADALTHUHA, PATIALA, PUNJAB-147203

Report No.	RBEL/2602/149B	Report Date	16.02.2026
Your Ref. No	Nil	Type of sample	Ambient Air Sample
Sample Code Given by Customer	Nil	Date of sampling	10.02.2026
Sampling Location	Within Premises	Date of Sample Receipt	11.02.2026
Sample Collected By	Lab Person	Sample I.D.	RBEL/2602/149B
Sampling procedure	As per SOP	Date of test	11.02.2026-16.02.2026

TECHNICAL DATA	
1	Location of Sampling Station
2	Instrument Used for Sampling
3	Source of Sampling
4	Temperature of Sampling Location
5	Environmental Condition
6	Time Period for Sampling
	Near Main Gate
	Respirable Dust Sampler
	Ambient Air Sample
	18°C
	Max temp. 23°C
	Min temp. 14°C
	Clear sky and wind direction west to east
	480Minutes

Sr.N.	PARAMETERS	RESULTS	STANDARD	TEST METHOD
1.	Respirable suspended particulate matter(PM ₁₀)	60	100.0 µg/m ³	IS 5182: 2006
2.	Sulphur dioxide (SO ₂)	19	80.0 µg/m ³	IS 5182 (Part-2): 2006
3.	Nitrogen dioxide (NO ₂)	18	80.0 µg/m ³	IS 5182 (Part-6): 2006
4.	Fine particulate matter (PM _{2.5})	22	60.0 µg/m ³	IS 5182: 2006
5.	CO (One Hours)	ND	2.0 mg/m ³	NIOSH to 6604: 1996
6.	Nickel (Ni)	ND	20.0 ng/m ³	IS 5182 (Part-22): 2004
7.	Arsenic (As)	ND	6.0 ng/m ³	IS 5182 (Part-22): 2004
8.	Lead (Pb)	ND	1.0 µg/m ³	IS 5182 (Part-22): 2004
9.	Banzen (C ₆ H ₆)	ND	5.0 µg/m ³	IS 5182 (Part-11): 2006
10.	Benzo(a)pyrene (BaP)	ND	1.0 ng/m ³	IS 5182 (Part-12): 2006
11.	Ammonia (NH ₃)	ND	400.0 µg/m ³	NIOSH to 6015: 1994
12.	Ozone (O ₃)	ND	100.0 µg/m ³	IS 5182 (Part-9): 1974

Note: ND denotes NOT Detectable

1. The test report refers only to tested sample and applicable parameters.
2. This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
3. The sample will be destroyed after fifteen days from the date of issue of test report unless otherwise specified.

End of Report





RB ENVIRO LABORATORIES (OPC) PRIVATE LIMITED

Plot No. 56, First Floor, Shivalik City-Nijjer Road, Sec. 127, Kharar, SAS Nagar, Mohali

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

GSTIN: 03AANCR1768G1Z9, Email: rbenvirosolution@gmail.com

+91 6239447329, 8437473298

Page 1 of 1

To
M/s MADHAV KRG HRC PVT LTD,
VILLAGE AKALGARH, NEAR TOLL PLAZA, AMLOH
BHADSON ROAD, BHADALTHUHA, PATIALA, PUNJAB-147203

Report No.	RBEL/2602/149C	Report Date	16.02.2026
Your Ref. No	Nil	Type of sample	Ambient Air Sample
Sample Code Given by Customer	Nil	Date of sampling	10.02.2026
Sampling Location	Within Premises	Date of Sample Receipt	11.02.2026
Sample Collected By	Lab Person	Sample I.D.	RBEL/2602/149C
Sampling procedure	As per SOP	Date of test	11.02.2026-16.02.2026

TECHNICAL DATA

1	Location of Sampling Station	Near F.G Gate
2	Instrument Used for Sampling	Respirable Dust Sampler
3	Source of Sampling	Ambient Air Sample
4	Temperature of Sampling Location	18°C
5	Environmental Condition	Max temp. 23°C Min temp. 14°C Clear sky and wind direction west to east
6	Time Period for Sampling	480Minutes

Sr.N.	PARAMETERS	RESULTS	STANDARD	TEST METHOD
1.	Respirable suspended particulate matter(PM ₁₀)	59	100.0 µg/m ³	IS 5182: 2006
2.	Sulphur dioxide (SO ₂)	18	80.0 µg/m ³	IS 5182 (Part-2): 2006
3.	Nitrogen dioxide (NO ₂)	21	80.0 µg/m ³	IS 5182 (Part-6): 2006
4.	Fine particulate matter (PM _{2.5})	23	60.0 µg/m ³	IS 5182: 2006
5.	CO (One Hours)	ND	2.0 mg/m ³	NIOSH to 6604: 1996
6.	Nickel (Ni)	ND	20.0 ng/m ³	IS 5182 (Part-22): 2004
7.	Arsenic (As)	ND	6.0 ng/m ³	IS 5182 (Part-22): 2004
8.	Lead (Pb)	ND	1.0 µg/m ³	IS 5182 (Part-22): 2004
9.	Benzene (C ₆ H ₆)	ND	5.0 µg/m ³	IS 5182 (Part-11): 2006
10.	Benzo(a)pyrene (BaP)	ND	1.0 ng/m ³	IS 5182 (Part-12): 2006
11.	Ammonia (NH ₃)	ND	400.0 µg/m ³	NIOSH to 6015: 1994
12.	Ozone (O ₃)	ND	100.0 µg/m ³	IS 5182 (Part-9): 1974

Note: ND denotes NOT Detectable

1. The test report refers only to tested sample and applicable parameters.
2. This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
3. The sample will be destroyed after fifteen days from the date of issue of test report unless otherwise specified.

End of Report

(Authorized Signatory)





RB ENVIRO LABORATORIES (OPC) PRIVATE LIMITED

Plot No. 56, First Floor, Shivalik City-Nijjer Road, Sec. 127, Kharar, SAS Nagar, Mohali

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

GSTIN: 03AANCR1768G1Z9, Email: rbenvirosolution@gmail.com

+91 6239447329, 8437473298

Page 1 of 1

To
M/s MADHAV KRG HRC PVT LTD,
VILLAGE AKALGARH, NEAR TOLL PLAZA, AMLOH
BHADSON ROAD, BHADALTHUHA, PATIALA, PUNJAB-147203

Report No.	RBEL/2602/149D	Report Date	16.02.2026
Your Ref. No	Nil	Type of sample	Ambient Air Sample
Sample Code Given by Customer	Nil	Date of sampling	10.02.2026
Sampling Location	Within Premises	Date of Sample Receipt	11.02.2026
Sample Collected By	Lab Person	Sample I.D.	RBEL/2602/149D
Sampling procedure	As per SOP	Date of test	11.02.2026-16.02.2026

TECHNICAL DATA

1	Location of Sampling Station	Near ScrapYard security post
2	Instrument Used for Sampling	Respirable Dust Sampler
3	Source of Sampling	Ambient Air Sample
4	Temperature of Sampling Location	18°C
5	Environmental Condition	Max temp. 23°C Min temp. 14°C Clear sky and wind direction west to east
6	Time Period for Sampling	480Minutes

Sr.N.	PARAMETERS	RESULTS	STANDARD	TEST METHOD
1.	Respirable suspended particulate matter(PM ₁₀)	60	100.0 µg/m ³	IS 5182: 2006
2.	Sulphur dioxide (SO ₂)	19	80.0 µg/m ³	IS 5182 (Part-2): 2006
3.	Nitrogen dioxide (NO ₂)	27	80.0 µg/m ³	IS 5182 (Part-6): 2006
4.	Fine particulate matter (PM _{2.5})	29	60.0 µg/m ³	IS 5182: 2006
5.	CO (One Hours)	ND	2.0 mg/m ³	NIOSH to 6604: 1996
6.	Nickel (Ni)	ND	20.0 ng/m ³	IS 5182 (Part-22): 2004
7.	Arsenic (As)	ND	6.0 ng/m ³	IS 5182 (Part-22): 2004
8.	Lead (Pb)	ND	1.0 µg/m ³	IS 5182 (Part-22): 2004
9.	Banzene (C ₆ H ₆)	ND	5.0 µg/m ³	IS 5182 (Part-11): 2006
10.	Benzo(a)pyrene (BaP)	ND	1.0 ng/m ³	IS 5182 (Part-12): 2006
11.	Ammonia (NH ₃)	ND	400.0 µg/m ³	NIOSH to 6015: 1994
12.	Ozone (O ₃)	ND	100.0 µg/m ³	IS 5182 (Part-9): 1974

Note: ND denotes NOT Detectable

1. The test report refers only to tested sample and applicable parameters.
2. This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
3. The sample will be destroyed after fifteen days from the date of issue of test report unless otherwise specified.

End of Report





RB ENVIRO LABORATORIES (OPC) PRIVATE LIMITED

Plot No. 56, First Floor, Shivalik City-Nijjer Road, Sec. 127, Kharar, SAS Nagar, Mohali

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

GSTIN: 03AANCRI1768G1Z9, Email: rbenvirosolution@gmail.com

+91 6239447329, 8437473298

Page 1 of 1

To

M/s MADHAV KRG HRC PVT LTD.

VILLAGE AKALGARH, NEAR TOLL PLAZA, AMLOH

BHADSON ROAD, BHADALTHUHA, PATIALA, PUNJAB-147203

Report No.	RBEL/2602/149E	Report Date	16.02.2026
Your Ref. No	Nil	Type of sample	Ambient Air Sample
Sample Code Given by Customer	Nil	Date of sampling	10.02.2026
Sampling Location	Within Premises	Date of Sample Receipt	11.02.2026
Sample Collected By	Lab Person	Sample I.D.	RBEL/2602/149E
Sampling procedure	As per SOP	Date of test	11.02.2026-16.02.2026

TECHNICAL DATA

1	Location of Sampling Station	Near Shed No-6
2	Instrument Used for Sampling	Respirable Dust Sampler
3	Source of Sampling	Ambient Air Sample
4	Temperature of Sampling Location	18°C
5	Environmental Condition	Max temp. 23°C Min temp. 14°C Clear sky and wind direction west to east
6	Time Period for Sampling	480Minutes

Sr.N.	PARAMETERS	RESULTS	STANDARD	TEST METHOD
1.	Respirable suspended particulate matter(PM ₁₀)	58	100.0 µg/m ³	IS 5182: 2006
2.	Sulphur dioxide (SO ₂)	17	80.0 µg/m ³	IS 5182 (Part-2): 2006
3.	Nitrogen dioxide (NO ₂)	21	80.0 µg/m ³	IS 5182 (Part-6): 2006
4.	Fine particulate matter (PM _{2.5})	26	60.0 µg/m ³	IS 5182: 2006
5.	CO (One Hours)	ND	2.0 mg/m ³	NIOSH to 6604: 1996
6.	Nickel (Ni)	ND	20.0 ng/m ³	IS 5182 (Part-22): 2004
7.	Arsenic (As)	ND	6.0 ng/m ³	IS 5182 (Part-22): 2004
8.	Lead (Pb)	ND	1.0 µg/m ³	IS 5182 (Part-22): 2004
9.	Banzene (C ₆ H ₆)	ND	5.0 µg/m ³	IS 5182 (Part-11): 2006
10.	Benzo(a)pyrene (BaP)	ND	1.0 ng/m ³	IS 5182 (Part-12): 2006
11.	Ammonia (NH ₃)	ND	400.0 µg/m ³	NIOSH to 6015: 1994
12.	Ozone (O ₃)	ND	100.0 µg/m ³	IS 5182 (Part-9): 1974

Note: ND denotes NOT Detectable

1. The test report refers only to tested sample and applicable parameters.
2. This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
3. The sample will be destroyed after fifteen days from the date of issue of test report unless otherwise specified.

End of Report



Madhav KRG HRC Pvt. Ltd.
Stack_Induction Furnace

From: 2025-10-01 00:05:00 To: 2025-10-31 23:58:00

Timestamp	SPM
01-Oct-2025 00:00	7.09
01-Oct-2025 01:00	4.15
01-Oct-2025 02:00	3.23
01-Oct-2025 03:00	3.1
01-Oct-2025 04:00	3.22
01-Oct-2025 05:00	5.15
01-Oct-2025 06:00	7.18
01-Oct-2025 07:00	6.87
01-Oct-2025 08:00	8.45
01-Oct-2025 09:00	10.64
01-Oct-2025 10:00	8.67
01-Oct-2025 11:00	5.72
01-Oct-2025 12:00	5.13
01-Oct-2025 13:00	8.14
01-Oct-2025 14:00	7.35
01-Oct-2025 15:00	8.82
01-Oct-2025 16:00	6.22
01-Oct-2025 17:00	7.14
01-Oct-2025 18:00	5.44
01-Oct-2025 19:00	5.72
01-Oct-2025 20:00	4.93
01-Oct-2025 21:00	4.94
01-Oct-2025 22:00	5.11
01-Oct-2025 23:00	6.05
02-Oct-2025 00:00	4.72
02-Oct-2025 01:00	4.71
02-Oct-2025 02:00	5.83
02-Oct-2025 03:00	7.37
02-Oct-2025 04:00	4.68
02-Oct-2025 05:00	3.28
02-Oct-2025 06:00	3.73
02-Oct-2025 07:00	2.59
02-Oct-2025 08:00	6.08
02-Oct-2025 09:00	6.21
02-Oct-2025 10:00	5.78
02-Oct-2025 11:00	6.67
02-Oct-2025 12:00	4.5
02-Oct-2025 13:00	5.25
02-Oct-2025 14:00	4.47
02-Oct-2025 15:00	1.49
02-Oct-2025 16:00	1.39
02-Oct-2025 17:00	2

Reported via: <https://tpro.telsys.in> by user: ehs@madhavkrggroup.com

Timestamp	SPM
02-Oct-2025 18:00	3.55
02-Oct-2025 19:00	2.95
02-Oct-2025 20:00	2.97
02-Oct-2025 21:00	2.05
02-Oct-2025 22:00	2.86
02-Oct-2025 23:00	3.13
03-Oct-2025 00:00	3.43
03-Oct-2025 01:00	2.89
03-Oct-2025 02:00	2.84
03-Oct-2025 03:00	2.55
03-Oct-2025 04:00	2.5
03-Oct-2025 05:00	4.29
03-Oct-2025 06:00	6.64
03-Oct-2025 07:00	6.95
03-Oct-2025 08:00	6.04
03-Oct-2025 09:00	5.8
03-Oct-2025 10:00	6.1
03-Oct-2025 11:00	6.62
03-Oct-2025 12:00	5.36
03-Oct-2025 13:00	4.94
03-Oct-2025 14:00	3.08
03-Oct-2025 15:00	3.74
03-Oct-2025 16:00	2.85
03-Oct-2025 17:00	2
03-Oct-2025 18:00	2.24
03-Oct-2025 19:00	2.94
03-Oct-2025 20:00	3.98
03-Oct-2025 21:00	3.99
03-Oct-2025 22:00	3.78
03-Oct-2025 23:00	4.09
04-Oct-2025 00:00	2.4
04-Oct-2025 01:00	3.58
04-Oct-2025 02:00	4.19
04-Oct-2025 03:00	6.38
04-Oct-2025 04:00	5.73
04-Oct-2025 05:00	3.42
04-Oct-2025 06:00	4.05
04-Oct-2025 07:00	5.25
04-Oct-2025 08:00	5.72
04-Oct-2025 09:00	5.81
04-Oct-2025 10:00	4.67
04-Oct-2025 11:00	3.92
04-Oct-2025 12:00	3.54
04-Oct-2025 13:00	5.26
04-Oct-2025 14:00	4.49
04-Oct-2025 15:00	6.94
04-Oct-2025 16:00	4.8

Timestamp	SPM
04-Oct-2025 17:00	4.11
04-Oct-2025 18:00	4.05
04-Oct-2025 19:00	7.45
04-Oct-2025 20:00	5.35
04-Oct-2025 21:00	5.33
04-Oct-2025 22:00	2.77
04-Oct-2025 23:00	4.79
05-Oct-2025 00:00	5.4
05-Oct-2025 01:00	4.91
05-Oct-2025 02:00	4.53
05-Oct-2025 03:00	6.55
05-Oct-2025 04:00	4.38
05-Oct-2025 05:00	2.9
05-Oct-2025 06:00	3.02
05-Oct-2025 07:00	1.72
05-Oct-2025 08:00	2.81
05-Oct-2025 09:00	5.31
05-Oct-2025 10:00	5
05-Oct-2025 11:00	5.84
05-Oct-2025 12:00	7.22
05-Oct-2025 13:00	8.42
05-Oct-2025 14:00	6.58
05-Oct-2025 15:00	5.92
05-Oct-2025 16:00	6.49
05-Oct-2025 17:00	4.4
05-Oct-2025 18:00	5.51
05-Oct-2025 19:00	4.56
05-Oct-2025 20:00	3.57
05-Oct-2025 21:00	3.95
05-Oct-2025 22:00	2.43
05-Oct-2025 23:00	2.19
06-Oct-2025 00:00	2.04
06-Oct-2025 01:00	1.89
06-Oct-2025 02:00	1.64
06-Oct-2025 03:00	1.67
06-Oct-2025 04:00	1.68
06-Oct-2025 05:00	1.76
06-Oct-2025 06:00	2.86
06-Oct-2025 07:00	4.19
06-Oct-2025 08:00	4.21
06-Oct-2025 09:00	4.58
06-Oct-2025 10:00	3.24
06-Oct-2025 11:00	3.15
06-Oct-2025 12:00	3.81
06-Oct-2025 13:00	4.5
06-Oct-2025 14:00	4.24
06-Oct-2025 15:00	5.32

Timestamp	SPM
06-Oct-2025 16:00	5
06-Oct-2025 17:00	6.27
06-Oct-2025 18:00	5.28
06-Oct-2025 19:00	5.58
06-Oct-2025 20:00	3.92
06-Oct-2025 21:00	4.71
06-Oct-2025 22:00	3.84
06-Oct-2025 23:00	1.56
07-Oct-2025 00:00	4
07-Oct-2025 01:00	4.06
07-Oct-2025 02:00	3.68
07-Oct-2025 03:00	4.15
07-Oct-2025 04:00	3.2
07-Oct-2025 05:00	5.2
07-Oct-2025 06:00	3.71
07-Oct-2025 07:00	2.23
07-Oct-2025 08:00	1.86
07-Oct-2025 09:00	4.39
07-Oct-2025 10:00	6.1
07-Oct-2025 11:00	5.13
07-Oct-2025 12:00	4.92
07-Oct-2025 13:00	5.49
07-Oct-2025 14:00	5.53
07-Oct-2025 15:00	4.03
07-Oct-2025 16:00	3.21
07-Oct-2025 17:00	4
07-Oct-2025 18:00	4.08
07-Oct-2025 19:00	3.8
07-Oct-2025 20:00	4.73
07-Oct-2025 21:00	4.07
07-Oct-2025 22:00	3.27
07-Oct-2025 23:00	4.34
08-Oct-2025 00:00	3.14
08-Oct-2025 01:00	3.24
08-Oct-2025 02:00	3.56
08-Oct-2025 03:00	3.05
08-Oct-2025 04:00	3.5
08-Oct-2025 05:00	4.1
08-Oct-2025 06:00	4.78
08-Oct-2025 07:00	6.06
08-Oct-2025 08:00	8.15
08-Oct-2025 09:00	5.25
08-Oct-2025 10:00	
08-Oct-2025 11:00	
08-Oct-2025 12:00	
08-Oct-2025 13:00	
08-Oct-2025 14:00	

Timestamp	SPM
08-Oct-2025 15:00	
08-Oct-2025 16:00	
08-Oct-2025 17:00	
08-Oct-2025 18:00	
08-Oct-2025 19:00	
08-Oct-2025 20:00	
08-Oct-2025 21:00	
08-Oct-2025 22:00	
08-Oct-2025 23:00	
09-Oct-2025 00:00	
09-Oct-2025 01:00	
09-Oct-2025 02:00	
09-Oct-2025 03:00	
09-Oct-2025 04:00	1.92
09-Oct-2025 05:00	
09-Oct-2025 06:00	
09-Oct-2025 07:00	
09-Oct-2025 08:00	
09-Oct-2025 09:00	
09-Oct-2025 10:00	
09-Oct-2025 11:00	
09-Oct-2025 12:00	
09-Oct-2025 13:00	
09-Oct-2025 14:00	
09-Oct-2025 15:00	
09-Oct-2025 16:00	
09-Oct-2025 17:00	
09-Oct-2025 18:00	
09-Oct-2025 19:00	
09-Oct-2025 20:00	
09-Oct-2025 21:00	
09-Oct-2025 22:00	
09-Oct-2025 23:00	
10-Oct-2025 00:00	
10-Oct-2025 01:00	
10-Oct-2025 02:00	
10-Oct-2025 03:00	
10-Oct-2025 04:00	
10-Oct-2025 05:00	
10-Oct-2025 06:00	
10-Oct-2025 07:00	
10-Oct-2025 08:00	
10-Oct-2025 09:00	
10-Oct-2025 10:00	
10-Oct-2025 11:00	
10-Oct-2025 12:00	
10-Oct-2025 13:00	

Timestamp	SPM
10-Oct-2025 14:00	
10-Oct-2025 15:00	
10-Oct-2025 16:00	
10-Oct-2025 17:00	
10-Oct-2025 18:00	
10-Oct-2025 19:00	
10-Oct-2025 20:00	
10-Oct-2025 21:00	
10-Oct-2025 22:00	
10-Oct-2025 23:00	
11-Oct-2025 00:00	
11-Oct-2025 01:00	
11-Oct-2025 02:00	
11-Oct-2025 03:00	
11-Oct-2025 04:00	
11-Oct-2025 05:00	
11-Oct-2025 06:00	
11-Oct-2025 07:00	
11-Oct-2025 08:00	
11-Oct-2025 09:00	
11-Oct-2025 10:00	
11-Oct-2025 11:00	
11-Oct-2025 12:00	
11-Oct-2025 13:00	
11-Oct-2025 14:00	
11-Oct-2025 15:00	
11-Oct-2025 16:00	
11-Oct-2025 17:00	
11-Oct-2025 18:00	
11-Oct-2025 19:00	
11-Oct-2025 20:00	
11-Oct-2025 21:00	
11-Oct-2025 22:00	
11-Oct-2025 23:00	
12-Oct-2025 00:00	
12-Oct-2025 01:00	
12-Oct-2025 02:00	
12-Oct-2025 03:00	
12-Oct-2025 04:00	
12-Oct-2025 05:00	
12-Oct-2025 06:00	
12-Oct-2025 07:00	
12-Oct-2025 08:00	
12-Oct-2025 09:00	
12-Oct-2025 10:00	
12-Oct-2025 11:00	
12-Oct-2025 12:00	

Timestamp	SPM
12-Oct-2025 13:00	
12-Oct-2025 14:00	
12-Oct-2025 15:00	
12-Oct-2025 16:00	
12-Oct-2025 17:00	
12-Oct-2025 18:00	
12-Oct-2025 19:00	
12-Oct-2025 20:00	
12-Oct-2025 21:00	
12-Oct-2025 22:00	
12-Oct-2025 23:00	
13-Oct-2025 00:00	
13-Oct-2025 01:00	
13-Oct-2025 02:00	
13-Oct-2025 03:00	
13-Oct-2025 04:00	
13-Oct-2025 05:00	
13-Oct-2025 06:00	
13-Oct-2025 07:00	
13-Oct-2025 08:00	
13-Oct-2025 09:00	
13-Oct-2025 10:00	
13-Oct-2025 11:00	
13-Oct-2025 12:00	
13-Oct-2025 13:00	
13-Oct-2025 14:00	
13-Oct-2025 15:00	
13-Oct-2025 16:00	
13-Oct-2025 17:00	
13-Oct-2025 18:00	
13-Oct-2025 19:00	
13-Oct-2025 20:00	
13-Oct-2025 21:00	
13-Oct-2025 22:00	
13-Oct-2025 23:00	
14-Oct-2025 00:00	
14-Oct-2025 01:00	
14-Oct-2025 02:00	
14-Oct-2025 03:00	
14-Oct-2025 04:00	
14-Oct-2025 05:00	
14-Oct-2025 06:00	
14-Oct-2025 07:00	
14-Oct-2025 08:00	
14-Oct-2025 09:00	
14-Oct-2025 10:00	
14-Oct-2025 11:00	

Timestamp	SPM
14-Oct-2025 12:00	
14-Oct-2025 13:00	
14-Oct-2025 14:00	
14-Oct-2025 15:00	
14-Oct-2025 16:00	
14-Oct-2025 17:00	
14-Oct-2025 18:00	
14-Oct-2025 19:00	
14-Oct-2025 20:00	
14-Oct-2025 21:00	
14-Oct-2025 22:00	
14-Oct-2025 23:00	
15-Oct-2025 00:00	
15-Oct-2025 01:00	
15-Oct-2025 02:00	
15-Oct-2025 03:00	
15-Oct-2025 04:00	
15-Oct-2025 05:00	
15-Oct-2025 06:00	
15-Oct-2025 07:00	
15-Oct-2025 08:00	
15-Oct-2025 09:00	
15-Oct-2025 10:00	
15-Oct-2025 11:00	
15-Oct-2025 12:00	
15-Oct-2025 13:00	
15-Oct-2025 14:00	
15-Oct-2025 15:00	
15-Oct-2025 16:00	
15-Oct-2025 17:00	
15-Oct-2025 18:00	
15-Oct-2025 19:00	
15-Oct-2025 20:00	
15-Oct-2025 21:00	
15-Oct-2025 22:00	
15-Oct-2025 23:00	
16-Oct-2025 00:00	
16-Oct-2025 01:00	
16-Oct-2025 02:00	
16-Oct-2025 03:00	
16-Oct-2025 04:00	
16-Oct-2025 05:00	
16-Oct-2025 06:00	
16-Oct-2025 07:00	
16-Oct-2025 08:00	
16-Oct-2025 09:00	
16-Oct-2025 10:00	

Timestamp	SPM
16-Oct-2025 11:00	
16-Oct-2025 12:00	
16-Oct-2025 13:00	
16-Oct-2025 14:00	
16-Oct-2025 15:00	
16-Oct-2025 16:00	
16-Oct-2025 17:00	
16-Oct-2025 18:00	
16-Oct-2025 19:00	
16-Oct-2025 20:00	
16-Oct-2025 21:00	
16-Oct-2025 22:00	
16-Oct-2025 23:00	
17-Oct-2025 00:00	
17-Oct-2025 01:00	
17-Oct-2025 02:00	
17-Oct-2025 03:00	
17-Oct-2025 04:00	
17-Oct-2025 05:00	
17-Oct-2025 06:00	
17-Oct-2025 07:00	
17-Oct-2025 08:00	
17-Oct-2025 09:00	
17-Oct-2025 10:00	
17-Oct-2025 11:00	
17-Oct-2025 12:00	
17-Oct-2025 13:00	
17-Oct-2025 14:00	
17-Oct-2025 15:00	
17-Oct-2025 16:00	
17-Oct-2025 17:00	
17-Oct-2025 18:00	
17-Oct-2025 19:00	
17-Oct-2025 20:00	
17-Oct-2025 21:00	
17-Oct-2025 22:00	
17-Oct-2025 23:00	
18-Oct-2025 00:00	
18-Oct-2025 01:00	
18-Oct-2025 02:00	
18-Oct-2025 03:00	
18-Oct-2025 04:00	
18-Oct-2025 05:00	
18-Oct-2025 06:00	
18-Oct-2025 07:00	
18-Oct-2025 08:00	
18-Oct-2025 09:00	

Timestamp	SPM
18-Oct-2025 10:00	
18-Oct-2025 11:00	
18-Oct-2025 12:00	
18-Oct-2025 13:00	
18-Oct-2025 14:00	
18-Oct-2025 15:00	
18-Oct-2025 16:00	
18-Oct-2025 17:00	
18-Oct-2025 18:00	
18-Oct-2025 19:00	
18-Oct-2025 20:00	
18-Oct-2025 21:00	
18-Oct-2025 22:00	
18-Oct-2025 23:00	
19-Oct-2025 00:00	
19-Oct-2025 01:00	
19-Oct-2025 02:00	
19-Oct-2025 03:00	
19-Oct-2025 04:00	
19-Oct-2025 05:00	
19-Oct-2025 06:00	
19-Oct-2025 07:00	
19-Oct-2025 08:00	
19-Oct-2025 09:00	
19-Oct-2025 10:00	
19-Oct-2025 11:00	
19-Oct-2025 12:00	
19-Oct-2025 13:00	
19-Oct-2025 14:00	
19-Oct-2025 15:00	
19-Oct-2025 16:00	
19-Oct-2025 17:00	
19-Oct-2025 18:00	
19-Oct-2025 19:00	
19-Oct-2025 20:00	
19-Oct-2025 21:00	
19-Oct-2025 22:00	
19-Oct-2025 23:00	
20-Oct-2025 00:00	
20-Oct-2025 01:00	
20-Oct-2025 02:00	
20-Oct-2025 03:00	
20-Oct-2025 04:00	
20-Oct-2025 05:00	
20-Oct-2025 06:00	
20-Oct-2025 07:00	
20-Oct-2025 08:00	

Timestamp	SPM
20-Oct-2025 09:00	
20-Oct-2025 10:00	
20-Oct-2025 11:00	
20-Oct-2025 12:00	
20-Oct-2025 13:00	
20-Oct-2025 14:00	
20-Oct-2025 15:00	
20-Oct-2025 16:00	
20-Oct-2025 17:00	
20-Oct-2025 18:00	
20-Oct-2025 19:00	
20-Oct-2025 20:00	
20-Oct-2025 21:00	
20-Oct-2025 22:00	
20-Oct-2025 23:00	
21-Oct-2025 00:00	
21-Oct-2025 01:00	
21-Oct-2025 02:00	
21-Oct-2025 03:00	
21-Oct-2025 04:00	
21-Oct-2025 05:00	
21-Oct-2025 06:00	
21-Oct-2025 07:00	
21-Oct-2025 08:00	
21-Oct-2025 09:00	
21-Oct-2025 10:00	
21-Oct-2025 11:00	
21-Oct-2025 12:00	
21-Oct-2025 13:00	
21-Oct-2025 14:00	
21-Oct-2025 15:00	
21-Oct-2025 16:00	
21-Oct-2025 17:00	
21-Oct-2025 18:00	
21-Oct-2025 19:00	
21-Oct-2025 20:00	
21-Oct-2025 21:00	
21-Oct-2025 22:00	
21-Oct-2025 23:00	
22-Oct-2025 00:00	
22-Oct-2025 01:00	
22-Oct-2025 02:00	
22-Oct-2025 03:00	
22-Oct-2025 04:00	
22-Oct-2025 05:00	
22-Oct-2025 06:00	
22-Oct-2025 07:00	

Timestamp	SPM
22-Oct-2025 08:00	
22-Oct-2025 09:00	
22-Oct-2025 10:00	3.83
22-Oct-2025 11:00	4.2
22-Oct-2025 12:00	3.56
22-Oct-2025 13:00	2.81
22-Oct-2025 14:00	4.14
22-Oct-2025 15:00	1.88
22-Oct-2025 16:00	2.1
22-Oct-2025 17:00	2.31
22-Oct-2025 18:00	2.35
22-Oct-2025 19:00	1.99
22-Oct-2025 20:00	2.16
22-Oct-2025 21:00	2.05
22-Oct-2025 22:00	1.37
22-Oct-2025 23:00	1.6
23-Oct-2025 00:00	1.89
23-Oct-2025 01:00	1.64
23-Oct-2025 02:00	1.55
23-Oct-2025 03:00	1.79
23-Oct-2025 04:00	1.8
23-Oct-2025 05:00	1.79
23-Oct-2025 06:00	1.9
23-Oct-2025 07:00	3.04
23-Oct-2025 08:00	4.43
23-Oct-2025 09:00	3.44
23-Oct-2025 10:00	1.89
23-Oct-2025 11:00	2.78
23-Oct-2025 12:00	2.47
23-Oct-2025 13:00	2.4
23-Oct-2025 14:00	1.42
23-Oct-2025 15:00	3.18
23-Oct-2025 16:00	2.94
23-Oct-2025 17:00	1.98
23-Oct-2025 18:00	1.4
23-Oct-2025 19:00	1.55
23-Oct-2025 20:00	1.78
23-Oct-2025 21:00	1.77
23-Oct-2025 22:00	1.37
23-Oct-2025 23:00	1.25
24-Oct-2025 00:00	1.76
24-Oct-2025 01:00	2.04
24-Oct-2025 02:00	1.91
24-Oct-2025 03:00	1.76
24-Oct-2025 04:00	1.99
24-Oct-2025 05:00	2.26
24-Oct-2025 06:00	4.02

Timestamp	SPM
24-Oct-2025 07:00	5.34
24-Oct-2025 08:00	4.97
24-Oct-2025 09:00	4.61
24-Oct-2025 10:00	4.29
24-Oct-2025 11:00	3.56
24-Oct-2025 12:00	3.47
24-Oct-2025 13:00	4.17
24-Oct-2025 14:00	6.38
24-Oct-2025 15:00	6.02
24-Oct-2025 16:00	6.74
24-Oct-2025 17:00	4.67
24-Oct-2025 18:00	3.81
24-Oct-2025 19:00	4.77
24-Oct-2025 20:00	5.08
24-Oct-2025 21:00	3.82
24-Oct-2025 22:00	2.77
24-Oct-2025 23:00	5.24
25-Oct-2025 00:00	5.67
25-Oct-2025 01:00	3.55
25-Oct-2025 02:00	3.29
25-Oct-2025 03:00	4.89
25-Oct-2025 04:00	5.35
25-Oct-2025 05:00	6
25-Oct-2025 06:00	5.04
25-Oct-2025 07:00	5.08
25-Oct-2025 08:00	6.91
25-Oct-2025 09:00	6.86
25-Oct-2025 10:00	4.71
25-Oct-2025 11:00	6.25
25-Oct-2025 12:00	5.02
25-Oct-2025 13:00	5.91
25-Oct-2025 14:00	6.31
25-Oct-2025 15:00	5.77
25-Oct-2025 16:00	5.24
25-Oct-2025 17:00	4.26
25-Oct-2025 18:00	5.88
25-Oct-2025 19:00	4.82
25-Oct-2025 20:00	5.16
25-Oct-2025 21:00	6.77
25-Oct-2025 22:00	5.12
25-Oct-2025 23:00	4.36
26-Oct-2025 00:00	4.51
26-Oct-2025 01:00	5.22
26-Oct-2025 02:00	7.14
26-Oct-2025 03:00	6.38
26-Oct-2025 04:00	4.46
26-Oct-2025 05:00	6.36

Timestamp	SPM
26-Oct-2025 06:00	5.95
26-Oct-2025 07:00	5.6
26-Oct-2025 08:00	5.04
26-Oct-2025 09:00	5.26
26-Oct-2025 10:00	5.33
26-Oct-2025 11:00	4.78
26-Oct-2025 12:00	3.03
26-Oct-2025 13:00	4.29
26-Oct-2025 14:00	5.41
26-Oct-2025 15:00	4.65
26-Oct-2025 16:00	6.34
26-Oct-2025 17:00	4.83
26-Oct-2025 18:00	4.64
26-Oct-2025 19:00	4.21
26-Oct-2025 20:00	4.9
26-Oct-2025 21:00	7.76
26-Oct-2025 22:00	7.73
26-Oct-2025 23:00	5.57
27-Oct-2025 00:00	4.25
27-Oct-2025 01:00	4.36
27-Oct-2025 02:00	4.39
27-Oct-2025 03:00	5.39
27-Oct-2025 04:00	6.39
27-Oct-2025 05:00	7.94
27-Oct-2025 06:00	5.65
27-Oct-2025 07:00	4.83
27-Oct-2025 08:00	4.78
27-Oct-2025 09:00	6.41
27-Oct-2025 10:00	5.96
27-Oct-2025 11:00	5.05
27-Oct-2025 12:00	5.48
27-Oct-2025 13:00	5.28
27-Oct-2025 14:00	5.17
27-Oct-2025 15:00	7.71
27-Oct-2025 16:00	8.6
27-Oct-2025 17:00	6.54
27-Oct-2025 18:00	4.64
27-Oct-2025 19:00	4.29
27-Oct-2025 20:00	4.31
27-Oct-2025 21:00	5.48
27-Oct-2025 22:00	6.99
27-Oct-2025 23:00	6.09
28-Oct-2025 00:00	4.86
28-Oct-2025 01:00	4.47
28-Oct-2025 02:00	4.1
28-Oct-2025 03:00	4
28-Oct-2025 04:00	7.45

Timestamp	SPM
28-Oct-2025 05:00	7.31
28-Oct-2025 06:00	5.12
28-Oct-2025 07:00	5.17
28-Oct-2025 08:00	5.82
28-Oct-2025 09:00	6.41
28-Oct-2025 10:00	6.6
28-Oct-2025 11:00	6.95
28-Oct-2025 12:00	7.45
28-Oct-2025 13:00	6.24
28-Oct-2025 14:00	7.49
28-Oct-2025 15:00	7.09
28-Oct-2025 16:00	5.6
28-Oct-2025 17:00	6.8
28-Oct-2025 18:00	5.46
28-Oct-2025 19:00	6.64
28-Oct-2025 20:00	7.12
28-Oct-2025 21:00	6.76
28-Oct-2025 22:00	7.04
28-Oct-2025 23:00	5.39
29-Oct-2025 00:00	4.03
29-Oct-2025 01:00	4.11
29-Oct-2025 02:00	7.18
29-Oct-2025 03:00	6.7
29-Oct-2025 04:00	7.48
29-Oct-2025 05:00	6.7
29-Oct-2025 06:00	2.86
29-Oct-2025 07:00	6.12
29-Oct-2025 08:00	8.21
29-Oct-2025 09:00	5.47
29-Oct-2025 10:00	5.1
29-Oct-2025 11:00	5.55
29-Oct-2025 12:00	4.36
29-Oct-2025 13:00	7.34
29-Oct-2025 14:00	6.64
29-Oct-2025 15:00	4.55
29-Oct-2025 16:00	4.12
29-Oct-2025 17:00	4.62
29-Oct-2025 18:00	5.6
29-Oct-2025 19:00	4.95
29-Oct-2025 20:00	7.25
29-Oct-2025 21:00	7.17
29-Oct-2025 22:00	6.71
29-Oct-2025 23:00	6.69
30-Oct-2025 00:00	6.2
30-Oct-2025 01:00	5.52
30-Oct-2025 02:00	4.74
30-Oct-2025 03:00	4.71

Timestamp	SPM
30-Oct-2025 04:00	5.3
30-Oct-2025 05:00	4.92
30-Oct-2025 06:00	4.84
30-Oct-2025 07:00	4.55
30-Oct-2025 08:00	5.75
30-Oct-2025 09:00	6.68
30-Oct-2025 10:00	8.33
30-Oct-2025 11:00	8.44
30-Oct-2025 12:00	6.17
30-Oct-2025 13:00	6.7
30-Oct-2025 14:00	5.27
30-Oct-2025 15:00	5.19
30-Oct-2025 16:00	5.43
30-Oct-2025 17:00	4.82
30-Oct-2025 18:00	4.45
30-Oct-2025 19:00	4.16
30-Oct-2025 20:00	6.76
30-Oct-2025 21:00	7.7
30-Oct-2025 22:00	4.52
30-Oct-2025 23:00	6.63
31-Oct-2025 00:00	7.86
31-Oct-2025 01:00	5.5
31-Oct-2025 02:00	4.63
31-Oct-2025 03:00	5.68
31-Oct-2025 04:00	7.64
31-Oct-2025 05:00	8.06
31-Oct-2025 06:00	8.8
31-Oct-2025 07:00	9.21
31-Oct-2025 08:00	6.6
31-Oct-2025 09:00	5.42
31-Oct-2025 10:00	4.82
31-Oct-2025 11:00	5.31
31-Oct-2025 12:00	6.24
31-Oct-2025 13:00	6.24
31-Oct-2025 14:00	4.9
31-Oct-2025 15:00	4.52
31-Oct-2025 16:00	4.34
31-Oct-2025 17:00	5.76
31-Oct-2025 18:00	5.29
31-Oct-2025 19:00	4.59
31-Oct-2025 20:00	3.78
31-Oct-2025 21:00	5.86
31-Oct-2025 22:00	8.66
31-Oct-2025 23:00	6.98

Madhav KRG HRC Pvt. Ltd.
OD15PB03555_Emission_STACK INDUC TION FURNACE

From: 2025-11-01 00:03:00 To: 2025-11-30 23:56:00

Timestamp	SPM
01-Nov-2025 00:00	7.15
01-Nov-2025 01:00	4.06
01-Nov-2025 02:00	4.03
01-Nov-2025 03:00	3.98
01-Nov-2025 04:00	1.75
01-Nov-2025 05:00	1.9
01-Nov-2025 06:00	1.94
01-Nov-2025 07:00	2.7
01-Nov-2025 08:00	3.52
01-Nov-2025 09:00	2.9
01-Nov-2025 10:00	1.56
01-Nov-2025 11:00	2.42
01-Nov-2025 12:00	3.92
01-Nov-2025 13:00	3.32
01-Nov-2025 14:00	2.64
01-Nov-2025 15:00	3.76
01-Nov-2025 16:00	3.96
01-Nov-2025 17:00	1.86
01-Nov-2025 18:00	1.2
01-Nov-2025 19:00	2.71
01-Nov-2025 20:00	1.53
01-Nov-2025 21:00	1.69
01-Nov-2025 22:00	1.36
01-Nov-2025 23:00	1.34
02-Nov-2025 00:00	1.96
02-Nov-2025 01:00	2.11
02-Nov-2025 02:00	1.64
02-Nov-2025 03:00	1.62
02-Nov-2025 04:00	2.19
02-Nov-2025 05:00	4.37
02-Nov-2025 06:00	4.03
02-Nov-2025 07:00	6.12
02-Nov-2025 08:00	6.08
02-Nov-2025 09:00	7.36
02-Nov-2025 10:00	7.71
02-Nov-2025 11:00	8.3
02-Nov-2025 12:00	8.33
02-Nov-2025 13:00	5.78
02-Nov-2025 14:00	3.18
02-Nov-2025 15:00	3.02
02-Nov-2025 16:00	2.65
02-Nov-2025 17:00	3.11

Reported via: <https://tpro.telsys.in> by user: ehs@madhavkrggroup.com

Timestamp	SPM
02-Nov-2025 18:00	2.32
02-Nov-2025 19:00	2.36
02-Nov-2025 20:00	2.18
02-Nov-2025 21:00	3.86
02-Nov-2025 22:00	7.2
02-Nov-2025 23:00	9.1
03-Nov-2025 00:00	4.5
03-Nov-2025 01:00	5.74
03-Nov-2025 02:00	5.3
03-Nov-2025 03:00	4.29
03-Nov-2025 04:00	5.72
03-Nov-2025 05:00	4.93
03-Nov-2025 06:00	5.41
03-Nov-2025 07:00	4.36
03-Nov-2025 08:00	8.96
03-Nov-2025 09:00	6.96
03-Nov-2025 10:00	6.88
03-Nov-2025 11:00	8.41
03-Nov-2025 12:00	6.68
03-Nov-2025 13:00	8.18
03-Nov-2025 14:00	7.53
03-Nov-2025 15:00	7.11
03-Nov-2025 16:00	7.56
03-Nov-2025 17:00	7.58
03-Nov-2025 18:00	6.83
03-Nov-2025 19:00	5.21
03-Nov-2025 20:00	6.51
03-Nov-2025 21:00	5.04
03-Nov-2025 22:00	5.51
03-Nov-2025 23:00	3.5
04-Nov-2025 00:00	3.56
04-Nov-2025 01:00	5.16
04-Nov-2025 02:00	4.96
04-Nov-2025 03:00	5.71
04-Nov-2025 04:00	3.96
04-Nov-2025 05:00	3.63
04-Nov-2025 06:00	5.74
04-Nov-2025 07:00	4.8
04-Nov-2025 08:00	3.34
04-Nov-2025 09:00	6.32
04-Nov-2025 10:00	8.36
04-Nov-2025 11:00	7.62
04-Nov-2025 12:00	8.23
04-Nov-2025 13:00	7.67
04-Nov-2025 14:00	6.79
04-Nov-2025 15:00	7.71
04-Nov-2025 16:00	7.28

Timestamp	SPM
04-Nov-2025 17:00	4.39
04-Nov-2025 18:00	4.44
04-Nov-2025 19:00	6.3
04-Nov-2025 20:00	5.82
04-Nov-2025 21:00	4.14
04-Nov-2025 22:00	3.66
04-Nov-2025 23:00	3.3
05-Nov-2025 00:00	4.04
05-Nov-2025 01:00	3.02
05-Nov-2025 02:00	4.72
05-Nov-2025 03:00	3.44
05-Nov-2025 04:00	3.72
05-Nov-2025 05:00	4.12
05-Nov-2025 06:00	4.45
05-Nov-2025 07:00	5.35
05-Nov-2025 08:00	1.81
05-Nov-2025 09:00	1.38
05-Nov-2025 10:00	1.91
05-Nov-2025 11:00	2.42
05-Nov-2025 12:00	1.99
05-Nov-2025 13:00	2
05-Nov-2025 14:00	1.49
05-Nov-2025 15:00	1.43
05-Nov-2025 16:00	2.19
05-Nov-2025 17:00	1.71
05-Nov-2025 18:00	1.56
05-Nov-2025 19:00	1.38
05-Nov-2025 20:00	1.4
05-Nov-2025 21:00	1.22
05-Nov-2025 22:00	1.66
05-Nov-2025 23:00	1.75
06-Nov-2025 00:00	2.26
06-Nov-2025 01:00	2.18
06-Nov-2025 02:00	1.73
06-Nov-2025 03:00	1.58
06-Nov-2025 04:00	1.8
06-Nov-2025 05:00	1.78
06-Nov-2025 06:00	2.85
06-Nov-2025 07:00	5.48
06-Nov-2025 08:00	7.36
06-Nov-2025 09:00	6.92
06-Nov-2025 10:00	5.92
06-Nov-2025 11:00	7.78
06-Nov-2025 12:00	6.86
06-Nov-2025 13:00	5.88
06-Nov-2025 14:00	6.78
06-Nov-2025 15:00	5.72

Timestamp	SPM
06-Nov-2025 16:00	5.33
06-Nov-2025 17:00	6.72
06-Nov-2025 18:00	5.84
06-Nov-2025 19:00	5.97
06-Nov-2025 20:00	6.47
06-Nov-2025 21:00	3.34
06-Nov-2025 22:00	1.66
06-Nov-2025 23:00	3.79
07-Nov-2025 00:00	4.02
07-Nov-2025 01:00	3.24
07-Nov-2025 02:00	6.56
07-Nov-2025 03:00	5.44
07-Nov-2025 04:00	4.64
07-Nov-2025 05:00	4.93
07-Nov-2025 06:00	4.24
07-Nov-2025 07:00	6.28
07-Nov-2025 08:00	5.37
07-Nov-2025 09:00	5.82
07-Nov-2025 10:00	5.58
07-Nov-2025 11:00	6.1
07-Nov-2025 12:00	7.89
07-Nov-2025 13:00	8.91
07-Nov-2025 14:00	7.48
07-Nov-2025 15:00	5.04
07-Nov-2025 16:00	5.34
07-Nov-2025 17:00	3.88
07-Nov-2025 18:00	2.42
07-Nov-2025 19:00	3.5
07-Nov-2025 20:00	4.17
07-Nov-2025 21:00	3.89
07-Nov-2025 22:00	5.96
07-Nov-2025 23:00	4
08-Nov-2025 00:00	3.5
08-Nov-2025 01:00	5.01
08-Nov-2025 02:00	4.58
08-Nov-2025 03:00	3.26
08-Nov-2025 04:00	3.48
08-Nov-2025 05:00	4.11
08-Nov-2025 06:00	6.13
08-Nov-2025 07:00	6.04
08-Nov-2025 08:00	6.28
08-Nov-2025 09:00	5.82
08-Nov-2025 10:00	6.62
08-Nov-2025 11:00	6.1
08-Nov-2025 12:00	6.66
08-Nov-2025 13:00	5.28
08-Nov-2025 14:00	5.36

Timestamp	SPM
08-Nov-2025 15:00	4.13
08-Nov-2025 16:00	4.36
08-Nov-2025 17:00	6.39
08-Nov-2025 18:00	4.91
08-Nov-2025 19:00	3.43
08-Nov-2025 20:00	4.51
08-Nov-2025 21:00	4.86
08-Nov-2025 22:00	5.33
08-Nov-2025 23:00	4.42
09-Nov-2025 00:00	5.03
09-Nov-2025 01:00	3.99
09-Nov-2025 02:00	4.5
09-Nov-2025 03:00	3.91
09-Nov-2025 04:00	4.49
09-Nov-2025 05:00	4.88
09-Nov-2025 06:00	4.01
09-Nov-2025 07:00	4.81
09-Nov-2025 08:00	3.84
09-Nov-2025 09:00	4.04
09-Nov-2025 10:00	4.55
09-Nov-2025 11:00	3.99
09-Nov-2025 12:00	4.23
09-Nov-2025 13:00	6.13
09-Nov-2025 14:00	6.54
09-Nov-2025 15:00	4.35
09-Nov-2025 16:00	3.97
09-Nov-2025 17:00	4.7
09-Nov-2025 18:00	4
09-Nov-2025 19:00	5.13
09-Nov-2025 20:00	3.08
09-Nov-2025 21:00	3.48
09-Nov-2025 22:00	4.51
09-Nov-2025 23:00	5.4
10-Nov-2025 00:00	3.92
10-Nov-2025 01:00	3.23
10-Nov-2025 02:00	5.15
10-Nov-2025 03:00	4.85
10-Nov-2025 04:00	4.93
10-Nov-2025 05:00	4.94
10-Nov-2025 06:00	5.43
10-Nov-2025 07:00	4.31
10-Nov-2025 08:00	7.03
10-Nov-2025 09:00	4.75
10-Nov-2025 10:00	3.44
10-Nov-2025 11:00	3.94
10-Nov-2025 12:00	6.36
10-Nov-2025 13:00	9.99

Timestamp	SPM
10-Nov-2025 14:00	3.72
10-Nov-2025 15:00	5.57
10-Nov-2025 16:00	5.98
10-Nov-2025 17:00	3
10-Nov-2025 18:00	4.84
10-Nov-2025 19:00	5.72
10-Nov-2025 20:00	3.54
10-Nov-2025 21:00	5.24
10-Nov-2025 22:00	6.38
10-Nov-2025 23:00	6
11-Nov-2025 00:00	5.38
11-Nov-2025 01:00	3.56
11-Nov-2025 02:00	5.19
11-Nov-2025 03:00	5.08
11-Nov-2025 04:00	1.76
11-Nov-2025 05:00	2.99
11-Nov-2025 06:00	4.39
11-Nov-2025 07:00	5.67
11-Nov-2025 08:00	5.9
11-Nov-2025 09:00	4.91
11-Nov-2025 10:00	5.56
11-Nov-2025 11:00	4.96
11-Nov-2025 12:00	4.9
11-Nov-2025 13:00	5.8
11-Nov-2025 14:00	3.01
11-Nov-2025 15:00	4.26
11-Nov-2025 16:00	5.53
11-Nov-2025 17:00	5.72
11-Nov-2025 18:00	2.92
11-Nov-2025 19:00	3.13
11-Nov-2025 20:00	3.19
11-Nov-2025 21:00	5.44
11-Nov-2025 22:00	4.05
11-Nov-2025 23:00	4.02
12-Nov-2025 00:00	3.46
12-Nov-2025 01:00	3.62
12-Nov-2025 02:00	3.64
12-Nov-2025 03:00	4.03
12-Nov-2025 04:00	3.25
12-Nov-2025 05:00	3.52
12-Nov-2025 06:00	3.45
12-Nov-2025 07:00	5.91
12-Nov-2025 08:00	4.86
12-Nov-2025 09:00	5.34
12-Nov-2025 10:00	4.88
12-Nov-2025 11:00	5.82
12-Nov-2025 12:00	6.64

Timestamp	SPM
12-Nov-2025 13:00	5.75
12-Nov-2025 14:00	4.11
12-Nov-2025 15:00	4.62
12-Nov-2025 16:00	5.26
12-Nov-2025 17:00	5.39
12-Nov-2025 18:00	5.63
12-Nov-2025 19:00	5.41
12-Nov-2025 20:00	3.42
12-Nov-2025 21:00	5.53
12-Nov-2025 22:00	4.22
12-Nov-2025 23:00	5.54
13-Nov-2025 00:00	5.57
13-Nov-2025 01:00	5.22
13-Nov-2025 02:00	5.63
13-Nov-2025 03:00	5.28
13-Nov-2025 04:00	3.76
13-Nov-2025 05:00	3.23
13-Nov-2025 06:00	4.04
13-Nov-2025 07:00	6.07
13-Nov-2025 08:00	5.62
13-Nov-2025 09:00	5.08
13-Nov-2025 10:00	4.78
13-Nov-2025 11:00	4.32
13-Nov-2025 12:00	7.96
13-Nov-2025 13:00	5.73
13-Nov-2025 14:00	6.64
13-Nov-2025 15:00	6.45
13-Nov-2025 16:00	4.66
13-Nov-2025 17:00	3.98
13-Nov-2025 18:00	5.21
13-Nov-2025 19:00	1.56
13-Nov-2025 20:00	3.04
13-Nov-2025 21:00	5.2
13-Nov-2025 22:00	5.77
13-Nov-2025 23:00	4.6
14-Nov-2025 00:00	5.64
14-Nov-2025 01:00	3.42
14-Nov-2025 02:00	3.26
14-Nov-2025 03:00	3.21
14-Nov-2025 04:00	5.28
14-Nov-2025 05:00	5.25
14-Nov-2025 06:00	6.19
14-Nov-2025 07:00	5.14
14-Nov-2025 08:00	4.54
14-Nov-2025 09:00	6.87
14-Nov-2025 10:00	4.49
14-Nov-2025 11:00	5.94

Timestamp	SPM
14-Nov-2025 12:00	6.59
14-Nov-2025 13:00	4.26
14-Nov-2025 14:00	6.96
14-Nov-2025 15:00	6.6
14-Nov-2025 16:00	3.89
14-Nov-2025 17:00	3.86
14-Nov-2025 18:00	4.62
14-Nov-2025 19:00	5.41
14-Nov-2025 20:00	6.05
14-Nov-2025 21:00	3.56
14-Nov-2025 22:00	3.16
14-Nov-2025 23:00	3.3
15-Nov-2025 00:00	3.39
15-Nov-2025 01:00	5.03
15-Nov-2025 02:00	5.54
15-Nov-2025 03:00	5.6
15-Nov-2025 04:00	4.45
15-Nov-2025 05:00	3.44
15-Nov-2025 06:00	2.8
15-Nov-2025 07:00	1.88
15-Nov-2025 08:00	2.66
15-Nov-2025 09:00	3.96
15-Nov-2025 10:00	5.82
15-Nov-2025 11:00	4.21
15-Nov-2025 12:00	4.27
15-Nov-2025 13:00	4.56
15-Nov-2025 14:00	3.09
15-Nov-2025 15:00	7.86
15-Nov-2025 16:00	5.65
15-Nov-2025 17:00	3.53
15-Nov-2025 18:00	5.34
15-Nov-2025 19:00	4.19
15-Nov-2025 20:00	4.87
15-Nov-2025 21:00	4.03
15-Nov-2025 22:00	4.11
15-Nov-2025 23:00	4.28
16-Nov-2025 00:00	4.03
16-Nov-2025 01:00	3.79
16-Nov-2025 02:00	3.87
16-Nov-2025 03:00	3.64
16-Nov-2025 04:00	4.34
16-Nov-2025 05:00	4.4
16-Nov-2025 06:00	3.52
16-Nov-2025 07:00	3.24
16-Nov-2025 08:00	3.83
16-Nov-2025 09:00	4.84
16-Nov-2025 10:00	5.62

Timestamp	SPM
16-Nov-2025 11:00	8.01
16-Nov-2025 12:00	6.97
16-Nov-2025 13:00	6.34
16-Nov-2025 14:00	4.14
16-Nov-2025 15:00	4.56
16-Nov-2025 16:00	4.08
16-Nov-2025 17:00	6.45
16-Nov-2025 18:00	3.65
16-Nov-2025 19:00	3.48
16-Nov-2025 20:00	5.43
16-Nov-2025 21:00	4.84
16-Nov-2025 22:00	4.09
16-Nov-2025 23:00	3.38
17-Nov-2025 00:00	3.25
17-Nov-2025 01:00	2.85
17-Nov-2025 02:00	3.4
17-Nov-2025 03:00	3.78
17-Nov-2025 04:00	4.25
17-Nov-2025 05:00	4.16
17-Nov-2025 06:00	5
17-Nov-2025 07:00	6.24
17-Nov-2025 08:00	5.14
17-Nov-2025 09:00	6.34
17-Nov-2025 10:00	6.24
17-Nov-2025 11:00	6.28
17-Nov-2025 12:00	4.66
17-Nov-2025 13:00	4.29
17-Nov-2025 14:00	4.04
17-Nov-2025 15:00	4.23
17-Nov-2025 16:00	3.95
17-Nov-2025 17:00	3.57
17-Nov-2025 18:00	6.05
17-Nov-2025 19:00	5
17-Nov-2025 20:00	3.66
17-Nov-2025 21:00	3.4
17-Nov-2025 22:00	3.16
17-Nov-2025 23:00	3.25
18-Nov-2025 00:00	4.59
18-Nov-2025 01:00	4.04
18-Nov-2025 02:00	3.53
18-Nov-2025 03:00	3.28
18-Nov-2025 04:00	3.61
18-Nov-2025 05:00	5.11
18-Nov-2025 06:00	5.57
18-Nov-2025 07:00	4.96
18-Nov-2025 08:00	4.22
18-Nov-2025 09:00	6.3

Timestamp	SPM
18-Nov-2025 10:00	5.13
18-Nov-2025 11:00	6.71
18-Nov-2025 12:00	6.51
18-Nov-2025 13:00	6.56
18-Nov-2025 14:00	7.4
18-Nov-2025 15:00	7.34
18-Nov-2025 16:00	4.04
18-Nov-2025 17:00	3.06
18-Nov-2025 18:00	3.66
18-Nov-2025 19:00	4.26
18-Nov-2025 20:00	4.23
18-Nov-2025 21:00	5.85
18-Nov-2025 22:00	5.34
18-Nov-2025 23:00	3.3
19-Nov-2025 00:00	3.07
19-Nov-2025 01:00	3.22
19-Nov-2025 02:00	4.52
19-Nov-2025 03:00	6.27
19-Nov-2025 04:00	4.71
19-Nov-2025 05:00	6.6
19-Nov-2025 06:00	6.37
19-Nov-2025 07:00	4.31
19-Nov-2025 08:00	4.97
19-Nov-2025 09:00	6.44
19-Nov-2025 10:00	5.9
19-Nov-2025 11:00	6.26
19-Nov-2025 12:00	5.89
19-Nov-2025 13:00	6.34
19-Nov-2025 14:00	5.22
19-Nov-2025 15:00	4.42
19-Nov-2025 16:00	4.45
19-Nov-2025 17:00	6.01
19-Nov-2025 18:00	3.88
19-Nov-2025 19:00	4.18
19-Nov-2025 20:00	4.91
19-Nov-2025 21:00	3.58
19-Nov-2025 22:00	3.3
19-Nov-2025 23:00	4.51
20-Nov-2025 00:00	3.74
20-Nov-2025 01:00	3.75
20-Nov-2025 02:00	4.56
20-Nov-2025 03:00	5.29
20-Nov-2025 04:00	3.7
20-Nov-2025 05:00	3.95
20-Nov-2025 06:00	4.49
20-Nov-2025 07:00	6.68
20-Nov-2025 08:00	4.47

Timestamp	SPM
20-Nov-2025 09:00	4.44
20-Nov-2025 10:00	5.25
20-Nov-2025 11:00	5.9
20-Nov-2025 12:00	3.26
20-Nov-2025 13:00	4.58
20-Nov-2025 14:00	4.8
20-Nov-2025 15:00	7.34
20-Nov-2025 16:00	6.24
20-Nov-2025 17:00	5.77
20-Nov-2025 18:00	6.38
20-Nov-2025 19:00	5.15
20-Nov-2025 20:00	5.48
20-Nov-2025 21:00	3.49
20-Nov-2025 22:00	3.44
20-Nov-2025 23:00	5.64
21-Nov-2025 00:00	5.56
21-Nov-2025 01:00	3.53
21-Nov-2025 02:00	4.05
21-Nov-2025 03:00	4.61
21-Nov-2025 04:00	5.11
21-Nov-2025 05:00	3.66
21-Nov-2025 06:00	3.61
21-Nov-2025 07:00	5.52
21-Nov-2025 08:00	7.06
21-Nov-2025 09:00	7.04
21-Nov-2025 10:00	7.1
21-Nov-2025 11:00	5.88
21-Nov-2025 12:00	6.18
21-Nov-2025 13:00	6.85
21-Nov-2025 14:00	7.22
21-Nov-2025 15:00	5.99
21-Nov-2025 16:00	5.44
21-Nov-2025 17:00	5.44
21-Nov-2025 18:00	5.38
21-Nov-2025 19:00	5.55
21-Nov-2025 20:00	4.33
21-Nov-2025 21:00	5.76
21-Nov-2025 22:00	5.62
21-Nov-2025 23:00	4.57
22-Nov-2025 00:00	4.57
22-Nov-2025 01:00	6.17
22-Nov-2025 02:00	3.8
22-Nov-2025 03:00	3.58
22-Nov-2025 04:00	1.65
22-Nov-2025 05:00	1.58
22-Nov-2025 06:00	1.89
22-Nov-2025 07:00	2.58

Timestamp	SPM
22-Nov-2025 08:00	2.22
22-Nov-2025 09:00	1.65
22-Nov-2025 10:00	1.66
22-Nov-2025 11:00	1.6
22-Nov-2025 12:00	2.18
22-Nov-2025 13:00	2.04
22-Nov-2025 14:00	2.21
22-Nov-2025 15:00	2.3
22-Nov-2025 16:00	2.12
22-Nov-2025 17:00	1.9
22-Nov-2025 18:00	1.96
22-Nov-2025 19:00	1.91
22-Nov-2025 20:00	1.13
22-Nov-2025 21:00	1.57
22-Nov-2025 22:00	1.34
22-Nov-2025 23:00	1.19
23-Nov-2025 00:00	1
23-Nov-2025 01:00	1.38
23-Nov-2025 02:00	1.58
23-Nov-2025 03:00	1.54
23-Nov-2025 04:00	1.72
23-Nov-2025 05:00	1.95
23-Nov-2025 06:00	3.26
23-Nov-2025 07:00	4.98
23-Nov-2025 08:00	6.12
23-Nov-2025 09:00	4.56
23-Nov-2025 10:00	5.28
23-Nov-2025 11:00	4.33
23-Nov-2025 12:00	4.1
23-Nov-2025 13:00	6.32
23-Nov-2025 14:00	7.06
23-Nov-2025 15:00	4.54
23-Nov-2025 16:00	4.6
23-Nov-2025 17:00	4.48
23-Nov-2025 18:00	3.9
23-Nov-2025 19:00	5.4
23-Nov-2025 20:00	4.61
23-Nov-2025 21:00	4.06
23-Nov-2025 22:00	4.68
23-Nov-2025 23:00	4.46
24-Nov-2025 00:00	5.38
24-Nov-2025 01:00	4.32
24-Nov-2025 02:00	5.06
24-Nov-2025 03:00	4.6
24-Nov-2025 04:00	5.81
24-Nov-2025 05:00	3.85
24-Nov-2025 06:00	3.06

Timestamp	SPM
24-Nov-2025 07:00	3.73
24-Nov-2025 08:00	5.65
24-Nov-2025 09:00	6.24
24-Nov-2025 10:00	4.12
24-Nov-2025 11:00	4.48
24-Nov-2025 12:00	4.58
24-Nov-2025 13:00	5.56
24-Nov-2025 14:00	6.38
24-Nov-2025 15:00	6.6
24-Nov-2025 16:00	4.8
24-Nov-2025 17:00	3.66
24-Nov-2025 18:00	4.76
24-Nov-2025 19:00	4.15
24-Nov-2025 20:00	4.6
24-Nov-2025 21:00	4.91
24-Nov-2025 22:00	4.07
24-Nov-2025 23:00	4.99
25-Nov-2025 00:00	4.1
25-Nov-2025 01:00	4.51
25-Nov-2025 02:00	4.33
25-Nov-2025 03:00	4.46
25-Nov-2025 04:00	5.04
25-Nov-2025 05:00	3.83
25-Nov-2025 06:00	3.34
25-Nov-2025 07:00	4.33
25-Nov-2025 08:00	4.92
25-Nov-2025 09:00	6.51
25-Nov-2025 10:00	4.58
25-Nov-2025 11:00	7.28
25-Nov-2025 12:00	7.12
25-Nov-2025 13:00	5.97
25-Nov-2025 14:00	4.82
25-Nov-2025 15:00	5.03
25-Nov-2025 16:00	3.53
25-Nov-2025 17:00	3.31
25-Nov-2025 18:00	3.61
25-Nov-2025 19:00	4.86
25-Nov-2025 20:00	5.02
25-Nov-2025 21:00	4.58
25-Nov-2025 22:00	4.24
25-Nov-2025 23:00	4.16
26-Nov-2025 00:00	3.18
26-Nov-2025 01:00	3.67
26-Nov-2025 02:00	5.99
26-Nov-2025 03:00	5.97
26-Nov-2025 04:00	4.04
26-Nov-2025 05:00	5.17

Timestamp	SPM
26-Nov-2025 06:00	5.31
26-Nov-2025 07:00	6.25
26-Nov-2025 08:00	5.39
26-Nov-2025 09:00	5.58
26-Nov-2025 10:00	3.84
26-Nov-2025 11:00	5.78
26-Nov-2025 12:00	5.41
26-Nov-2025 13:00	3.82
26-Nov-2025 14:00	5.33
26-Nov-2025 15:00	3.35
26-Nov-2025 16:00	3.58
26-Nov-2025 17:00	3.14
26-Nov-2025 18:00	3.34
26-Nov-2025 19:00	3.46
26-Nov-2025 20:00	3.8
26-Nov-2025 21:00	5.5
26-Nov-2025 22:00	3.82
26-Nov-2025 23:00	3.61
27-Nov-2025 00:00	5.57
27-Nov-2025 01:00	4.7
27-Nov-2025 02:00	4.58
27-Nov-2025 03:00	5.44
27-Nov-2025 04:00	3.98
27-Nov-2025 05:00	4.53
27-Nov-2025 06:00	5.96
27-Nov-2025 07:00	4.73
27-Nov-2025 08:00	5.04
27-Nov-2025 09:00	6.59
27-Nov-2025 10:00	5.72
27-Nov-2025 11:00	5.04
27-Nov-2025 12:00	4.78
27-Nov-2025 13:00	5.64
27-Nov-2025 14:00	5.77
27-Nov-2025 15:00	4
27-Nov-2025 16:00	3.68
27-Nov-2025 17:00	4.84
27-Nov-2025 18:00	4.11
27-Nov-2025 19:00	4.64
27-Nov-2025 20:00	3.66
27-Nov-2025 21:00	3.26
27-Nov-2025 22:00	5.4
27-Nov-2025 23:00	4.86
28-Nov-2025 00:00	4.82
28-Nov-2025 01:00	4.7
28-Nov-2025 02:00	6.05
28-Nov-2025 03:00	3.58
28-Nov-2025 04:00	4.92

Timestamp	SPM
28-Nov-2025 05:00	3.84
28-Nov-2025 06:00	3.66
28-Nov-2025 07:00	3.88
28-Nov-2025 08:00	4.06
28-Nov-2025 09:00	7.31
28-Nov-2025 10:00	6.49
28-Nov-2025 11:00	5.79
28-Nov-2025 12:00	4.66
28-Nov-2025 13:00	4.05
28-Nov-2025 14:00	4.4
28-Nov-2025 15:00	5.29
28-Nov-2025 16:00	5.94
28-Nov-2025 17:00	3.72
28-Nov-2025 18:00	4.5
28-Nov-2025 19:00	5.04
28-Nov-2025 20:00	3.44
28-Nov-2025 21:00	5.26
28-Nov-2025 22:00	4.24
28-Nov-2025 23:00	3.48
29-Nov-2025 00:00	5.61
29-Nov-2025 01:00	4
29-Nov-2025 02:00	3.93
29-Nov-2025 03:00	3.22
29-Nov-2025 04:00	3.54
29-Nov-2025 05:00	3.33
29-Nov-2025 06:00	4.92
29-Nov-2025 07:00	4.51
29-Nov-2025 08:00	4.1
29-Nov-2025 09:00	4.39
29-Nov-2025 10:00	5.02
29-Nov-2025 11:00	5.03
29-Nov-2025 12:00	5.38
29-Nov-2025 13:00	6.1
29-Nov-2025 14:00	3.97
29-Nov-2025 15:00	4.97
29-Nov-2025 16:00	4.08
29-Nov-2025 17:00	3.8
29-Nov-2025 18:00	1.84
29-Nov-2025 19:00	1.67
29-Nov-2025 20:00	1.83
29-Nov-2025 21:00	1.63
29-Nov-2025 22:00	1.18
29-Nov-2025 23:00	1.05
30-Nov-2025 00:00	1.36
30-Nov-2025 01:00	1.09
30-Nov-2025 02:00	0.93
30-Nov-2025 03:00	1.25

Timestamp	SPM
30-Nov-2025 04:00	1.48
30-Nov-2025 05:00	2.15
30-Nov-2025 06:00	2.12
30-Nov-2025 07:00	1.41
30-Nov-2025 08:00	1.8
30-Nov-2025 09:00	2.39
30-Nov-2025 10:00	1.37
30-Nov-2025 11:00	1.66
30-Nov-2025 12:00	2.13
30-Nov-2025 13:00	2.52
30-Nov-2025 14:00	2.66
30-Nov-2025 15:00	2.7
30-Nov-2025 16:00	2.23
30-Nov-2025 17:00	1.53
30-Nov-2025 18:00	1.42
30-Nov-2025 19:00	1.07
30-Nov-2025 20:00	1.56
30-Nov-2025 21:00	1.82
30-Nov-2025 22:00	1.43
30-Nov-2025 23:00	1.82

Madhav KRG HRC Pvt. Ltd.
Stack_Induction Furnace

From: 2025-12-01 00:06:00 To: 2025-12-31 23:54:00

Timestamp	SPM
01-Dec-2025 00:10	1.41
01-Dec-2025 00:15	1.84
01-Dec-2025 00:20	1.69
01-Dec-2025 00:25	1.34
01-Dec-2025 00:30	1.28
01-Dec-2025 00:35	1.31
01-Dec-2025 00:40	1.41
01-Dec-2025 00:45	1.06
01-Dec-2025 00:50	1.19
01-Dec-2025 00:55	1.22
01-Dec-2025 01:00	1.47
01-Dec-2025 01:05	1.31
01-Dec-2025 01:10	1.34
01-Dec-2025 01:15	1.34
01-Dec-2025 01:20	1.19
01-Dec-2025 01:25	1.28
01-Dec-2025 01:30	1.22
01-Dec-2025 01:35	1.13
01-Dec-2025 01:40	1.03
01-Dec-2025 01:45	1.16
01-Dec-2025 01:50	0.97
01-Dec-2025 01:55	1.09
01-Dec-2025 02:00	1.38
01-Dec-2025 02:05	1.13
01-Dec-2025 02:10	1.16
01-Dec-2025 02:15	1.25
01-Dec-2025 02:20	1.03
01-Dec-2025 02:25	1.09
01-Dec-2025 02:30	1.28
01-Dec-2025 02:35	1.03
01-Dec-2025 02:40	1.13
01-Dec-2025 02:45	1.28
01-Dec-2025 02:50	1.41
01-Dec-2025 02:55	1.28
01-Dec-2025 03:00	1.34
01-Dec-2025 03:05	1.47
01-Dec-2025 03:10	0.97
01-Dec-2025 03:15	1.09
01-Dec-2025 03:20	1.03
01-Dec-2025 03:25	1.03
01-Dec-2025 03:30	1.25
01-Dec-2025 03:35	1.34

Reported via: <https://tpro.telsys.in> by user: ehs@madhavkrggroup.com

Timestamp	SPM
01-Dec-2025 03:40	1.47
01-Dec-2025 03:45	2.28
01-Dec-2025 03:50	1.16
01-Dec-2025 03:55	1.28
01-Dec-2025 04:00	2
01-Dec-2025 04:05	1.22
01-Dec-2025 04:10	0.81
01-Dec-2025 04:15	1.16
01-Dec-2025 04:20	1.28
01-Dec-2025 04:25	1.38
01-Dec-2025 04:30	1.56
01-Dec-2025 04:35	1.34
01-Dec-2025 04:40	1.31
01-Dec-2025 04:45	1.41
01-Dec-2025 04:50	1.19
01-Dec-2025 04:55	1.38
01-Dec-2025 05:00	2.19
01-Dec-2025 05:05	1.06
01-Dec-2025 05:10	0.78
01-Dec-2025 05:15	0.72
01-Dec-2025 05:20	0.84
01-Dec-2025 05:25	1.19
01-Dec-2025 05:30	1.78
01-Dec-2025 05:35	1.5
01-Dec-2025 05:40	0.75
01-Dec-2025 05:45	1.97
01-Dec-2025 05:50	1.31
01-Dec-2025 05:55	1.63
01-Dec-2025 06:00	2.44
01-Dec-2025 06:05	2.44
01-Dec-2025 06:10	1.16
01-Dec-2025 06:15	1.72
01-Dec-2025 06:20	1.66
01-Dec-2025 06:25	0.94
01-Dec-2025 06:30	2.16
01-Dec-2025 06:35	2.31
01-Dec-2025 06:40	1.31
01-Dec-2025 06:45	1.5
01-Dec-2025 06:50	1.69
01-Dec-2025 06:55	1.75
01-Dec-2025 07:00	1.38
01-Dec-2025 07:05	0.72
01-Dec-2025 07:10	0.63
01-Dec-2025 07:15	0.72
01-Dec-2025 07:20	0.75
01-Dec-2025 07:25	0.78
01-Dec-2025 07:30	1.09

Timestamp	SPM
01-Dec-2025 07:35	1.13
01-Dec-2025 07:40	1.66
01-Dec-2025 07:45	2.31
01-Dec-2025 07:50	2.47
01-Dec-2025 07:55	3.16
01-Dec-2025 08:00	3.63
01-Dec-2025 08:05	2.66
01-Dec-2025 08:10	3.44
01-Dec-2025 08:15	2.75
01-Dec-2025 08:20	2.5
01-Dec-2025 08:25	2.75
01-Dec-2025 08:30	3
01-Dec-2025 08:35	2.75
01-Dec-2025 08:40	2.75
01-Dec-2025 08:45	2.84
01-Dec-2025 08:50	2.94
01-Dec-2025 08:55	3
01-Dec-2025 09:00	2.28
01-Dec-2025 09:05	3.19
01-Dec-2025 09:10	2.88
01-Dec-2025 09:15	2.63
01-Dec-2025 09:20	2.63
01-Dec-2025 09:25	2.47
01-Dec-2025 09:30	2.31
01-Dec-2025 09:35	2.25
01-Dec-2025 09:40	2.22
01-Dec-2025 09:45	1.66
01-Dec-2025 09:50	1.88
01-Dec-2025 09:55	1.84
01-Dec-2025 10:00	2
01-Dec-2025 10:05	1.22
01-Dec-2025 10:10	1.19
01-Dec-2025 10:15	1.34
01-Dec-2025 10:20	0.66
01-Dec-2025 10:25	0.66
01-Dec-2025 10:30	0.88
01-Dec-2025 10:35	0.72
01-Dec-2025 10:40	0.84
01-Dec-2025 10:45	0.78
01-Dec-2025 10:50	0.75
01-Dec-2025 10:55	0.72
01-Dec-2025 11:00	1.22
01-Dec-2025 11:05	1.94
01-Dec-2025 11:10	1.34
01-Dec-2025 11:15	1.81
01-Dec-2025 11:20	1.75
01-Dec-2025 11:25	1.84

Timestamp	SPM
01-Dec-2025 11:30	2
01-Dec-2025 11:35	1.41
01-Dec-2025 11:40	1.88
01-Dec-2025 11:45	1.66
01-Dec-2025 11:50	1.75
01-Dec-2025 11:55	1.13
01-Dec-2025 12:00	2.19
01-Dec-2025 12:05	1.38
01-Dec-2025 12:10	1.34
01-Dec-2025 12:15	1.78
01-Dec-2025 12:20	1.44
01-Dec-2025 12:25	1.69
01-Dec-2025 12:30	2.09
01-Dec-2025 12:35	1.25
01-Dec-2025 12:40	0.97
01-Dec-2025 12:45	0.78
01-Dec-2025 12:50	1.03
01-Dec-2025 12:55	1.63
01-Dec-2025 13:00	2.25
01-Dec-2025 13:05	2.28
01-Dec-2025 13:10	2
01-Dec-2025 13:15	2
01-Dec-2025 13:20	2
01-Dec-2025 13:25	1.81
01-Dec-2025 13:30	1.5
01-Dec-2025 13:35	1.22
01-Dec-2025 13:40	0.94
01-Dec-2025 13:45	1.16
01-Dec-2025 13:50	0.97
01-Dec-2025 13:55	1.22
01-Dec-2025 14:00	1.72
01-Dec-2025 14:05	1.47
01-Dec-2025 14:10	1.06
01-Dec-2025 14:15	0.81
01-Dec-2025 14:20	0.91
01-Dec-2025 14:25	1.41
01-Dec-2025 14:30	1.31
01-Dec-2025 14:35	1.34
01-Dec-2025 14:40	0.84
01-Dec-2025 14:45	1.16
01-Dec-2025 14:50	1.59
01-Dec-2025 14:55	1.09
01-Dec-2025 15:00	2.31
01-Dec-2025 15:05	2.34
01-Dec-2025 15:10	1.78
01-Dec-2025 15:15	3.56
01-Dec-2025 15:20	3.25

Timestamp	SPM
01-Dec-2025 15:25	3.56
01-Dec-2025 15:30	3.5
01-Dec-2025 15:35	4
01-Dec-2025 15:40	3.31
01-Dec-2025 15:45	3.69
01-Dec-2025 15:50	3.66
01-Dec-2025 15:55	2.97
01-Dec-2025 16:00	3.59
01-Dec-2025 16:05	3.66
01-Dec-2025 16:10	2.78
01-Dec-2025 16:15	2.97
01-Dec-2025 16:20	2.91
01-Dec-2025 16:25	3.25
01-Dec-2025 16:30	3.34
01-Dec-2025 16:35	3.19
01-Dec-2025 16:40	2.84
01-Dec-2025 16:45	3
01-Dec-2025 16:50	6.81
01-Dec-2025 16:55	4.34
01-Dec-2025 17:00	4.13
01-Dec-2025 17:05	5.41
01-Dec-2025 17:10	3.78
01-Dec-2025 17:15	5.91
01-Dec-2025 17:20	5.06
01-Dec-2025 17:25	6.28
01-Dec-2025 17:30	6.56
01-Dec-2025 17:35	6.69
01-Dec-2025 17:40	6.66
01-Dec-2025 17:45	3.34
01-Dec-2025 17:50	3.19
01-Dec-2025 17:55	2.75
01-Dec-2025 18:00	3.22
01-Dec-2025 18:05	3.81
01-Dec-2025 18:10	2.72
01-Dec-2025 18:15	2.81
01-Dec-2025 18:20	3.72
01-Dec-2025 18:25	3.34
01-Dec-2025 18:30	3.75
01-Dec-2025 18:35	5.84
01-Dec-2025 18:40	3.97
01-Dec-2025 18:45	4.16
01-Dec-2025 18:50	6.88
01-Dec-2025 18:55	3
01-Dec-2025 19:00	2.91
01-Dec-2025 19:05	2.88
01-Dec-2025 19:10	3.19
01-Dec-2025 19:15	2.88

Timestamp	SPM
01-Dec-2025 19:20	2.47
01-Dec-2025 19:25	2.38
01-Dec-2025 19:30	2.94
01-Dec-2025 19:35	2.59
01-Dec-2025 19:40	2.44
01-Dec-2025 19:45	3.09
01-Dec-2025 19:50	8
01-Dec-2025 19:55	4.47
01-Dec-2025 20:00	6.5
01-Dec-2025 20:05	4.41
01-Dec-2025 20:10	4.22
01-Dec-2025 20:15	3.81
01-Dec-2025 20:20	3.75
01-Dec-2025 20:25	4.81
01-Dec-2025 20:30	5.31
01-Dec-2025 20:35	4.25
01-Dec-2025 20:40	3.38
01-Dec-2025 20:45	3.81
01-Dec-2025 20:50	3.34
01-Dec-2025 20:55	3.31
01-Dec-2025 21:00	3.41
01-Dec-2025 21:05	3.63
01-Dec-2025 21:10	3.56
01-Dec-2025 21:15	3.47
01-Dec-2025 21:20	5.84
01-Dec-2025 21:25	7.31
01-Dec-2025 21:30	6.19
01-Dec-2025 21:35	7.41
01-Dec-2025 21:40	3.75
01-Dec-2025 21:45	4.72
01-Dec-2025 21:50	4.59
01-Dec-2025 21:55	3.25
01-Dec-2025 22:00	3.16
01-Dec-2025 22:05	2.91
01-Dec-2025 22:10	2.91
01-Dec-2025 22:15	3
01-Dec-2025 22:20	2.75
01-Dec-2025 22:25	2.84
01-Dec-2025 22:30	3.09
01-Dec-2025 22:35	3.22
01-Dec-2025 22:40	2.88
01-Dec-2025 22:45	10.03
01-Dec-2025 22:50	5.59
01-Dec-2025 22:55	4.13
01-Dec-2025 23:00	6.31
01-Dec-2025 23:05	6.56
01-Dec-2025 23:10	6.59

Timestamp	SPM
01-Dec-2025 23:15	6.66
01-Dec-2025 23:20	6.69
01-Dec-2025 23:25	3.59
01-Dec-2025 23:30	3.38
01-Dec-2025 23:35	3.22
01-Dec-2025 23:40	3.41
01-Dec-2025 23:45	4.09
01-Dec-2025 23:50	3.19
01-Dec-2025 23:55	3.25
02-Dec-2025 00:00	3.91
02-Dec-2025 00:05	3.53
02-Dec-2025 00:10	3.69
02-Dec-2025 00:15	3.72
02-Dec-2025 00:20	3.69
02-Dec-2025 00:25	3.5
02-Dec-2025 00:30	3.75
02-Dec-2025 00:35	4.03
02-Dec-2025 00:40	3.97
02-Dec-2025 00:45	3.88
02-Dec-2025 00:50	3.91
02-Dec-2025 00:55	3.84
02-Dec-2025 01:00	3.19
02-Dec-2025 01:05	3.38
02-Dec-2025 01:10	3.59
02-Dec-2025 01:15	3.47
02-Dec-2025 01:20	3.25
02-Dec-2025 01:25	3.06
02-Dec-2025 01:30	3.41
02-Dec-2025 01:35	4.56
02-Dec-2025 01:40	3.19
02-Dec-2025 01:45	3.41
02-Dec-2025 01:50	3.59
02-Dec-2025 01:55	3.5
02-Dec-2025 02:00	3.56
02-Dec-2025 02:05	2.94
02-Dec-2025 02:10	3.78
02-Dec-2025 02:15	3.84
02-Dec-2025 02:20	3.78
02-Dec-2025 02:25	3.75
02-Dec-2025 02:30	3.69
02-Dec-2025 02:35	3.44
02-Dec-2025 02:40	3.69
02-Dec-2025 02:45	3.56
02-Dec-2025 02:50	3.41
02-Dec-2025 02:55	4.06
02-Dec-2025 03:00	3.78
02-Dec-2025 03:05	3.31

Timestamp	SPM
02-Dec-2025 03:10	5.91
02-Dec-2025 03:15	7.41
02-Dec-2025 03:20	4.97
02-Dec-2025 03:25	4.78
02-Dec-2025 03:30	5.63
02-Dec-2025 03:35	4.81
02-Dec-2025 03:40	9.31
02-Dec-2025 03:45	5.66
02-Dec-2025 03:50	6.16
02-Dec-2025 03:55	6.63
02-Dec-2025 04:00	6
02-Dec-2025 04:05	4.5
02-Dec-2025 04:10	6.53
02-Dec-2025 04:15	4.03
02-Dec-2025 04:20	5.84
02-Dec-2025 04:25	2.88
02-Dec-2025 04:30	3.06
02-Dec-2025 04:35	3
02-Dec-2025 04:40	10.69
02-Dec-2025 04:45	6.13
02-Dec-2025 04:50	5.94
02-Dec-2025 04:55	6.38
02-Dec-2025 05:00	9.59
02-Dec-2025 05:05	7.53
02-Dec-2025 05:10	6.53
02-Dec-2025 05:15	5
02-Dec-2025 05:20	4.5
02-Dec-2025 05:25	4.63
02-Dec-2025 05:30	6.44
02-Dec-2025 05:35	7
02-Dec-2025 05:40	8.88
02-Dec-2025 05:45	7
02-Dec-2025 05:50	5.81
02-Dec-2025 05:55	5.25
02-Dec-2025 06:00	4.81
02-Dec-2025 06:05	4.59
02-Dec-2025 06:10	4.31
02-Dec-2025 06:15	3.59
02-Dec-2025 06:20	4.06
02-Dec-2025 06:25	3.81
02-Dec-2025 06:30	3.56
02-Dec-2025 06:35	4.59
02-Dec-2025 06:40	3.88
02-Dec-2025 06:45	3.63
02-Dec-2025 06:50	3.53
02-Dec-2025 06:55	3.56
02-Dec-2025 07:00	3.44

Timestamp	SPM
02-Dec-2025 07:05	3.09
02-Dec-2025 07:10	3.03
02-Dec-2025 07:15	3.63
02-Dec-2025 07:20	3.06
02-Dec-2025 07:25	3.81
02-Dec-2025 07:30	4.13
02-Dec-2025 07:35	6.28
02-Dec-2025 07:40	8.75
02-Dec-2025 07:45	7.53
02-Dec-2025 07:50	6.25
02-Dec-2025 07:55	3.69
02-Dec-2025 08:00	4.38
02-Dec-2025 08:05	4.09
02-Dec-2025 08:10	4.5
02-Dec-2025 08:15	4.44
02-Dec-2025 08:20	4.47
02-Dec-2025 08:25	4.5
02-Dec-2025 08:30	5.03
02-Dec-2025 08:35	4.63
02-Dec-2025 08:40	4.97
02-Dec-2025 08:45	4.84
02-Dec-2025 08:50	4.31
02-Dec-2025 08:55	4.56
02-Dec-2025 09:00	4.72
02-Dec-2025 09:05	4.16
02-Dec-2025 09:10	4.5
02-Dec-2025 09:15	3.88
02-Dec-2025 09:20	4
02-Dec-2025 09:25	3.56
02-Dec-2025 09:30	3.22
02-Dec-2025 09:35	1.56
02-Dec-2025 09:40	3.94
02-Dec-2025 09:45	4.69
02-Dec-2025 09:50	4
02-Dec-2025 09:55	4.5
02-Dec-2025 10:00	4.63
02-Dec-2025 10:05	4.09
02-Dec-2025 10:10	4.03
02-Dec-2025 10:15	3.69
02-Dec-2025 10:20	3.38
02-Dec-2025 10:25	4.13
02-Dec-2025 10:30	3.94
02-Dec-2025 10:35	3.09
02-Dec-2025 10:40	4.22
02-Dec-2025 10:45	3.09
02-Dec-2025 10:50	3.5
02-Dec-2025 10:55	4.25

Timestamp	SPM
02-Dec-2025 11:00	3.47
02-Dec-2025 11:05	3.94
02-Dec-2025 11:10	3.84
02-Dec-2025 11:15	3.5
02-Dec-2025 11:20	3.97
02-Dec-2025 11:25	3.97
02-Dec-2025 11:30	3.5
02-Dec-2025 11:35	4.19
02-Dec-2025 11:40	3.69
02-Dec-2025 11:45	3.47
02-Dec-2025 11:50	3.63
02-Dec-2025 11:55	9.59
02-Dec-2025 12:00	4.88
02-Dec-2025 12:05	4.5
02-Dec-2025 12:10	3.72
02-Dec-2025 12:15	8.66
02-Dec-2025 12:20	6.09
02-Dec-2025 12:25	4.09
02-Dec-2025 12:30	6.31
02-Dec-2025 12:35	6.16
02-Dec-2025 12:40	5.34
02-Dec-2025 12:45	3.97
02-Dec-2025 12:50	5.97
02-Dec-2025 12:55	5.22
02-Dec-2025 13:00	6.44
02-Dec-2025 13:05	5.13
02-Dec-2025 13:10	6.25
02-Dec-2025 13:15	5.41
02-Dec-2025 13:20	5.19
02-Dec-2025 13:25	6.97
02-Dec-2025 13:30	6.53
02-Dec-2025 13:35	4.75
02-Dec-2025 13:40	4.47
02-Dec-2025 13:45	4.66
02-Dec-2025 13:50	6.47
02-Dec-2025 13:55	4.34
02-Dec-2025 14:00	5.28
02-Dec-2025 14:05	5.91
02-Dec-2025 14:10	4.5
02-Dec-2025 14:15	4.34
02-Dec-2025 14:20	4.72
02-Dec-2025 14:25	4.34
02-Dec-2025 14:30	4.56
02-Dec-2025 14:35	4.78
02-Dec-2025 14:40	5.81
02-Dec-2025 14:45	5.78
02-Dec-2025 14:50	7

Timestamp	SPM
02-Dec-2025 14:55	6.41
02-Dec-2025 15:00	4.38
02-Dec-2025 15:05	4.34
02-Dec-2025 15:10	4.03
02-Dec-2025 15:15	4.34
02-Dec-2025 15:20	7.69
02-Dec-2025 15:25	5.34
02-Dec-2025 15:30	5.72
02-Dec-2025 15:35	7.25
02-Dec-2025 15:40	6
02-Dec-2025 15:45	5.47
02-Dec-2025 15:50	3.84
02-Dec-2025 15:55	3.44
02-Dec-2025 16:00	3.72
02-Dec-2025 16:05	3.91
02-Dec-2025 16:10	3.25
02-Dec-2025 16:15	4
02-Dec-2025 16:20	3.84
02-Dec-2025 16:25	3.38
02-Dec-2025 16:30	3.66
02-Dec-2025 16:35	3.63
02-Dec-2025 16:40	2.91
02-Dec-2025 16:45	2.78
02-Dec-2025 16:50	3.63
02-Dec-2025 16:55	2.84
02-Dec-2025 17:00	3.16
02-Dec-2025 17:05	3.63
02-Dec-2025 17:10	6
02-Dec-2025 17:15	4.56
02-Dec-2025 17:20	4.06
02-Dec-2025 17:25	6.09
02-Dec-2025 17:30	5.28
02-Dec-2025 17:35	4.44
02-Dec-2025 17:40	3.59
02-Dec-2025 17:45	3.69
02-Dec-2025 17:50	4.31
02-Dec-2025 17:55	5.38
02-Dec-2025 18:00	6.13
02-Dec-2025 18:05	6.09
02-Dec-2025 18:10	5.44
02-Dec-2025 18:15	4.84
02-Dec-2025 18:20	4.06
02-Dec-2025 18:25	3.91
02-Dec-2025 18:30	4.13
02-Dec-2025 18:35	4.81
02-Dec-2025 18:40	4.94
02-Dec-2025 18:45	6.19

Timestamp	SPM
02-Dec-2025 18:50	7.56
02-Dec-2025 18:55	6.25
02-Dec-2025 19:00	6.09
02-Dec-2025 19:05	6.84
02-Dec-2025 19:10	6.72
02-Dec-2025 19:15	3.22
02-Dec-2025 19:20	2.81
02-Dec-2025 19:25	3.09
02-Dec-2025 19:30	3.5
02-Dec-2025 19:35	3.38
02-Dec-2025 19:40	3.44
02-Dec-2025 19:45	3.63
02-Dec-2025 19:50	3.34
02-Dec-2025 19:55	7.03
02-Dec-2025 20:00	4.88
02-Dec-2025 20:05	6.63
02-Dec-2025 20:10	5.75
02-Dec-2025 20:15	4.69
02-Dec-2025 20:20	4.28
02-Dec-2025 20:25	4.84
02-Dec-2025 20:30	5.16
02-Dec-2025 20:35	5.5
02-Dec-2025 20:40	6.19
02-Dec-2025 20:45	7.06
02-Dec-2025 20:50	7.16
02-Dec-2025 20:55	6.19
02-Dec-2025 21:00	5.69
02-Dec-2025 21:05	5.72
02-Dec-2025 21:10	5.09
02-Dec-2025 21:15	5.13
02-Dec-2025 21:20	5.81
02-Dec-2025 21:25	4.94
02-Dec-2025 21:30	4.84
02-Dec-2025 21:35	4.91
02-Dec-2025 21:40	4.81
02-Dec-2025 21:45	4.66
02-Dec-2025 21:50	4.44
02-Dec-2025 21:55	4.47
02-Dec-2025 22:00	3.47
02-Dec-2025 22:05	2.84
02-Dec-2025 22:10	3.41
02-Dec-2025 22:15	2.91
02-Dec-2025 22:20	3.38
02-Dec-2025 22:25	3.47
02-Dec-2025 22:30	3.44
02-Dec-2025 22:35	3.28
02-Dec-2025 22:40	3.28

Timestamp	SPM
02-Dec-2025 22:45	3.28
02-Dec-2025 22:50	3.03
02-Dec-2025 22:55	3.41
02-Dec-2025 23:00	3.19
02-Dec-2025 23:05	3.94
02-Dec-2025 23:10	4.84
02-Dec-2025 23:15	4.03
02-Dec-2025 23:20	5.84
02-Dec-2025 23:25	3.84
02-Dec-2025 23:30	4.13
02-Dec-2025 23:35	4.03
02-Dec-2025 23:40	3.63
02-Dec-2025 23:45	3.53
02-Dec-2025 23:50	4.47
02-Dec-2025 23:55	3.47
03-Dec-2025 00:00	3.97
03-Dec-2025 00:05	4.31
03-Dec-2025 00:10	3.78
03-Dec-2025 00:15	4
03-Dec-2025 00:20	4.19
03-Dec-2025 00:25	6.53
03-Dec-2025 00:30	7.91
03-Dec-2025 00:35	5.94
03-Dec-2025 00:40	6.38
03-Dec-2025 00:45	6.5
03-Dec-2025 00:50	4.19
03-Dec-2025 00:55	5.31
03-Dec-2025 01:00	7
03-Dec-2025 01:05	3.16
03-Dec-2025 01:10	3.25
03-Dec-2025 01:15	3.09
03-Dec-2025 01:20	3.06
03-Dec-2025 01:25	2.94
03-Dec-2025 01:30	3.19
03-Dec-2025 01:35	3.03
03-Dec-2025 01:40	2.97
03-Dec-2025 01:45	2.91
03-Dec-2025 01:50	3
03-Dec-2025 01:55	3.25
03-Dec-2025 02:00	3.06
03-Dec-2025 02:05	4.06
03-Dec-2025 02:10	6.03
03-Dec-2025 02:15	6.34
03-Dec-2025 02:20	3.84
03-Dec-2025 02:25	3.78
03-Dec-2025 02:30	3.66
03-Dec-2025 02:35	3.78

Timestamp	SPM
03-Dec-2025 02:40	3.47
03-Dec-2025 02:45	3.59
03-Dec-2025 02:50	3.28
03-Dec-2025 02:55	3.28
03-Dec-2025 03:00	3.44
03-Dec-2025 03:05	3.38
03-Dec-2025 03:10	3.13
03-Dec-2025 03:15	3.69
03-Dec-2025 03:20	3.44
03-Dec-2025 03:25	3.47
03-Dec-2025 03:30	3.5
03-Dec-2025 03:35	3.5
03-Dec-2025 03:40	3.56
03-Dec-2025 03:45	3.69
03-Dec-2025 03:50	3.69
03-Dec-2025 03:55	4.34
03-Dec-2025 04:00	3.69
03-Dec-2025 04:05	3.25
03-Dec-2025 04:10	3.69
03-Dec-2025 04:15	1.47
03-Dec-2025 04:20	1.59
03-Dec-2025 04:25	1.59
03-Dec-2025 04:30	4.47
03-Dec-2025 04:35	4.13
03-Dec-2025 04:40	3.59
03-Dec-2025 04:45	4.22
03-Dec-2025 04:50	3.91
03-Dec-2025 04:55	3.59
03-Dec-2025 05:00	3.41
03-Dec-2025 05:05	3.78
03-Dec-2025 05:10	3.34
03-Dec-2025 05:15	3.56
03-Dec-2025 05:20	3.25
03-Dec-2025 05:25	3.69
03-Dec-2025 05:30	3.31
03-Dec-2025 05:35	3.75
03-Dec-2025 05:40	3.47
03-Dec-2025 05:45	3.56
03-Dec-2025 05:50	3.59
03-Dec-2025 05:55	3.16
03-Dec-2025 06:00	5.78
03-Dec-2025 06:05	5.47
03-Dec-2025 06:10	4.41
03-Dec-2025 06:15	7.16
03-Dec-2025 06:20	4.44
03-Dec-2025 06:25	4.94
03-Dec-2025 06:30	5.72

Timestamp	SPM
03-Dec-2025 06:35	5.56
03-Dec-2025 06:40	4.56
03-Dec-2025 06:45	4.03
03-Dec-2025 06:50	3.81
03-Dec-2025 06:55	3.72
03-Dec-2025 07:00	4.38
03-Dec-2025 07:05	4.66
03-Dec-2025 07:10	3.81
03-Dec-2025 07:15	4.13
03-Dec-2025 07:20	4.03
03-Dec-2025 07:25	4.5
03-Dec-2025 07:30	7.91
03-Dec-2025 07:35	9.19
03-Dec-2025 07:40	5.63
03-Dec-2025 07:45	7.41
03-Dec-2025 07:50	4.03
03-Dec-2025 07:55	3.34
03-Dec-2025 08:00	4.47
03-Dec-2025 08:05	3.59
03-Dec-2025 08:10	4.63
03-Dec-2025 08:15	5.28
03-Dec-2025 08:20	3.88
03-Dec-2025 08:25	5.34
03-Dec-2025 08:30	5.53
03-Dec-2025 08:35	4.44
03-Dec-2025 08:40	5.47
03-Dec-2025 08:45	5.22
03-Dec-2025 08:50	6.59
03-Dec-2025 08:55	7.53
03-Dec-2025 09:00	7.56
03-Dec-2025 09:05	5.63
03-Dec-2025 09:10	6.47
03-Dec-2025 09:15	8
03-Dec-2025 09:20	6.09
03-Dec-2025 09:25	4.81
03-Dec-2025 09:30	4.31
03-Dec-2025 09:35	4.38
03-Dec-2025 09:40	4.34
03-Dec-2025 09:45	3.81
03-Dec-2025 09:50	4.72
03-Dec-2025 09:55	4.13
03-Dec-2025 10:00	4.19
03-Dec-2025 10:05	6.59
03-Dec-2025 10:10	4.03
03-Dec-2025 10:15	4.88
03-Dec-2025 10:20	7.31
03-Dec-2025 10:25	5.34

Timestamp	SPM
03-Dec-2025 10:30	6.91
03-Dec-2025 10:35	7.28
03-Dec-2025 10:40	4.94
03-Dec-2025 10:45	8.06
03-Dec-2025 10:50	5.94
03-Dec-2025 10:55	5.75
03-Dec-2025 11:00	4.72
03-Dec-2025 11:05	4.13
03-Dec-2025 11:10	4.63
03-Dec-2025 11:15	4.19
03-Dec-2025 11:20	4.44
03-Dec-2025 11:25	5.34
03-Dec-2025 11:30	4.66
03-Dec-2025 11:35	4.34
03-Dec-2025 11:40	4.19
03-Dec-2025 11:45	3.94
03-Dec-2025 11:50	5.94
03-Dec-2025 11:55	4.31
03-Dec-2025 12:00	2.84
03-Dec-2025 12:05	2.34
03-Dec-2025 12:10	1.66
03-Dec-2025 12:15	1.91
03-Dec-2025 12:20	2.25
03-Dec-2025 12:25	2.56
03-Dec-2025 12:30	2.59
03-Dec-2025 12:35	2.63
03-Dec-2025 12:40	2.5
03-Dec-2025 12:45	1.84
03-Dec-2025 12:50	1.53
03-Dec-2025 12:55	2.19
03-Dec-2025 13:00	2.44
03-Dec-2025 13:05	2.59
03-Dec-2025 13:10	1.44
03-Dec-2025 13:15	1.91
03-Dec-2025 13:20	1.84
03-Dec-2025 13:25	1.88
03-Dec-2025 13:30	1.84
03-Dec-2025 13:35	1.72
03-Dec-2025 13:40	1.34
03-Dec-2025 13:45	1.47
03-Dec-2025 13:50	1.31
03-Dec-2025 13:55	0.94
03-Dec-2025 14:00	1.75
03-Dec-2025 14:05	1.56
03-Dec-2025 14:10	0.97
03-Dec-2025 14:15	1.22
03-Dec-2025 14:20	2.13

Timestamp	SPM
03-Dec-2025 14:25	1.34
03-Dec-2025 14:30	1.03
03-Dec-2025 14:35	1.34
03-Dec-2025 14:40	0.97
03-Dec-2025 14:45	0.63
03-Dec-2025 14:50	0.63
03-Dec-2025 14:55	0.69
03-Dec-2025 15:00	0.97
03-Dec-2025 15:05	2.44
03-Dec-2025 15:10	2.34
03-Dec-2025 15:15	2
03-Dec-2025 15:20	2.06
03-Dec-2025 15:25	1.59
03-Dec-2025 15:30	1.66
03-Dec-2025 15:35	1.5
03-Dec-2025 15:40	0.66
03-Dec-2025 15:45	0.72
03-Dec-2025 15:50	0.84
03-Dec-2025 15:55	2
03-Dec-2025 16:00	3.34
03-Dec-2025 16:05	3.22
03-Dec-2025 16:10	2.31
03-Dec-2025 16:15	1.72
03-Dec-2025 16:20	1.63
03-Dec-2025 16:25	1.75
03-Dec-2025 16:30	2.66
03-Dec-2025 16:35	6.94
03-Dec-2025 16:40	1.34
03-Dec-2025 16:45	2.75
03-Dec-2025 16:50	1.34
03-Dec-2025 16:55	0.84
03-Dec-2025 17:00	1.63
03-Dec-2025 17:05	1.69
03-Dec-2025 17:10	1.03
03-Dec-2025 17:15	1.03
03-Dec-2025 17:20	1.09
03-Dec-2025 17:25	0.66
03-Dec-2025 17:30	1
03-Dec-2025 17:35	1.06
03-Dec-2025 17:40	0.88
03-Dec-2025 17:45	0.66
03-Dec-2025 17:50	0.59
03-Dec-2025 17:55	0.66
03-Dec-2025 18:00	1.5
03-Dec-2025 18:05	1.56
03-Dec-2025 18:10	1.34
03-Dec-2025 18:15	0.84

Timestamp	SPM
03-Dec-2025 18:20	0.69
03-Dec-2025 18:25	1.88
03-Dec-2025 18:30	1.75
03-Dec-2025 18:35	1.5
03-Dec-2025 18:40	1.84
03-Dec-2025 18:45	1.56
03-Dec-2025 18:50	1.66
03-Dec-2025 18:55	1.81
03-Dec-2025 19:00	1.69
03-Dec-2025 19:05	1.75
03-Dec-2025 19:10	1.75
03-Dec-2025 19:15	1.69
03-Dec-2025 19:20	1.19
03-Dec-2025 19:25	1.84
03-Dec-2025 19:30	1.56
03-Dec-2025 19:35	1.59
03-Dec-2025 19:40	1.78
03-Dec-2025 19:45	1.69
03-Dec-2025 19:50	1.81
03-Dec-2025 19:55	1.97
03-Dec-2025 20:00	2.13
03-Dec-2025 20:05	1.75
03-Dec-2025 20:10	1.84
03-Dec-2025 20:15	0.97
03-Dec-2025 20:20	1.16
03-Dec-2025 20:25	1.75
03-Dec-2025 20:30	0.94
03-Dec-2025 20:35	0.56
03-Dec-2025 20:40	0.56
03-Dec-2025 20:45	0.59
03-Dec-2025 20:50	0.91
03-Dec-2025 20:55	1.41
03-Dec-2025 21:00	1.91
03-Dec-2025 21:05	1.84
03-Dec-2025 21:10	2.41
03-Dec-2025 21:15	1.47
03-Dec-2025 21:20	1.69
03-Dec-2025 21:25	1.75
03-Dec-2025 21:30	1.59
03-Dec-2025 21:35	1.56
03-Dec-2025 21:40	1.53
03-Dec-2025 21:45	1.34
03-Dec-2025 21:50	1.91
03-Dec-2025 21:55	2.09
03-Dec-2025 22:00	2.16
03-Dec-2025 22:05	1.56
03-Dec-2025 22:10	1.72

Timestamp	SPM
03-Dec-2025 22:15	1.59
03-Dec-2025 22:20	1.69
03-Dec-2025 22:25	1.78
03-Dec-2025 22:30	1.66
03-Dec-2025 22:35	1.63
03-Dec-2025 22:40	1.72
03-Dec-2025 22:45	1.59
03-Dec-2025 22:50	1.66
03-Dec-2025 22:55	1.75
03-Dec-2025 23:00	1.78
03-Dec-2025 23:05	1.5
03-Dec-2025 23:10	1.44
03-Dec-2025 23:15	1.41
03-Dec-2025 23:20	1.34
03-Dec-2025 23:25	1.5
03-Dec-2025 23:30	1.75
03-Dec-2025 23:35	1.44
03-Dec-2025 23:40	1.63
03-Dec-2025 23:45	1.34
03-Dec-2025 23:50	1.56
03-Dec-2025 23:55	1.66
04-Dec-2025 00:00	1.75
04-Dec-2025 00:05	1.56
04-Dec-2025 00:10	1.88
04-Dec-2025 00:15	1.5
04-Dec-2025 00:20	1.34
04-Dec-2025 00:25	1.53
04-Dec-2025 00:30	1.31
04-Dec-2025 00:35	1.31
04-Dec-2025 00:40	1.34
04-Dec-2025 00:45	1.25
04-Dec-2025 00:50	1
04-Dec-2025 00:55	1.28
04-Dec-2025 01:00	1.41
04-Dec-2025 01:05	1.16
04-Dec-2025 01:10	1.03
04-Dec-2025 01:15	0.81
04-Dec-2025 01:20	1.03
04-Dec-2025 01:25	1.03
04-Dec-2025 01:30	0.97
04-Dec-2025 01:35	1.16
04-Dec-2025 01:40	1.25
04-Dec-2025 01:45	1.06
04-Dec-2025 01:50	1.06
04-Dec-2025 01:55	1.22
04-Dec-2025 02:00	1.16
04-Dec-2025 02:05	1

Timestamp	SPM
04-Dec-2025 02:10	0.94
04-Dec-2025 02:15	1.16
04-Dec-2025 02:20	0.91
04-Dec-2025 02:25	1
04-Dec-2025 02:30	1.41
04-Dec-2025 02:35	1.16
04-Dec-2025 02:40	1.06
04-Dec-2025 02:45	1.34
04-Dec-2025 02:50	1.06
04-Dec-2025 02:55	1.19
04-Dec-2025 03:00	1.22
04-Dec-2025 03:05	1.16
04-Dec-2025 03:10	0.97
04-Dec-2025 03:15	1
04-Dec-2025 03:20	1.03
04-Dec-2025 03:25	1.66
04-Dec-2025 03:30	1.16
04-Dec-2025 03:35	1.22
04-Dec-2025 03:40	1.31
04-Dec-2025 03:45	1.66
04-Dec-2025 03:50	1.22
04-Dec-2025 03:55	1.59
04-Dec-2025 04:00	1.88
04-Dec-2025 04:05	1.75
04-Dec-2025 04:10	1.16
04-Dec-2025 04:15	1.63
04-Dec-2025 04:20	1.56
04-Dec-2025 04:25	1.47
04-Dec-2025 04:30	1.59
04-Dec-2025 04:35	1.69
04-Dec-2025 04:40	1.66
04-Dec-2025 04:45	1.84
04-Dec-2025 04:50	2.03
04-Dec-2025 04:55	1.81
04-Dec-2025 05:00	1.94
04-Dec-2025 05:05	1.94
04-Dec-2025 05:10	1.06
04-Dec-2025 05:15	2
04-Dec-2025 05:20	1.78
04-Dec-2025 05:25	1.38
04-Dec-2025 05:30	1.75
04-Dec-2025 05:35	1.72
04-Dec-2025 05:40	1.53
04-Dec-2025 05:45	1.97
04-Dec-2025 05:50	1.63
04-Dec-2025 05:55	1.53
04-Dec-2025 06:00	2.09

Timestamp	SPM
04-Dec-2025 06:05	2.03
04-Dec-2025 06:10	1.03
04-Dec-2025 06:15	1.63
04-Dec-2025 06:20	1.63
04-Dec-2025 06:25	1.41
04-Dec-2025 06:30	1.97
04-Dec-2025 06:35	2
04-Dec-2025 06:40	1.75
04-Dec-2025 06:45	1.66
04-Dec-2025 06:50	1.78
04-Dec-2025 06:55	1.69
04-Dec-2025 07:00	1.78
04-Dec-2025 07:05	1.59
04-Dec-2025 07:10	1.41
04-Dec-2025 07:15	0.84
04-Dec-2025 07:20	1.53
04-Dec-2025 07:25	1.5
04-Dec-2025 07:30	2.56
04-Dec-2025 07:35	2.47
04-Dec-2025 07:40	2.66
04-Dec-2025 07:45	2.81
04-Dec-2025 07:50	2.84
04-Dec-2025 07:55	3.41
04-Dec-2025 08:00	3.84
04-Dec-2025 08:05	1.94
04-Dec-2025 08:10	3.09
04-Dec-2025 08:15	3.06
04-Dec-2025 08:20	2.44
04-Dec-2025 08:25	3.38
04-Dec-2025 08:30	2.47
04-Dec-2025 08:35	2.34
04-Dec-2025 08:40	2.81
04-Dec-2025 08:45	2.91
04-Dec-2025 08:50	2.5
04-Dec-2025 08:55	3.13
04-Dec-2025 09:00	3.13
04-Dec-2025 09:05	1.59
04-Dec-2025 09:10	2.56
04-Dec-2025 09:15	2.06
04-Dec-2025 09:20	1.47
04-Dec-2025 09:25	2
04-Dec-2025 09:30	1.91
04-Dec-2025 09:35	1.31
04-Dec-2025 09:40	1.56
04-Dec-2025 09:45	2.34
04-Dec-2025 09:50	1.22
04-Dec-2025 09:55	1.69

Timestamp	SPM
04-Dec-2025 10:00	2.59
04-Dec-2025 10:05	1.53
04-Dec-2025 10:10	1.63
04-Dec-2025 10:15	1.59
04-Dec-2025 10:20	1.5
04-Dec-2025 10:25	2
04-Dec-2025 10:30	1.59
04-Dec-2025 10:35	2.03
04-Dec-2025 10:40	2.41
04-Dec-2025 10:45	2.13
04-Dec-2025 10:50	1.88
04-Dec-2025 10:55	1.56
04-Dec-2025 11:00	1.53
04-Dec-2025 11:05	1.53
04-Dec-2025 11:10	1.41
04-Dec-2025 11:15	1.34
04-Dec-2025 11:20	1.34
04-Dec-2025 11:25	1.63
04-Dec-2025 11:30	1.81
04-Dec-2025 11:35	1.41
04-Dec-2025 11:40	1.25
04-Dec-2025 11:45	1.94
04-Dec-2025 11:50	2.16
04-Dec-2025 11:55	2
04-Dec-2025 12:00	2.72
04-Dec-2025 12:05	2.66
04-Dec-2025 12:10	2.28
04-Dec-2025 12:15	1.59
04-Dec-2025 12:20	2.44
04-Dec-2025 12:25	2.53
04-Dec-2025 12:30	1.97
04-Dec-2025 12:35	2.13
04-Dec-2025 12:40	1.47
04-Dec-2025 12:45	1.91
04-Dec-2025 12:50	2
04-Dec-2025 12:55	1.88
04-Dec-2025 13:00	2.47
04-Dec-2025 13:05	2.69
04-Dec-2025 13:10	2.19
04-Dec-2025 13:15	1.25
04-Dec-2025 13:20	1.5
04-Dec-2025 13:25	1.47
04-Dec-2025 13:30	2.03
04-Dec-2025 13:35	0.94
04-Dec-2025 13:40	1.53
04-Dec-2025 13:45	1.41
04-Dec-2025 13:50	1.56

Timestamp	SPM
04-Dec-2025 13:55	1.31
04-Dec-2025 14:00	2.19
04-Dec-2025 14:05	2.19
04-Dec-2025 14:10	1.34
04-Dec-2025 14:15	1.09
04-Dec-2025 14:20	1.56
04-Dec-2025 14:25	1.78
04-Dec-2025 14:30	1.88
04-Dec-2025 14:35	2.16
04-Dec-2025 14:40	1.69
04-Dec-2025 14:45	1.88
04-Dec-2025 14:50	2.38
04-Dec-2025 14:55	1.25
04-Dec-2025 15:00	2.03
04-Dec-2025 15:05	2.5
04-Dec-2025 15:10	2.25
04-Dec-2025 15:15	2.31
04-Dec-2025 15:20	2.44
04-Dec-2025 15:25	1.84
04-Dec-2025 15:30	2.28
04-Dec-2025 15:35	2.13
04-Dec-2025 15:40	1.41
04-Dec-2025 15:45	1.44
04-Dec-2025 15:50	1.66
04-Dec-2025 15:55	1.56
04-Dec-2025 16:00	2.69
04-Dec-2025 16:05	3
04-Dec-2025 16:10	2.28
04-Dec-2025 16:15	2.09
04-Dec-2025 16:20	1.66
04-Dec-2025 16:25	1.22
04-Dec-2025 16:30	2.13
04-Dec-2025 16:35	1.56
04-Dec-2025 16:40	0.91
04-Dec-2025 16:45	0.84
04-Dec-2025 16:50	1.22
04-Dec-2025 16:55	0.72
04-Dec-2025 17:00	0.84
04-Dec-2025 17:05	2
04-Dec-2025 17:10	1.34
04-Dec-2025 17:15	1.47
04-Dec-2025 17:20	1.06
04-Dec-2025 17:25	1.06
04-Dec-2025 17:30	1.94
04-Dec-2025 17:35	1.5
04-Dec-2025 17:40	0.84
04-Dec-2025 17:45	0.69

Timestamp	SPM
04-Dec-2025 17:50	0.78
04-Dec-2025 17:55	0.81
04-Dec-2025 18:00	1.94
04-Dec-2025 18:05	1.31
04-Dec-2025 18:10	2
04-Dec-2025 18:15	1.63
04-Dec-2025 18:20	1.47
04-Dec-2025 18:25	2.13
04-Dec-2025 18:30	1.97
04-Dec-2025 18:35	2.03
04-Dec-2025 18:40	2
04-Dec-2025 18:45	1.97
04-Dec-2025 18:50	1.97
04-Dec-2025 18:55	2.34
04-Dec-2025 19:00	2.13
04-Dec-2025 19:05	2.25
04-Dec-2025 19:10	2.13
04-Dec-2025 19:15	2.25
04-Dec-2025 19:20	1.63
04-Dec-2025 19:25	2.16
04-Dec-2025 19:30	2.13
04-Dec-2025 19:35	1.28
04-Dec-2025 19:40	2.13
04-Dec-2025 19:45	2.13
04-Dec-2025 19:50	1.69
04-Dec-2025 19:55	1.63
04-Dec-2025 20:00	1.31
04-Dec-2025 20:05	1.63
04-Dec-2025 20:10	1.69
04-Dec-2025 20:15	1.03
04-Dec-2025 20:20	0.72
04-Dec-2025 20:25	0.69
04-Dec-2025 20:30	0.84
04-Dec-2025 20:35	0.63
04-Dec-2025 20:40	0.84
04-Dec-2025 20:45	1.59
04-Dec-2025 20:50	1.44
04-Dec-2025 20:55	1.53
04-Dec-2025 21:00	1.06
04-Dec-2025 21:05	1.66
04-Dec-2025 21:10	1.72
04-Dec-2025 21:15	1.69
04-Dec-2025 21:20	1.5
04-Dec-2025 21:25	1.75
04-Dec-2025 21:30	2.13
04-Dec-2025 21:35	1.94
04-Dec-2025 21:40	2.09

Timestamp	SPM
04-Dec-2025 21:45	2.28
04-Dec-2025 21:50	2
04-Dec-2025 21:55	2.38
04-Dec-2025 22:00	2.59
04-Dec-2025 22:05	1.91
04-Dec-2025 22:10	1.75
04-Dec-2025 22:15	1.94
04-Dec-2025 22:20	2.25
04-Dec-2025 22:25	2.13
04-Dec-2025 22:30	1.78
04-Dec-2025 22:35	1.5
04-Dec-2025 22:40	1.84
04-Dec-2025 22:45	1.22
04-Dec-2025 22:50	1.59
04-Dec-2025 22:55	1.72
04-Dec-2025 23:00	1.94
04-Dec-2025 23:05	1.31
04-Dec-2025 23:10	1.69
04-Dec-2025 23:15	0.94
04-Dec-2025 23:20	0.91
04-Dec-2025 23:25	1.25
04-Dec-2025 23:30	1.44
04-Dec-2025 23:35	0.97
04-Dec-2025 23:40	1.66
04-Dec-2025 23:45	1.09
04-Dec-2025 23:50	1.59
04-Dec-2025 23:55	1.34
05-Dec-2025 00:00	1.59
05-Dec-2025 00:05	1.56
05-Dec-2025 00:10	1.16
05-Dec-2025 00:15	1.5
05-Dec-2025 00:20	1.38
05-Dec-2025 00:25	1.47
05-Dec-2025 00:30	1.47
05-Dec-2025 00:35	1.34
05-Dec-2025 00:40	1.06
05-Dec-2025 00:45	1.47
05-Dec-2025 00:50	1.56
05-Dec-2025 00:55	1.06
05-Dec-2025 01:00	1.06
05-Dec-2025 01:05	1.34
05-Dec-2025 01:10	1.34
05-Dec-2025 01:15	1.19
05-Dec-2025 01:20	1.66
05-Dec-2025 01:25	1.38
05-Dec-2025 01:30	1.47
05-Dec-2025 01:35	1.31

Timestamp	SPM
05-Dec-2025 01:40	1.09
05-Dec-2025 01:45	1.47
05-Dec-2025 01:50	1.66
05-Dec-2025 01:55	1.78
05-Dec-2025 02:00	1.78
05-Dec-2025 02:05	1.47
05-Dec-2025 02:10	1.75
05-Dec-2025 02:15	1.28
05-Dec-2025 02:20	1.63
05-Dec-2025 02:25	1.31
05-Dec-2025 02:30	1.78
05-Dec-2025 02:35	1.44
05-Dec-2025 02:40	1.16
05-Dec-2025 02:45	1.38
05-Dec-2025 02:50	1.28
05-Dec-2025 02:55	1.53
05-Dec-2025 03:00	3.72
05-Dec-2025 03:05	3.88
05-Dec-2025 03:10	3.22
05-Dec-2025 03:15	6.63
05-Dec-2025 03:20	8.69
05-Dec-2025 03:25	7.03
05-Dec-2025 03:30	3.78
05-Dec-2025 03:35	7.28
05-Dec-2025 03:40	4.63
05-Dec-2025 03:45	6.84
05-Dec-2025 03:50	4.31
05-Dec-2025 03:55	4.13
05-Dec-2025 04:00	4.41
05-Dec-2025 04:05	5.03
05-Dec-2025 04:10	5.94
05-Dec-2025 04:15	5.34
05-Dec-2025 04:20	4.81
05-Dec-2025 04:25	6.72
05-Dec-2025 04:30	4.59
05-Dec-2025 04:35	5.78
05-Dec-2025 04:40	5.09
05-Dec-2025 04:45	4.59
05-Dec-2025 04:50	5.56
05-Dec-2025 04:55	4.88
05-Dec-2025 05:00	3.94
05-Dec-2025 05:05	2.78
05-Dec-2025 05:10	2.47
05-Dec-2025 05:15	3.09
05-Dec-2025 05:20	3.19
05-Dec-2025 05:25	2.97
05-Dec-2025 05:30	3.41

Timestamp	SPM
05-Dec-2025 05:35	3.38
05-Dec-2025 05:40	3.16
05-Dec-2025 05:45	3.22
05-Dec-2025 05:50	3.09
05-Dec-2025 05:55	2.66
05-Dec-2025 06:00	3.5
05-Dec-2025 06:05	3.53
05-Dec-2025 06:10	5.44
05-Dec-2025 06:15	5.19
05-Dec-2025 06:20	7.19
05-Dec-2025 06:25	5.22
05-Dec-2025 06:30	7.41
05-Dec-2025 06:35	8.28
05-Dec-2025 06:40	7.19
05-Dec-2025 06:45	6.88
05-Dec-2025 06:50	7.59
05-Dec-2025 06:55	6.84
05-Dec-2025 07:00	4.66
05-Dec-2025 07:05	4.41
05-Dec-2025 07:10	4.13
05-Dec-2025 07:15	4.31
05-Dec-2025 07:20	3.94
05-Dec-2025 07:25	4.53
05-Dec-2025 07:30	6.09
05-Dec-2025 07:35	8.56
05-Dec-2025 07:40	5.47
05-Dec-2025 07:45	6.03
05-Dec-2025 07:50	6.81
05-Dec-2025 07:55	5.38
05-Dec-2025 08:00	4.56
05-Dec-2025 08:05	4.22
05-Dec-2025 08:10	4.53
05-Dec-2025 08:15	4.69
05-Dec-2025 08:20	4.28
05-Dec-2025 08:25	4.59
05-Dec-2025 08:30	4.41
05-Dec-2025 08:35	4.59
05-Dec-2025 08:40	4.78
05-Dec-2025 08:45	4.84
05-Dec-2025 08:50	4.66
05-Dec-2025 08:55	4.56
05-Dec-2025 09:00	4.97
05-Dec-2025 09:05	3.94
05-Dec-2025 09:10	4.13
05-Dec-2025 09:15	3.88
05-Dec-2025 09:20	4.16
05-Dec-2025 09:25	4.19

Timestamp	SPM
05-Dec-2025 09:30	2.5
05-Dec-2025 09:35	1.81
05-Dec-2025 09:40	1.81
05-Dec-2025 09:45	2.03
05-Dec-2025 09:50	2.25
05-Dec-2025 09:55	2.22
05-Dec-2025 10:00	1.81
05-Dec-2025 10:05	1.63
05-Dec-2025 10:10	1.81
05-Dec-2025 10:15	1.94
05-Dec-2025 10:20	1.66
05-Dec-2025 10:25	1.84
05-Dec-2025 10:30	2.09
05-Dec-2025 10:35	1.69
05-Dec-2025 10:40	1.66
05-Dec-2025 10:45	1.19
05-Dec-2025 10:50	1.28
05-Dec-2025 10:55	1.56
05-Dec-2025 11:00	1.84
05-Dec-2025 11:05	1.56
05-Dec-2025 11:10	1.53
05-Dec-2025 11:15	0.97
05-Dec-2025 11:20	1.44
05-Dec-2025 11:25	1.63
05-Dec-2025 11:30	1.47
05-Dec-2025 11:35	1.75
05-Dec-2025 11:40	1.66
05-Dec-2025 11:45	1.31
05-Dec-2025 11:50	1.59
05-Dec-2025 11:55	1.72
05-Dec-2025 12:00	2.72
05-Dec-2025 12:05	2.25
05-Dec-2025 12:10	1.69
05-Dec-2025 12:15	0.91
05-Dec-2025 12:20	1.28
05-Dec-2025 12:25	0.94
05-Dec-2025 12:30	1.91
05-Dec-2025 12:35	4.53
05-Dec-2025 12:40	3.78
05-Dec-2025 12:45	3.84
05-Dec-2025 12:50	3.88
05-Dec-2025 12:55	3.91
05-Dec-2025 13:00	3.91
05-Dec-2025 13:05	2.94
05-Dec-2025 13:10	2.22
05-Dec-2025 13:15	2.34
05-Dec-2025 13:20	3.63

Timestamp	SPM
05-Dec-2025 13:25	2.53
05-Dec-2025 13:30	3
05-Dec-2025 13:35	5.34
05-Dec-2025 13:40	4.28
05-Dec-2025 13:45	5.22
05-Dec-2025 13:50	6.88
05-Dec-2025 13:55	6.25
05-Dec-2025 14:00	7.28
05-Dec-2025 14:05	5.97
05-Dec-2025 14:10	5.28
05-Dec-2025 14:15	6.47
05-Dec-2025 14:20	8.34
05-Dec-2025 14:25	9.09
05-Dec-2025 14:30	7.78
05-Dec-2025 14:35	5.25
05-Dec-2025 14:40	5.16
05-Dec-2025 14:45	4.94
05-Dec-2025 14:50	5.16
05-Dec-2025 14:55	4.44
05-Dec-2025 15:00	4.94
05-Dec-2025 15:05	5.06
05-Dec-2025 15:10	5.84
05-Dec-2025 15:15	4.19
05-Dec-2025 15:20	4.56
05-Dec-2025 15:25	4.66
05-Dec-2025 15:30	4.88
05-Dec-2025 15:35	5
05-Dec-2025 15:40	5.63
05-Dec-2025 15:45	5.75
05-Dec-2025 15:50	4.53
05-Dec-2025 15:55	4.13
05-Dec-2025 16:00	4.41
05-Dec-2025 16:05	4.31
05-Dec-2025 16:10	4.22
05-Dec-2025 16:15	4.03
05-Dec-2025 16:20	4.94
05-Dec-2025 16:25	3.88
05-Dec-2025 16:30	3.94
05-Dec-2025 16:35	5.22
05-Dec-2025 16:40	5.09
05-Dec-2025 16:45	6.19
05-Dec-2025 16:50	5.5
05-Dec-2025 16:55	7.16
05-Dec-2025 17:00	6.19
05-Dec-2025 17:05	5.13
05-Dec-2025 17:10	5.28
05-Dec-2025 17:15	7.59

Timestamp	SPM
05-Dec-2025 17:20	7
05-Dec-2025 17:25	5.31
05-Dec-2025 17:30	4.69
05-Dec-2025 17:35	4
05-Dec-2025 17:40	4
05-Dec-2025 17:45	3.84
05-Dec-2025 17:50	4.34
05-Dec-2025 17:55	4.34
05-Dec-2025 18:00	4.09
05-Dec-2025 18:05	3.69
05-Dec-2025 18:10	5.16
05-Dec-2025 18:15	7.88
05-Dec-2025 18:20	7
05-Dec-2025 18:25	7.09
05-Dec-2025 18:30	7.41
05-Dec-2025 18:35	7.59
05-Dec-2025 18:40	4.97
05-Dec-2025 18:45	7.47
05-Dec-2025 18:50	4.81
05-Dec-2025 18:55	8
05-Dec-2025 19:00	5.5
05-Dec-2025 19:05	4.5
05-Dec-2025 19:10	6.75
05-Dec-2025 19:15	7.06
05-Dec-2025 19:20	5.38
05-Dec-2025 19:25	3.91
05-Dec-2025 19:30	4.94
05-Dec-2025 19:35	5.88
05-Dec-2025 19:40	6.53
05-Dec-2025 19:45	7.06
05-Dec-2025 19:50	4.84
05-Dec-2025 19:55	4.84
05-Dec-2025 20:00	4.06
05-Dec-2025 20:05	4.28
05-Dec-2025 20:10	5.44
05-Dec-2025 20:15	4.19
05-Dec-2025 20:20	3.94
05-Dec-2025 20:25	4.75
05-Dec-2025 20:30	3.94
05-Dec-2025 20:35	3.84
05-Dec-2025 20:40	5.56
05-Dec-2025 20:45	3.69
05-Dec-2025 20:50	4.16
05-Dec-2025 20:55	4.41
05-Dec-2025 21:00	3.81
05-Dec-2025 21:05	4.16
05-Dec-2025 21:10	5.66

Timestamp	SPM
05-Dec-2025 21:15	7.06
05-Dec-2025 21:20	7.06
05-Dec-2025 21:25	5.63
05-Dec-2025 21:30	4.31
05-Dec-2025 21:35	6.44
05-Dec-2025 21:40	7.63
05-Dec-2025 21:45	3.53
05-Dec-2025 21:50	2.75
05-Dec-2025 21:55	3.75
05-Dec-2025 22:00	3.59
05-Dec-2025 22:05	3.31
05-Dec-2025 22:10	3.69
05-Dec-2025 22:15	3.72
05-Dec-2025 22:20	3.13
05-Dec-2025 22:25	3.25
05-Dec-2025 22:30	3.31
05-Dec-2025 22:35	3
05-Dec-2025 22:40	6.47
05-Dec-2025 22:45	7.97
05-Dec-2025 22:50	5.66
05-Dec-2025 22:55	7.94
05-Dec-2025 23:00	4.13
05-Dec-2025 23:05	4
05-Dec-2025 23:10	5.53
05-Dec-2025 23:15	3.66
05-Dec-2025 23:20	3.81
05-Dec-2025 23:25	4.09
05-Dec-2025 23:30	4.03
05-Dec-2025 23:35	3.59
05-Dec-2025 23:40	3.84
05-Dec-2025 23:45	3.75
05-Dec-2025 23:50	4.13
05-Dec-2025 23:55	3.88
06-Dec-2025 00:00	4.38
06-Dec-2025 00:05	6.19
06-Dec-2025 00:10	8.66
06-Dec-2025 00:15	4.97
06-Dec-2025 00:20	7.69
06-Dec-2025 00:25	7.13
06-Dec-2025 00:30	4.72
06-Dec-2025 00:35	4.22
06-Dec-2025 00:40	5.75
06-Dec-2025 00:45	2.91
06-Dec-2025 00:50	3.19
06-Dec-2025 00:55	3.19
06-Dec-2025 01:00	3.38
06-Dec-2025 01:05	3.28

Timestamp	SPM
06-Dec-2025 01:10	3.56
06-Dec-2025 01:15	3.16
06-Dec-2025 01:20	3.19
06-Dec-2025 01:25	3.25
06-Dec-2025 01:30	3.19
06-Dec-2025 01:35	3.19
06-Dec-2025 01:40	6.41
06-Dec-2025 01:45	6.94
06-Dec-2025 01:50	5.84
06-Dec-2025 01:55	8.28
06-Dec-2025 02:00	3.88
06-Dec-2025 02:05	3.88
06-Dec-2025 02:10	3.97
06-Dec-2025 02:15	3.81
06-Dec-2025 02:20	4.56
06-Dec-2025 02:25	3.69
06-Dec-2025 02:30	3.56
06-Dec-2025 02:35	3.53
06-Dec-2025 02:40	3.16
06-Dec-2025 02:45	3.19
06-Dec-2025 02:50	2.97
06-Dec-2025 02:55	2.97
06-Dec-2025 03:00	3.16
06-Dec-2025 03:05	3.13
06-Dec-2025 03:10	2.75
06-Dec-2025 03:15	3.59
06-Dec-2025 03:20	3.22
06-Dec-2025 03:25	3.16
06-Dec-2025 03:30	3.53
06-Dec-2025 03:35	3.28
06-Dec-2025 03:40	3.25
06-Dec-2025 03:45	3.91
06-Dec-2025 03:50	3.75
06-Dec-2025 03:55	4.19
06-Dec-2025 04:00	3.84
06-Dec-2025 04:05	3.88
06-Dec-2025 04:10	8.13
06-Dec-2025 04:15	9.5
06-Dec-2025 04:20	8.56
06-Dec-2025 04:25	8.28
06-Dec-2025 04:30	4.38
06-Dec-2025 04:35	4.75
06-Dec-2025 04:40	6.56
06-Dec-2025 04:45	7.47
06-Dec-2025 04:50	8.66
06-Dec-2025 04:55	7.16
06-Dec-2025 05:00	4.56

Timestamp	SPM
06-Dec-2025 05:05	5.53
06-Dec-2025 05:10	5.66
06-Dec-2025 05:15	4.81
06-Dec-2025 05:20	5.28
06-Dec-2025 05:25	5.81
06-Dec-2025 05:30	4.28
06-Dec-2025 05:35	5.63
06-Dec-2025 05:40	5.84
06-Dec-2025 05:45	5.25
06-Dec-2025 05:50	4.06
06-Dec-2025 05:55	6.91
06-Dec-2025 06:00	6.81
06-Dec-2025 06:05	6.31
06-Dec-2025 06:10	4.16
06-Dec-2025 06:15	4.47
06-Dec-2025 06:20	5.53
06-Dec-2025 06:25	6.16
06-Dec-2025 06:30	6.81
06-Dec-2025 06:35	4.44
06-Dec-2025 06:40	4.69
06-Dec-2025 06:45	3.78
06-Dec-2025 06:50	3.81
06-Dec-2025 06:55	4.5
06-Dec-2025 07:00	4.09
06-Dec-2025 07:05	3.97
06-Dec-2025 07:10	3.91
06-Dec-2025 07:15	3.97
06-Dec-2025 07:20	4.75
06-Dec-2025 07:25	4.38
06-Dec-2025 07:30	4.91
06-Dec-2025 07:35	5.5
06-Dec-2025 07:40	5.19
06-Dec-2025 07:45	5.5
06-Dec-2025 07:50	4.78
06-Dec-2025 07:55	5.13
06-Dec-2025 08:00	5.81
06-Dec-2025 08:05	4.28
06-Dec-2025 08:10	4.66
06-Dec-2025 08:15	5.81
06-Dec-2025 08:20	3.66
06-Dec-2025 08:25	4.03
06-Dec-2025 08:30	4.44
06-Dec-2025 08:35	2.5
06-Dec-2025 08:40	3.66
06-Dec-2025 08:45	6.66
06-Dec-2025 08:50	5.25
06-Dec-2025 08:55	5.13

Timestamp	SPM
06-Dec-2025 09:00	4.5
06-Dec-2025 09:05	6.91
06-Dec-2025 09:10	8.28
06-Dec-2025 09:15	7.94
06-Dec-2025 09:20	6.5
06-Dec-2025 09:25	4.31
06-Dec-2025 09:30	7
06-Dec-2025 09:35	4.28
06-Dec-2025 09:40	7.41
06-Dec-2025 09:45	6.34
06-Dec-2025 09:50	6.13
06-Dec-2025 09:55	7.25
06-Dec-2025 10:00	6.03
06-Dec-2025 10:05	5.56
06-Dec-2025 10:10	6.38
06-Dec-2025 10:15	7.78
06-Dec-2025 10:20	6.81
06-Dec-2025 10:25	5.38
06-Dec-2025 10:30	5.84
06-Dec-2025 10:35	6.09
06-Dec-2025 10:40	6.44
06-Dec-2025 10:45	7.88
06-Dec-2025 10:50	7
06-Dec-2025 10:55	5.34
06-Dec-2025 11:00	4.34
06-Dec-2025 11:05	4.5
06-Dec-2025 11:10	5.41
06-Dec-2025 11:15	6.44
06-Dec-2025 11:20	7.41
06-Dec-2025 11:25	5.03
06-Dec-2025 11:30	5.31
06-Dec-2025 11:35	6.25
06-Dec-2025 11:40	8.22
06-Dec-2025 11:45	5.75
06-Dec-2025 11:50	4.22
06-Dec-2025 11:55	6.44
06-Dec-2025 12:00	9.06
06-Dec-2025 12:05	5.06
06-Dec-2025 12:10	3.84
06-Dec-2025 12:15	3.19
06-Dec-2025 12:20	3.13
06-Dec-2025 12:25	3.91
06-Dec-2025 12:30	4.19
06-Dec-2025 12:35	3.56
06-Dec-2025 12:40	3.06
06-Dec-2025 12:45	2.94
06-Dec-2025 12:50	2.84

Timestamp	SPM
06-Dec-2025 12:55	3.34
06-Dec-2025 13:00	4.03
06-Dec-2025 13:05	5.66
06-Dec-2025 13:10	4.03
06-Dec-2025 13:15	5.06
06-Dec-2025 13:20	6.13
06-Dec-2025 13:25	6.56
06-Dec-2025 13:30	6.63
06-Dec-2025 13:35	7.69
06-Dec-2025 13:40	7
06-Dec-2025 13:45	5.38
06-Dec-2025 13:50	4.91
06-Dec-2025 13:55	4.47
06-Dec-2025 14:00	5.25
06-Dec-2025 14:05	7.09
06-Dec-2025 14:10	5.81
06-Dec-2025 14:15	3.94
06-Dec-2025 14:20	5.25
06-Dec-2025 14:25	5.59
06-Dec-2025 14:30	5.94
06-Dec-2025 14:35	6.25
06-Dec-2025 14:40	4.5
06-Dec-2025 14:45	6.91
06-Dec-2025 14:50	8.56
06-Dec-2025 14:55	5.84
06-Dec-2025 15:00	5
06-Dec-2025 15:05	4.44
06-Dec-2025 15:10	3.94
06-Dec-2025 15:15	5.28
06-Dec-2025 15:20	4.34
06-Dec-2025 15:25	3.59
06-Dec-2025 15:30	3.19
06-Dec-2025 15:35	3.72
06-Dec-2025 15:40	3.13
06-Dec-2025 15:45	3.59
06-Dec-2025 15:50	3.53
06-Dec-2025 15:55	3
06-Dec-2025 16:00	3.97
06-Dec-2025 16:05	4.13
06-Dec-2025 16:10	3.59
06-Dec-2025 16:15	3.38
06-Dec-2025 16:20	7.88
06-Dec-2025 16:25	4.81
06-Dec-2025 16:30	4.34
06-Dec-2025 16:35	7.5
06-Dec-2025 16:40	6.22
06-Dec-2025 16:45	4.84

Timestamp	SPM
06-Dec-2025 16:50	4.75
06-Dec-2025 16:55	5.28
06-Dec-2025 17:00	6.16
06-Dec-2025 17:05	6.53
06-Dec-2025 17:10	5.09
06-Dec-2025 17:15	5.28
06-Dec-2025 17:20	5.09
06-Dec-2025 17:25	3.28
06-Dec-2025 17:30	3.81
06-Dec-2025 17:35	4.41
06-Dec-2025 17:40	3.5
06-Dec-2025 17:45	3.66
06-Dec-2025 17:50	3.91
06-Dec-2025 17:55	3.09
06-Dec-2025 18:00	3.25
06-Dec-2025 18:05	2.88
06-Dec-2025 18:10	1.5
06-Dec-2025 18:15	1.41
06-Dec-2025 18:20	1.34
06-Dec-2025 18:25	1.53
06-Dec-2025 18:30	1.84
06-Dec-2025 18:35	1.5
06-Dec-2025 18:40	1.75
06-Dec-2025 18:45	2.94
06-Dec-2025 18:50	3.44
06-Dec-2025 18:55	3.69
06-Dec-2025 19:00	3.41
06-Dec-2025 19:05	3.41
06-Dec-2025 19:10	3.34
06-Dec-2025 19:15	3.19
06-Dec-2025 19:20	2.66
06-Dec-2025 19:25	3.25
06-Dec-2025 19:30	3.31
06-Dec-2025 19:35	2.53
06-Dec-2025 19:40	4.13
06-Dec-2025 19:45	7
06-Dec-2025 19:50	3.47
06-Dec-2025 19:55	6.5
06-Dec-2025 20:00	5.63
06-Dec-2025 20:05	5.28
06-Dec-2025 20:10	6.59
06-Dec-2025 20:15	6.03
06-Dec-2025 20:20	3.78
06-Dec-2025 20:25	4.56
06-Dec-2025 20:30	6.25
06-Dec-2025 20:35	5.69
06-Dec-2025 20:40	4.28

Timestamp	SPM
06-Dec-2025 20:45	4.19
06-Dec-2025 20:50	3.38
06-Dec-2025 20:55	3.75
06-Dec-2025 21:00	4.44
06-Dec-2025 21:05	4.06
06-Dec-2025 21:10	6.59
06-Dec-2025 21:15	4.38
06-Dec-2025 21:20	4.84
06-Dec-2025 21:25	5.38
06-Dec-2025 21:30	5.88
06-Dec-2025 21:35	6.44
06-Dec-2025 21:40	5.88
06-Dec-2025 21:45	4.97
06-Dec-2025 21:50	6.78
06-Dec-2025 21:55	4.72
06-Dec-2025 22:00	7.56
06-Dec-2025 22:05	4.59
06-Dec-2025 22:10	6.88
06-Dec-2025 22:15	5.31
06-Dec-2025 22:20	5.38
06-Dec-2025 22:25	7.06
06-Dec-2025 22:30	5.31
06-Dec-2025 22:35	4.78
06-Dec-2025 22:40	7.03
06-Dec-2025 22:45	3.16
06-Dec-2025 22:50	2.94
06-Dec-2025 22:55	3.5
06-Dec-2025 23:00	5.91
06-Dec-2025 23:05	6.91
06-Dec-2025 23:10	7.69
06-Dec-2025 23:15	7.44
06-Dec-2025 23:20	3.94
06-Dec-2025 23:25	4.06
06-Dec-2025 23:30	4.06
06-Dec-2025 23:35	3.84
06-Dec-2025 23:40	3.97
06-Dec-2025 23:45	4.13
06-Dec-2025 23:50	3.88
06-Dec-2025 23:55	5.09
07-Dec-2025 00:00	4.16
07-Dec-2025 00:05	4.34
07-Dec-2025 00:10	4.78
07-Dec-2025 00:15	4.03
07-Dec-2025 00:20	4.41
07-Dec-2025 00:25	3.44
07-Dec-2025 00:30	6.94
07-Dec-2025 00:35	4.28

Timestamp	SPM
07-Dec-2025 00:40	8.72
07-Dec-2025 00:45	7.5
07-Dec-2025 00:50	8.34
07-Dec-2025 00:55	4.88
07-Dec-2025 01:00	3.69
07-Dec-2025 01:05	3.19
07-Dec-2025 01:10	3
07-Dec-2025 01:15	3
07-Dec-2025 01:20	3.06
07-Dec-2025 01:25	3.41
07-Dec-2025 01:30	3.13
07-Dec-2025 01:35	3.53
07-Dec-2025 01:40	3.03
07-Dec-2025 01:45	3.09
07-Dec-2025 01:50	2.91
07-Dec-2025 01:55	5.47
07-Dec-2025 02:00	4.69
07-Dec-2025 02:05	5.81
07-Dec-2025 02:10	5.88
07-Dec-2025 02:15	4
07-Dec-2025 02:20	4.09
07-Dec-2025 02:25	4.47
07-Dec-2025 02:30	3.16
07-Dec-2025 02:35	3.63
07-Dec-2025 02:40	3.97
07-Dec-2025 02:45	3.66
07-Dec-2025 02:50	3.38
07-Dec-2025 02:55	3.59
07-Dec-2025 03:00	3.56
07-Dec-2025 03:05	3.81
07-Dec-2025 03:10	3.56
07-Dec-2025 03:15	3.63
07-Dec-2025 03:20	4
07-Dec-2025 03:25	8.56
07-Dec-2025 03:30	8.56
07-Dec-2025 03:35	7.94
07-Dec-2025 03:40	5.25
07-Dec-2025 03:45	7.78
07-Dec-2025 03:50	6
07-Dec-2025 03:55	5.75
07-Dec-2025 04:00	4.69
07-Dec-2025 04:05	5.03
07-Dec-2025 04:10	6.59
07-Dec-2025 04:15	4.44
07-Dec-2025 04:20	6.59
07-Dec-2025 04:25	5.22
07-Dec-2025 04:30	4.84

Timestamp	SPM
07-Dec-2025 04:35	3
07-Dec-2025 04:40	3.34
07-Dec-2025 04:45	3.19
07-Dec-2025 04:50	2.63
07-Dec-2025 04:55	3.03
07-Dec-2025 05:00	3.59
07-Dec-2025 05:05	4.44
07-Dec-2025 05:10	3.59
07-Dec-2025 05:15	4.13
07-Dec-2025 05:20	3.81
07-Dec-2025 05:25	3.59
07-Dec-2025 05:30	4.13
07-Dec-2025 05:35	3.78
07-Dec-2025 05:40	3.5
07-Dec-2025 05:45	3.31
07-Dec-2025 05:50	3.28
07-Dec-2025 05:55	3.38
07-Dec-2025 06:00	3.56
07-Dec-2025 06:05	3.66
07-Dec-2025 06:10	2.97
07-Dec-2025 06:15	3.16
07-Dec-2025 06:20	13.78
07-Dec-2025 06:25	6.69
07-Dec-2025 06:30	8.31
07-Dec-2025 06:35	6.19
07-Dec-2025 06:40	7.25
07-Dec-2025 06:45	7.03
07-Dec-2025 06:50	5.69
07-Dec-2025 06:55	6.94
07-Dec-2025 07:00	7.97
07-Dec-2025 07:05	5.69
07-Dec-2025 07:10	4.5
07-Dec-2025 07:15	6.66
07-Dec-2025 07:20	6.81
07-Dec-2025 07:25	6.13
07-Dec-2025 07:30	5.19
07-Dec-2025 07:35	7.66
07-Dec-2025 07:40	7.88
07-Dec-2025 07:45	5.28
07-Dec-2025 07:50	5.25
07-Dec-2025 07:55	7.94
07-Dec-2025 08:00	7.53
07-Dec-2025 08:05	4.41
07-Dec-2025 08:10	4.44
07-Dec-2025 08:15	6.97
07-Dec-2025 08:20	6.69
07-Dec-2025 08:25	5.84

Timestamp	SPM
07-Dec-2025 08:30	4.47
07-Dec-2025 08:35	4.59
07-Dec-2025 08:40	4.66
07-Dec-2025 08:45	4.97
07-Dec-2025 08:50	4.53
07-Dec-2025 08:55	4.56
07-Dec-2025 09:00	4.53
07-Dec-2025 09:05	3.66
07-Dec-2025 09:10	3.63
07-Dec-2025 09:15	4
07-Dec-2025 09:20	3.84
07-Dec-2025 09:25	4.56
07-Dec-2025 09:30	3.94
07-Dec-2025 09:35	3.91
07-Dec-2025 09:40	4.16
07-Dec-2025 09:45	3.41
07-Dec-2025 09:50	3.44
07-Dec-2025 09:55	3.13
07-Dec-2025 10:00	6.31
07-Dec-2025 10:05	3.81
07-Dec-2025 10:10	3.66
07-Dec-2025 10:15	4.16
07-Dec-2025 10:20	3.41
07-Dec-2025 10:25	3.38
07-Dec-2025 10:30	3.31
07-Dec-2025 10:35	5
07-Dec-2025 10:40	4.56
07-Dec-2025 10:45	4.09
07-Dec-2025 10:50	4.16
07-Dec-2025 10:55	4.41
07-Dec-2025 11:00	5.06
07-Dec-2025 11:05	3.72
07-Dec-2025 11:10	3.56
07-Dec-2025 11:15	3.47
07-Dec-2025 11:20	4.63
07-Dec-2025 11:25	5.31
07-Dec-2025 11:30	9.59
07-Dec-2025 11:35	4.13
07-Dec-2025 11:40	4.13
07-Dec-2025 11:45	5.97
07-Dec-2025 11:50	7.88
07-Dec-2025 11:55	6.97
07-Dec-2025 12:00	4.31
07-Dec-2025 12:05	4.09
07-Dec-2025 12:10	4.25
07-Dec-2025 12:15	4.06
07-Dec-2025 12:20	4.34

Timestamp	SPM
07-Dec-2025 12:25	4.13
07-Dec-2025 12:30	4.13
07-Dec-2025 12:35	4.75
07-Dec-2025 12:40	4.34
07-Dec-2025 12:45	4.44
07-Dec-2025 12:50	4.03
07-Dec-2025 12:55	4.63
07-Dec-2025 13:00	4.19
07-Dec-2025 13:05	7.69
07-Dec-2025 13:10	5.88
07-Dec-2025 13:15	4.53
07-Dec-2025 13:20	5.03
07-Dec-2025 13:25	5.75
07-Dec-2025 13:30	6.34
07-Dec-2025 13:35	5.53
07-Dec-2025 13:40	5.34
07-Dec-2025 13:45	6.91
07-Dec-2025 13:50	7.84
07-Dec-2025 13:55	4.97
07-Dec-2025 14:00	6.59
07-Dec-2025 14:05	4.88
07-Dec-2025 14:10	5.31
07-Dec-2025 14:15	5.13
07-Dec-2025 14:20	4.72
07-Dec-2025 14:25	13.53
07-Dec-2025 14:30	5.13
07-Dec-2025 14:35	5.28
07-Dec-2025 14:40	5.28
07-Dec-2025 14:45	6.84
07-Dec-2025 14:50	10.47
07-Dec-2025 14:55	8.63
07-Dec-2025 15:00	5.25
07-Dec-2025 15:05	5.19
07-Dec-2025 15:10	4.31
07-Dec-2025 15:15	3.69
07-Dec-2025 15:20	3.56
07-Dec-2025 15:25	3.88
07-Dec-2025 15:30	4.41
07-Dec-2025 15:35	4.69
07-Dec-2025 15:40	4.28
07-Dec-2025 15:45	3.75
07-Dec-2025 15:50	4.06
07-Dec-2025 15:55	3.53
07-Dec-2025 16:00	4.78
07-Dec-2025 16:05	5.63
07-Dec-2025 16:10	7.88
07-Dec-2025 16:15	6.84

Timestamp	SPM
07-Dec-2025 16:20	6.56
07-Dec-2025 16:25	5.94
07-Dec-2025 16:30	9.59
07-Dec-2025 16:35	7.06
07-Dec-2025 16:40	4.19
07-Dec-2025 16:45	4.47
07-Dec-2025 16:50	5.84
07-Dec-2025 16:55	5.84
07-Dec-2025 17:00	5.31
07-Dec-2025 17:05	4.28
07-Dec-2025 17:10	5.41
07-Dec-2025 17:15	6.66
07-Dec-2025 17:20	6.31
07-Dec-2025 17:25	5.03
07-Dec-2025 17:30	4.63
07-Dec-2025 17:35	5.81
07-Dec-2025 17:40	7.78
07-Dec-2025 17:45	8.22
07-Dec-2025 17:50	6.06
07-Dec-2025 17:55	4.5
07-Dec-2025 18:00	5.16
07-Dec-2025 18:05	7.72
07-Dec-2025 18:10	6.75
07-Dec-2025 18:15	4.19
07-Dec-2025 18:20	3.28
07-Dec-2025 18:25	3.22
07-Dec-2025 18:30	3.22
07-Dec-2025 18:35	3.13
07-Dec-2025 18:40	3.31
07-Dec-2025 18:45	3.22
07-Dec-2025 18:50	3.13
07-Dec-2025 18:55	3.31
07-Dec-2025 19:00	6.03
07-Dec-2025 19:05	5.5
07-Dec-2025 19:10	4.63
07-Dec-2025 19:15	4.25
07-Dec-2025 19:20	3.69
07-Dec-2025 19:25	4.31
07-Dec-2025 19:30	5.5
07-Dec-2025 19:35	4.03
07-Dec-2025 19:40	4.03
07-Dec-2025 19:45	4.34
07-Dec-2025 19:50	3.41
07-Dec-2025 19:55	3.81
07-Dec-2025 20:00	3.97
07-Dec-2025 20:05	3.13
07-Dec-2025 20:10	3.44

Timestamp	SPM
07-Dec-2025 20:15	3.5
07-Dec-2025 20:20	3.56
07-Dec-2025 20:25	3.78
07-Dec-2025 20:30	3.56
07-Dec-2025 20:35	4.59
07-Dec-2025 20:40	3.41
07-Dec-2025 20:45	6.34
07-Dec-2025 20:50	6.75
07-Dec-2025 20:55	7.63
07-Dec-2025 21:00	7.69
07-Dec-2025 21:05	4.28
07-Dec-2025 21:10	5.5
07-Dec-2025 21:15	5.03
07-Dec-2025 21:20	3.97
07-Dec-2025 21:25	7.09
07-Dec-2025 21:30	7
07-Dec-2025 21:35	3.88
07-Dec-2025 21:40	3.28
07-Dec-2025 21:45	3.28
07-Dec-2025 21:50	3.31
07-Dec-2025 21:55	3.28
07-Dec-2025 22:00	3.69
07-Dec-2025 22:05	3.13
07-Dec-2025 22:10	2.84
07-Dec-2025 22:15	2.72
07-Dec-2025 22:20	4
07-Dec-2025 22:25	6.03
07-Dec-2025 22:30	7.16
07-Dec-2025 22:35	6.72
07-Dec-2025 22:40	5.78
07-Dec-2025 22:45	5.13
07-Dec-2025 22:50	4.19
07-Dec-2025 22:55	4.16
07-Dec-2025 23:00	5.63
07-Dec-2025 23:05	7.34
07-Dec-2025 23:10	5.22
07-Dec-2025 23:15	3.47
07-Dec-2025 23:20	3.91
07-Dec-2025 23:25	3.56
07-Dec-2025 23:30	3.84
07-Dec-2025 23:35	3.56
07-Dec-2025 23:40	4.5
07-Dec-2025 23:45	6.72
07-Dec-2025 23:50	6.78
07-Dec-2025 23:55	6.88
08-Dec-2025 00:00	7.31
08-Dec-2025 00:05	7.53

Timestamp	SPM
08-Dec-2025 00:10	5.44
08-Dec-2025 00:15	3.19
08-Dec-2025 00:20	3.16
08-Dec-2025 00:25	2.69
08-Dec-2025 00:30	3.06
08-Dec-2025 00:35	3.25
08-Dec-2025 00:40	2.75
08-Dec-2025 00:45	2.63
08-Dec-2025 00:50	2.75
08-Dec-2025 00:55	2.94
08-Dec-2025 01:00	3.16
08-Dec-2025 01:05	2.88
08-Dec-2025 01:10	3
08-Dec-2025 01:15	6.78
08-Dec-2025 01:20	4.88
08-Dec-2025 01:25	3.66
08-Dec-2025 01:30	5.44
08-Dec-2025 01:35	5.47
08-Dec-2025 01:40	5.91
08-Dec-2025 01:45	4.63
08-Dec-2025 01:50	4
08-Dec-2025 01:55	5.25
08-Dec-2025 02:00	3.88
08-Dec-2025 02:05	3.72
08-Dec-2025 02:10	3.53
08-Dec-2025 02:15	3.81
08-Dec-2025 02:20	3.53
08-Dec-2025 02:25	3.66
08-Dec-2025 02:30	4.28
08-Dec-2025 02:35	3.44
08-Dec-2025 02:40	3.25
08-Dec-2025 02:45	3.09
08-Dec-2025 02:50	3.03
08-Dec-2025 02:55	3.13
08-Dec-2025 03:00	0.97
08-Dec-2025 03:05	1.19
08-Dec-2025 03:10	1.13
08-Dec-2025 03:15	1.16
08-Dec-2025 03:20	1.34
08-Dec-2025 03:25	1.38
08-Dec-2025 03:30	2.94
08-Dec-2025 03:35	2.91
08-Dec-2025 03:40	2.88
08-Dec-2025 03:45	3.06
08-Dec-2025 03:50	3.13
08-Dec-2025 03:55	3.13
08-Dec-2025 04:00	3.16

Timestamp	SPM
08-Dec-2025 04:05	3.06
08-Dec-2025 04:10	2.78
08-Dec-2025 04:15	3.09
08-Dec-2025 04:20	3.03
08-Dec-2025 04:25	3.28
08-Dec-2025 04:30	3.34
08-Dec-2025 04:35	3.28
08-Dec-2025 04:40	3.56
08-Dec-2025 04:45	3.53
08-Dec-2025 04:50	3.69
08-Dec-2025 04:55	3.63
08-Dec-2025 05:00	3.53
08-Dec-2025 05:05	3.56
08-Dec-2025 05:10	2.88
08-Dec-2025 05:15	3
08-Dec-2025 05:20	2.97
08-Dec-2025 05:25	6.94
08-Dec-2025 05:30	3.16
08-Dec-2025 05:35	4.94
08-Dec-2025 05:40	4.16
08-Dec-2025 05:45	3.44
08-Dec-2025 05:50	3.56
08-Dec-2025 05:55	3.69
08-Dec-2025 06:00	3.84
08-Dec-2025 06:05	4.06
08-Dec-2025 06:10	3.59
08-Dec-2025 06:15	3.78
08-Dec-2025 06:20	3.72
08-Dec-2025 06:25	2.81
08-Dec-2025 06:30	3.97
08-Dec-2025 06:35	5.91
08-Dec-2025 06:40	3.63
08-Dec-2025 06:45	3.5
08-Dec-2025 06:50	4.13
08-Dec-2025 06:55	3.69
08-Dec-2025 07:00	5.72
08-Dec-2025 07:05	4.88
08-Dec-2025 07:10	3.28
08-Dec-2025 07:15	2.94
08-Dec-2025 07:20	3.59
08-Dec-2025 07:25	4.59
08-Dec-2025 07:30	4.81
08-Dec-2025 07:35	4.19
08-Dec-2025 07:40	8.31
08-Dec-2025 07:45	8.41
08-Dec-2025 07:50	6.75
08-Dec-2025 07:55	5.06

Timestamp	SPM
08-Dec-2025 08:00	5.81
08-Dec-2025 08:05	8.13
08-Dec-2025 08:10	7.75
08-Dec-2025 08:15	6.13
08-Dec-2025 08:20	7.03
08-Dec-2025 08:25	9.16
08-Dec-2025 08:30	5.59
08-Dec-2025 08:35	6.78
08-Dec-2025 08:40	7.56
08-Dec-2025 08:45	5.56
08-Dec-2025 08:50	8.28
08-Dec-2025 08:55	7.94
08-Dec-2025 09:00	5.38
08-Dec-2025 09:05	8.03
08-Dec-2025 09:10	5.06
08-Dec-2025 09:15	4.59
08-Dec-2025 09:20	4.59
08-Dec-2025 09:25	4.53
08-Dec-2025 09:30	4.66
08-Dec-2025 09:35	3.84
08-Dec-2025 09:40	4.19
08-Dec-2025 09:45	6.53
08-Dec-2025 09:50	5.25
08-Dec-2025 09:55	4.53
08-Dec-2025 10:00	6.06
08-Dec-2025 10:05	5.22
08-Dec-2025 10:10	6.78
08-Dec-2025 10:15	5.38
08-Dec-2025 10:20	5.44
08-Dec-2025 10:25	4.84
08-Dec-2025 10:30	6.75
08-Dec-2025 10:35	7.31
08-Dec-2025 10:40	5.59
08-Dec-2025 10:45	8.03
08-Dec-2025 10:50	4.34
08-Dec-2025 10:55	7.69
08-Dec-2025 11:00	4.69
08-Dec-2025 11:05	6.81
08-Dec-2025 11:10	6.44
08-Dec-2025 11:15	4.5
08-Dec-2025 11:20	7.09
08-Dec-2025 11:25	6.28
08-Dec-2025 11:30	4.72
08-Dec-2025 11:35	7.06
08-Dec-2025 11:40	6.59
08-Dec-2025 11:45	5.59
08-Dec-2025 11:50	5.59

Timestamp	SPM
08-Dec-2025 11:55	6.94
08-Dec-2025 12:00	6.31
08-Dec-2025 12:05	6.5
08-Dec-2025 12:10	4.03
08-Dec-2025 12:15	6.53
08-Dec-2025 12:20	4.25
08-Dec-2025 12:25	4.22
08-Dec-2025 12:30	5
08-Dec-2025 12:35	4.28
08-Dec-2025 12:40	4.13
08-Dec-2025 12:45	4.16
08-Dec-2025 12:50	4
08-Dec-2025 12:55	4.03
08-Dec-2025 13:00	4.81
08-Dec-2025 13:05	6.13
08-Dec-2025 13:10	6.47
08-Dec-2025 13:15	4.03
08-Dec-2025 13:20	7.31
08-Dec-2025 13:25	5.13
08-Dec-2025 13:30	4.13
08-Dec-2025 13:35	3.63
08-Dec-2025 13:40	3.41
08-Dec-2025 13:45	4.03
08-Dec-2025 13:50	3.63
08-Dec-2025 13:55	3.53
08-Dec-2025 14:00	3.66
08-Dec-2025 14:05	4.63
08-Dec-2025 14:10	4.06
08-Dec-2025 14:15	3.88
08-Dec-2025 14:20	5.22
08-Dec-2025 14:25	4.97
08-Dec-2025 14:30	7.25
08-Dec-2025 14:35	5.19
08-Dec-2025 14:40	6.03
08-Dec-2025 14:45	8.59
08-Dec-2025 14:50	6.94
08-Dec-2025 14:55	6.78
08-Dec-2025 15:00	6.41
08-Dec-2025 15:05	6.84
08-Dec-2025 15:10	6.81
08-Dec-2025 15:15	6.69
08-Dec-2025 15:20	5.16
08-Dec-2025 15:25	5
08-Dec-2025 15:30	4.47
08-Dec-2025 15:35	4.94
08-Dec-2025 15:40	7.81
08-Dec-2025 15:45	5.06

Timestamp	SPM
08-Dec-2025 15:50	4.94
08-Dec-2025 15:55	5.78
08-Dec-2025 16:00	9.13
08-Dec-2025 16:05	5.25
08-Dec-2025 16:10	5.22
08-Dec-2025 16:15	8.41
08-Dec-2025 16:20	7.53
08-Dec-2025 16:25	6.56
08-Dec-2025 16:30	3.97
08-Dec-2025 16:35	3.56
08-Dec-2025 16:40	3.06
08-Dec-2025 16:45	2.84
08-Dec-2025 16:50	3.38
08-Dec-2025 16:55	3.09
08-Dec-2025 17:00	4.69
08-Dec-2025 17:05	3.78
08-Dec-2025 17:10	3.03
08-Dec-2025 17:15	3.56
08-Dec-2025 17:20	3.53
08-Dec-2025 17:25	2.88
08-Dec-2025 17:30	3.5
08-Dec-2025 17:35	5.09
08-Dec-2025 17:40	5.19
08-Dec-2025 17:45	6.38
08-Dec-2025 17:50	5.06
08-Dec-2025 17:55	4.06
08-Dec-2025 18:00	4.03
08-Dec-2025 18:05	3.91
08-Dec-2025 18:10	3.88
08-Dec-2025 18:15	3.44
08-Dec-2025 18:20	3.28
08-Dec-2025 18:25	3.78
08-Dec-2025 18:30	3.5
08-Dec-2025 18:35	3.72
08-Dec-2025 18:40	3.72
08-Dec-2025 18:45	4.22
08-Dec-2025 18:50	3.56
08-Dec-2025 18:55	3.63
08-Dec-2025 19:00	6.63
08-Dec-2025 19:05	4.06
08-Dec-2025 19:10	5.56
08-Dec-2025 19:15	5.09
08-Dec-2025 19:20	5.75
08-Dec-2025 19:25	6.44
08-Dec-2025 19:30	3.78
08-Dec-2025 19:35	5.44
08-Dec-2025 19:40	5.63

Timestamp	SPM
08-Dec-2025 19:45	4.44
08-Dec-2025 19:50	4.28
08-Dec-2025 19:55	5.91
08-Dec-2025 20:00	6.97
08-Dec-2025 20:05	8.38
08-Dec-2025 20:10	4.44
08-Dec-2025 20:15	4.75
08-Dec-2025 20:20	6.06
08-Dec-2025 20:25	6.38
08-Dec-2025 20:30	5.91
08-Dec-2025 20:35	5.38
08-Dec-2025 20:40	5.19
08-Dec-2025 20:45	4.09
08-Dec-2025 20:50	4.69
08-Dec-2025 20:55	6.06
08-Dec-2025 21:00	1.63
08-Dec-2025 21:05	1.47
08-Dec-2025 21:10	1.53
08-Dec-2025 21:15	1.72
08-Dec-2025 21:20	1.66
08-Dec-2025 21:25	1.84
08-Dec-2025 21:30	1.88
08-Dec-2025 21:35	1.84
08-Dec-2025 21:40	1.84
08-Dec-2025 21:45	6.69
08-Dec-2025 21:50	4.09
08-Dec-2025 21:55	4.31
08-Dec-2025 22:00	4.75
08-Dec-2025 22:05	4.19
08-Dec-2025 22:10	3.78
08-Dec-2025 22:15	5.38
08-Dec-2025 22:20	3.56
08-Dec-2025 22:25	3.44
08-Dec-2025 22:30	4.41
08-Dec-2025 22:35	3.94
08-Dec-2025 22:40	4.03
08-Dec-2025 22:45	4.03
08-Dec-2025 22:50	3.81
08-Dec-2025 22:55	3.88
08-Dec-2025 23:00	3.59
08-Dec-2025 23:05	3.28
08-Dec-2025 23:10	4.06
08-Dec-2025 23:15	3.41
08-Dec-2025 23:20	7.72
08-Dec-2025 23:25	3.19
08-Dec-2025 23:30	4.97
08-Dec-2025 23:35	8.84

Timestamp	SPM
08-Dec-2025 23:40	5.31
08-Dec-2025 23:45	4.84
08-Dec-2025 23:50	6.31
08-Dec-2025 23:55	3.09
09-Dec-2025 00:00	3.53
09-Dec-2025 00:05	3.75
09-Dec-2025 00:10	3.28
09-Dec-2025 00:15	3.69
09-Dec-2025 00:20	3.13
09-Dec-2025 00:25	3.25
09-Dec-2025 00:30	3.03
09-Dec-2025 00:35	3.13
09-Dec-2025 00:40	3.09
09-Dec-2025 00:45	2.91
09-Dec-2025 00:50	3.31
09-Dec-2025 00:55	3.22
09-Dec-2025 01:00	3.03
09-Dec-2025 01:05	3.06
09-Dec-2025 01:10	3.69
09-Dec-2025 01:15	4.34
09-Dec-2025 01:20	4.09
09-Dec-2025 01:25	3.91
09-Dec-2025 01:30	3.78
09-Dec-2025 01:35	3.63
09-Dec-2025 01:40	3.16
09-Dec-2025 01:45	3.69
09-Dec-2025 01:50	4.03
09-Dec-2025 01:55	3.84
09-Dec-2025 02:00	3.5
09-Dec-2025 02:05	3.44
09-Dec-2025 02:10	3.47
09-Dec-2025 02:15	3.41
09-Dec-2025 02:20	3.56
09-Dec-2025 02:25	3.28
09-Dec-2025 02:30	3.38
09-Dec-2025 02:35	3.34
09-Dec-2025 02:40	4.19
09-Dec-2025 02:45	3.75
09-Dec-2025 02:50	3.5
09-Dec-2025 02:55	3.56
09-Dec-2025 03:00	3.53
09-Dec-2025 03:05	4.06
09-Dec-2025 03:10	3.66
09-Dec-2025 03:15	3.47
09-Dec-2025 03:20	4.16
09-Dec-2025 03:25	4.22
09-Dec-2025 03:30	11.91

Timestamp	SPM
09-Dec-2025 03:35	7.53
09-Dec-2025 03:40	7.44
09-Dec-2025 03:45	7.38
09-Dec-2025 03:50	5.5
09-Dec-2025 03:55	6.72
09-Dec-2025 04:00	5.41
09-Dec-2025 04:05	7.5
09-Dec-2025 04:10	6.53
09-Dec-2025 04:15	6.16
09-Dec-2025 04:20	3.91
09-Dec-2025 04:25	3.88
09-Dec-2025 04:30	4.09
09-Dec-2025 04:35	3.97
09-Dec-2025 04:40	3.88
09-Dec-2025 04:45	3.97
09-Dec-2025 04:50	4.78
09-Dec-2025 04:55	3.78
09-Dec-2025 05:00	4.03
09-Dec-2025 05:05	4.44
09-Dec-2025 05:10	6.03
09-Dec-2025 05:15	7.66
09-Dec-2025 05:20	8.19
09-Dec-2025 05:25	5.94
09-Dec-2025 05:30	4.03
09-Dec-2025 05:35	4
09-Dec-2025 05:40	3.84
09-Dec-2025 05:45	3.72
09-Dec-2025 05:50	4.28
09-Dec-2025 05:55	3.44
09-Dec-2025 06:00	3.78
09-Dec-2025 06:05	3.75
09-Dec-2025 06:10	3.28
09-Dec-2025 06:15	3.44
09-Dec-2025 06:20	3.41
09-Dec-2025 06:25	3.31
09-Dec-2025 06:30	3.47
09-Dec-2025 06:35	3.63
09-Dec-2025 06:40	3.22
09-Dec-2025 06:45	3.03
09-Dec-2025 06:50	3.75
09-Dec-2025 06:55	3.13
09-Dec-2025 07:00	3.47
09-Dec-2025 07:05	2.94
09-Dec-2025 07:10	2.88
09-Dec-2025 07:15	2.91
09-Dec-2025 07:20	3.28
09-Dec-2025 07:25	4.03

Timestamp	SPM
09-Dec-2025 07:30	4.03
09-Dec-2025 07:35	3.84
09-Dec-2025 07:40	4.28
09-Dec-2025 07:45	4.72
09-Dec-2025 07:50	4.53
09-Dec-2025 07:55	7
09-Dec-2025 08:00	7.19
09-Dec-2025 08:05	6.34
09-Dec-2025 08:10	6.69
09-Dec-2025 08:15	9.31
09-Dec-2025 08:20	6
09-Dec-2025 08:25	6.75
09-Dec-2025 08:30	5.84
09-Dec-2025 08:35	5.84
09-Dec-2025 08:40	7.16
09-Dec-2025 08:45	8.09
09-Dec-2025 08:50	8.13
09-Dec-2025 08:55	8.03
09-Dec-2025 09:00	6.34
09-Dec-2025 09:05	4.63
09-Dec-2025 09:10	5.53
09-Dec-2025 09:15	6.81
09-Dec-2025 09:20	7.94
09-Dec-2025 09:25	8.88
09-Dec-2025 09:30	7.97
09-Dec-2025 09:35	8.31
09-Dec-2025 09:40	7.03
09-Dec-2025 09:45	6.19
09-Dec-2025 09:50	5.94
09-Dec-2025 09:55	5.63
09-Dec-2025 10:00	6.25
09-Dec-2025 10:05	6.66
09-Dec-2025 10:10	7.59
09-Dec-2025 10:15	6.97
09-Dec-2025 10:20	7.69
09-Dec-2025 10:25	7.34
09-Dec-2025 10:30	7.22
09-Dec-2025 10:35	7.25
09-Dec-2025 10:40	6.88
09-Dec-2025 10:45	7.84
09-Dec-2025 10:50	6.66
09-Dec-2025 10:55	6.53
09-Dec-2025 11:00	6.44
09-Dec-2025 11:05	5.91
09-Dec-2025 11:10	5.41
09-Dec-2025 11:15	5.06
09-Dec-2025 11:20	4.72

Timestamp	SPM
09-Dec-2025 11:25	5.22
09-Dec-2025 11:30	4.72
09-Dec-2025 11:35	4.88
09-Dec-2025 11:40	4.91
09-Dec-2025 11:45	5.03
09-Dec-2025 11:50	5.72
09-Dec-2025 11:55	5.72
09-Dec-2025 12:00	4.88
09-Dec-2025 12:05	4.94
09-Dec-2025 12:10	4.41
09-Dec-2025 12:15	4.56
09-Dec-2025 12:20	7.28
09-Dec-2025 12:25	4.34
09-Dec-2025 12:30	4.63
09-Dec-2025 12:35	5.25
09-Dec-2025 12:40	4.34
09-Dec-2025 12:45	4.19
09-Dec-2025 12:50	4.34
09-Dec-2025 12:55	4.22
09-Dec-2025 13:00	5.38
09-Dec-2025 13:05	4.56
09-Dec-2025 13:10	4.41
09-Dec-2025 13:15	4.94
09-Dec-2025 13:20	4.59
09-Dec-2025 13:25	4.09
09-Dec-2025 13:30	4.22
09-Dec-2025 13:35	3.94
09-Dec-2025 13:40	4.34
09-Dec-2025 13:45	3.91
09-Dec-2025 13:50	3.78
09-Dec-2025 13:55	5.19
09-Dec-2025 14:00	4.34
09-Dec-2025 14:05	4.59
09-Dec-2025 14:10	4.84
09-Dec-2025 14:15	4.38
09-Dec-2025 14:20	4.13
09-Dec-2025 14:25	3.81
09-Dec-2025 14:30	4.19
09-Dec-2025 14:35	4.53
09-Dec-2025 14:40	4.13
09-Dec-2025 14:45	4.28
09-Dec-2025 14:50	6.25
09-Dec-2025 14:55	4.34
09-Dec-2025 15:00	5.38
09-Dec-2025 15:05	6.63
09-Dec-2025 15:10	5.5
09-Dec-2025 15:15	5.66

Timestamp	SPM
09-Dec-2025 15:20	5.53
09-Dec-2025 15:25	5.06
09-Dec-2025 15:30	6.72
09-Dec-2025 15:35	4.94
09-Dec-2025 15:40	4.47
09-Dec-2025 15:45	5.25
09-Dec-2025 15:50	4.28
09-Dec-2025 15:55	4.38
09-Dec-2025 16:00	5.13
09-Dec-2025 16:05	4.91
09-Dec-2025 16:10	3.97
09-Dec-2025 16:15	4.13
09-Dec-2025 16:20	4.16
09-Dec-2025 16:25	5.16
09-Dec-2025 16:30	5.59
09-Dec-2025 16:35	5.38
09-Dec-2025 16:40	4.06
09-Dec-2025 16:45	4.31
09-Dec-2025 16:50	5.47
09-Dec-2025 16:55	4.47
09-Dec-2025 17:00	4.78
09-Dec-2025 17:05	5.34
09-Dec-2025 17:10	4.13
09-Dec-2025 17:15	4.88
09-Dec-2025 17:20	5.13
09-Dec-2025 17:25	4
09-Dec-2025 17:30	4.28
09-Dec-2025 17:35	3.91
09-Dec-2025 17:40	3.38
09-Dec-2025 17:45	3.59
09-Dec-2025 17:50	3.84
09-Dec-2025 17:55	3.66
09-Dec-2025 18:00	5.81
09-Dec-2025 18:05	4.34
09-Dec-2025 18:10	3.94
09-Dec-2025 18:15	4.38
09-Dec-2025 18:20	3.75
09-Dec-2025 18:25	4.38
09-Dec-2025 18:30	4.28
09-Dec-2025 18:35	3.91
09-Dec-2025 18:40	4.63
09-Dec-2025 18:45	4.44
09-Dec-2025 18:50	3.91
09-Dec-2025 18:55	4.81
09-Dec-2025 19:00	3.56
09-Dec-2025 19:05	3.75
09-Dec-2025 19:10	4.13

Timestamp	SPM
09-Dec-2025 19:15	3.75
09-Dec-2025 19:20	3.19
09-Dec-2025 19:25	3.47
09-Dec-2025 19:30	3.97
09-Dec-2025 19:35	3.84
09-Dec-2025 19:40	3.94
09-Dec-2025 19:45	3.25
09-Dec-2025 19:50	3.88
09-Dec-2025 19:55	3.84
09-Dec-2025 20:00	3.78
09-Dec-2025 20:05	3.94
09-Dec-2025 20:10	1.63
09-Dec-2025 20:15	1.63
09-Dec-2025 20:20	1.38
09-Dec-2025 20:25	1.72
09-Dec-2025 20:30	1.72
09-Dec-2025 20:35	1.84
09-Dec-2025 20:40	1.75
09-Dec-2025 20:45	1.75
09-Dec-2025 20:50	3.25
09-Dec-2025 20:55	4.13
09-Dec-2025 21:00	3.94
09-Dec-2025 21:05	3.88
09-Dec-2025 21:10	3.75
09-Dec-2025 21:15	3.38
09-Dec-2025 21:20	3.38
09-Dec-2025 21:25	3.28
09-Dec-2025 21:30	3.38
09-Dec-2025 21:35	3.38
09-Dec-2025 21:40	3.25
09-Dec-2025 21:45	3.69
09-Dec-2025 21:50	3.31
09-Dec-2025 21:55	3.13
09-Dec-2025 22:00	3.38
09-Dec-2025 22:05	3.19
09-Dec-2025 22:10	3.5
09-Dec-2025 22:15	2.97
09-Dec-2025 22:20	5.84
09-Dec-2025 22:25	5.5
09-Dec-2025 22:30	5
09-Dec-2025 22:35	4.94
09-Dec-2025 22:40	6.09
09-Dec-2025 22:45	5.47
09-Dec-2025 22:50	5.13
09-Dec-2025 22:55	3.81
09-Dec-2025 23:00	4.22
09-Dec-2025 23:05	4.16

Timestamp	SPM
09-Dec-2025 23:10	4.53
09-Dec-2025 23:15	3.91
09-Dec-2025 23:20	3.31
09-Dec-2025 23:25	3.94
09-Dec-2025 23:30	3.88
09-Dec-2025 23:35	3
09-Dec-2025 23:40	3.5
09-Dec-2025 23:45	3.59
09-Dec-2025 23:50	3.5
09-Dec-2025 23:55	5.28
10-Dec-2025 00:00	3.84
10-Dec-2025 00:05	3.72
10-Dec-2025 00:10	3.66
10-Dec-2025 00:15	3.81
10-Dec-2025 00:20	3.97
10-Dec-2025 00:25	4.13
10-Dec-2025 00:30	3.88
10-Dec-2025 00:35	4.75
10-Dec-2025 00:40	4.13
10-Dec-2025 00:45	3.88
10-Dec-2025 00:50	4.03
10-Dec-2025 00:55	3.53
10-Dec-2025 01:00	4.06
10-Dec-2025 01:05	3.69
10-Dec-2025 01:10	3.72
10-Dec-2025 01:15	4.09
10-Dec-2025 01:20	3.63
10-Dec-2025 01:25	3.5
10-Dec-2025 01:30	4.22
10-Dec-2025 01:35	3.53
10-Dec-2025 01:40	3.31
10-Dec-2025 01:45	3.69
10-Dec-2025 01:50	3.25
10-Dec-2025 01:55	4.22
10-Dec-2025 02:00	4.31
10-Dec-2025 02:05	4
10-Dec-2025 02:10	4.13
10-Dec-2025 02:15	3.63
10-Dec-2025 02:20	3.5
10-Dec-2025 02:25	4
10-Dec-2025 02:30	3.59
10-Dec-2025 02:35	3.56
10-Dec-2025 02:40	3.84
10-Dec-2025 02:45	3.75
10-Dec-2025 02:50	3.41
10-Dec-2025 02:55	3.53
10-Dec-2025 03:00	3.53

Timestamp	SPM
10-Dec-2025 03:05	3.53
10-Dec-2025 03:10	3.13
10-Dec-2025 03:15	8.53
10-Dec-2025 03:20	6.63
10-Dec-2025 03:25	3.66
10-Dec-2025 03:30	4.84
10-Dec-2025 03:35	5.47
10-Dec-2025 03:40	4.03
10-Dec-2025 03:45	5.34
10-Dec-2025 03:50	3.19
10-Dec-2025 03:55	2.81
10-Dec-2025 04:00	3.16
10-Dec-2025 04:05	2.88
10-Dec-2025 04:10	3
10-Dec-2025 04:15	2.88
10-Dec-2025 04:20	2.75
10-Dec-2025 04:25	2.81
10-Dec-2025 04:30	2.88
10-Dec-2025 04:35	2.78
10-Dec-2025 04:40	2.75
10-Dec-2025 04:45	3.16
10-Dec-2025 04:50	6.03
10-Dec-2025 04:55	5.59
10-Dec-2025 05:00	4.97
10-Dec-2025 05:05	5.28
10-Dec-2025 05:10	3.88
10-Dec-2025 05:15	4.13
10-Dec-2025 05:20	5.28
10-Dec-2025 05:25	4
10-Dec-2025 05:30	4.25
10-Dec-2025 05:35	5.13
10-Dec-2025 05:40	3.59
10-Dec-2025 05:45	4.22
10-Dec-2025 05:50	4.66
10-Dec-2025 05:55	3.72
10-Dec-2025 06:00	4.34
10-Dec-2025 06:05	4.59
10-Dec-2025 06:10	4.06
10-Dec-2025 06:15	4.09
10-Dec-2025 06:20	3.94
10-Dec-2025 06:25	3.56
10-Dec-2025 06:30	5.75
10-Dec-2025 06:35	4
10-Dec-2025 06:40	3.44
10-Dec-2025 06:45	1.22
10-Dec-2025 06:50	6.44
10-Dec-2025 06:55	4.31

Timestamp	SPM
10-Dec-2025 07:00	3.59
10-Dec-2025 07:05	3.41
10-Dec-2025 07:10	3.69
10-Dec-2025 07:15	3.41
10-Dec-2025 07:20	3.03
10-Dec-2025 07:25	4.31
10-Dec-2025 07:30	4.06
10-Dec-2025 07:35	4.19
10-Dec-2025 07:40	5.06
10-Dec-2025 07:45	4.59
10-Dec-2025 07:50	4.19
10-Dec-2025 07:55	4.84
10-Dec-2025 08:00	4.97
10-Dec-2025 08:05	5.25
10-Dec-2025 08:10	5.34
10-Dec-2025 08:15	5.31
10-Dec-2025 08:20	5.03
10-Dec-2025 08:25	5.22
10-Dec-2025 08:30	5.69
10-Dec-2025 08:35	4.25
10-Dec-2025 08:40	5.03
10-Dec-2025 08:45	6.03
10-Dec-2025 08:50	5.16
10-Dec-2025 08:55	5.28
10-Dec-2025 09:00	5.94
10-Dec-2025 09:05	4.06
10-Dec-2025 09:10	4.53
10-Dec-2025 09:15	4.03
10-Dec-2025 09:20	11.19
10-Dec-2025 09:25	8.03
10-Dec-2025 09:30	8.16
10-Dec-2025 09:35	7.22
10-Dec-2025 09:40	5.5
10-Dec-2025 09:45	5.19
10-Dec-2025 09:50	7.5
10-Dec-2025 09:55	6.69
10-Dec-2025 10:00	6.31
10-Dec-2025 10:05	6.88
10-Dec-2025 10:10	6.56
10-Dec-2025 10:15	4.38
10-Dec-2025 10:20	7.38
10-Dec-2025 10:25	4.88
10-Dec-2025 10:30	5.91
10-Dec-2025 10:35	8.94
10-Dec-2025 10:40	5
10-Dec-2025 10:45	5.66
10-Dec-2025 10:50	7.5

Timestamp	SPM
10-Dec-2025 10:55	7.19
10-Dec-2025 11:00	6.44
10-Dec-2025 11:05	4.69
10-Dec-2025 11:10	4.63
10-Dec-2025 11:15	5.03
10-Dec-2025 11:20	5.84
10-Dec-2025 11:25	7.97
10-Dec-2025 11:30	7.34
10-Dec-2025 11:35	6.75
10-Dec-2025 11:40	5.75
10-Dec-2025 11:45	5.22
10-Dec-2025 11:50	5.47
10-Dec-2025 11:55	5.19
10-Dec-2025 12:00	5.22
10-Dec-2025 12:05	4.94
10-Dec-2025 12:10	5.53
10-Dec-2025 12:15	5.66
10-Dec-2025 12:20	5.28
10-Dec-2025 12:25	6.69
10-Dec-2025 12:30	6.47
10-Dec-2025 12:35	6.69
10-Dec-2025 12:40	6.91
10-Dec-2025 12:45	6.78
10-Dec-2025 12:50	4.5
10-Dec-2025 12:55	4.88
10-Dec-2025 13:00	5.75
10-Dec-2025 13:05	6.38
10-Dec-2025 13:10	4.72
10-Dec-2025 13:15	4.25
10-Dec-2025 13:20	5.06
10-Dec-2025 13:25	3.81
10-Dec-2025 13:30	3.84
10-Dec-2025 13:35	3.59
10-Dec-2025 13:40	4.06
10-Dec-2025 13:45	4.34
10-Dec-2025 13:50	3.97
10-Dec-2025 13:55	4.06
10-Dec-2025 14:00	4.72
10-Dec-2025 14:05	4.44
10-Dec-2025 14:10	3.81
10-Dec-2025 14:15	4.34
10-Dec-2025 14:20	3.97
10-Dec-2025 14:25	3.94
10-Dec-2025 14:30	4.66
10-Dec-2025 14:35	4.41
10-Dec-2025 14:40	4.81
10-Dec-2025 14:45	4.69

Timestamp	SPM
10-Dec-2025 14:50	4.03
10-Dec-2025 14:55	4.31
10-Dec-2025 15:00	4.78
10-Dec-2025 15:05	4.88
10-Dec-2025 15:10	4.56
10-Dec-2025 15:15	4.03
10-Dec-2025 15:20	5
10-Dec-2025 15:25	4.31
10-Dec-2025 15:30	4.41
10-Dec-2025 15:35	5.75
10-Dec-2025 15:40	3.78
10-Dec-2025 15:45	3.69
10-Dec-2025 15:50	4.16
10-Dec-2025 15:55	3.72
10-Dec-2025 16:00	4.41
10-Dec-2025 16:05	4.63
10-Dec-2025 16:10	3.75
10-Dec-2025 16:15	3.97
10-Dec-2025 16:20	3.88
10-Dec-2025 16:25	3.59
10-Dec-2025 16:30	5
10-Dec-2025 16:35	4.41
10-Dec-2025 16:40	2.91
10-Dec-2025 16:45	3.41
10-Dec-2025 16:50	3.63
10-Dec-2025 16:55	2.78
10-Dec-2025 17:00	4
10-Dec-2025 17:05	4.88
10-Dec-2025 17:10	5.34
10-Dec-2025 17:15	4.56
10-Dec-2025 17:20	3.59
10-Dec-2025 17:25	3.81
10-Dec-2025 17:30	3.59
10-Dec-2025 17:35	3.88
10-Dec-2025 17:40	3.56
10-Dec-2025 17:45	2.97
10-Dec-2025 17:50	3.16
10-Dec-2025 17:55	3.19
10-Dec-2025 18:00	3.63
10-Dec-2025 18:05	5.38
10-Dec-2025 18:10	3.13
10-Dec-2025 18:15	3.38
10-Dec-2025 18:20	3.38
10-Dec-2025 18:25	3.38
10-Dec-2025 18:30	3.5
10-Dec-2025 18:35	3.69
10-Dec-2025 18:40	3.53

Timestamp	SPM
10-Dec-2025 18:45	3.47
10-Dec-2025 18:50	3.53
10-Dec-2025 18:55	3.34
10-Dec-2025 19:00	3.5
10-Dec-2025 19:05	3.53
10-Dec-2025 19:10	3.56
10-Dec-2025 19:15	4.13
10-Dec-2025 19:20	3.81
10-Dec-2025 19:25	3.81
10-Dec-2025 19:30	3.22
10-Dec-2025 19:35	2.97
10-Dec-2025 19:40	3.84
10-Dec-2025 19:45	3.53
10-Dec-2025 19:50	2.81
10-Dec-2025 19:55	3.81
10-Dec-2025 20:00	3.38
10-Dec-2025 20:05	3.53
10-Dec-2025 20:10	3.5
10-Dec-2025 20:15	3.69
10-Dec-2025 20:20	3.72
10-Dec-2025 20:25	3.5
10-Dec-2025 20:30	3.75
10-Dec-2025 20:35	5.09
10-Dec-2025 20:40	3.13
10-Dec-2025 20:45	3.41
10-Dec-2025 20:50	1.69
10-Dec-2025 20:55	1.41
10-Dec-2025 21:00	1.72
10-Dec-2025 21:05	1.63
10-Dec-2025 21:10	1.59
10-Dec-2025 21:15	1.78
10-Dec-2025 21:20	1.31
10-Dec-2025 21:25	1.63
10-Dec-2025 21:30	1.53
10-Dec-2025 21:35	5.22
10-Dec-2025 21:40	4
10-Dec-2025 21:45	4.19
10-Dec-2025 21:50	3.69
10-Dec-2025 21:55	4.66
10-Dec-2025 22:00	4.38
10-Dec-2025 22:05	4
10-Dec-2025 22:10	5.41
10-Dec-2025 22:15	3.59
10-Dec-2025 22:20	3.69
10-Dec-2025 22:25	4.28
10-Dec-2025 22:30	3.5
10-Dec-2025 22:35	3.69

Timestamp	SPM
10-Dec-2025 22:40	3.38
10-Dec-2025 22:45	3.69
10-Dec-2025 22:50	3.72
10-Dec-2025 22:55	3.66
10-Dec-2025 23:00	7.06
10-Dec-2025 23:05	7.72
10-Dec-2025 23:10	6.28
10-Dec-2025 23:15	4.09
10-Dec-2025 23:20	8.13
10-Dec-2025 23:25	4.38
10-Dec-2025 23:30	3.34
10-Dec-2025 23:35	3.25
10-Dec-2025 23:40	3.13
10-Dec-2025 23:45	3.53
10-Dec-2025 23:50	3.31
10-Dec-2025 23:55	3.78
11-Dec-2025 00:00	3.59
11-Dec-2025 00:05	3.44
11-Dec-2025 00:10	3.63
11-Dec-2025 00:15	3.53
11-Dec-2025 00:20	3.34
11-Dec-2025 00:25	3.25
11-Dec-2025 00:30	3.41
11-Dec-2025 00:35	3.56
11-Dec-2025 00:40	3.41
11-Dec-2025 00:45	3.44
11-Dec-2025 00:50	3.31
11-Dec-2025 00:55	3.06
11-Dec-2025 01:00	3.81
11-Dec-2025 01:05	3.59
11-Dec-2025 01:10	3.41
11-Dec-2025 01:15	4.97
11-Dec-2025 01:20	4.19
11-Dec-2025 01:25	3.66
11-Dec-2025 01:30	3.44
11-Dec-2025 01:35	3.34
11-Dec-2025 01:40	3.31
11-Dec-2025 01:45	3.06
11-Dec-2025 01:50	3.44
11-Dec-2025 01:55	3.47
11-Dec-2025 02:00	3.31
11-Dec-2025 02:05	3.19
11-Dec-2025 02:10	3.09
11-Dec-2025 02:15	3.38
11-Dec-2025 02:20	2.91
11-Dec-2025 02:25	3.38
11-Dec-2025 02:30	3.13

Timestamp	SPM
11-Dec-2025 02:35	3.88
11-Dec-2025 02:40	3.19
11-Dec-2025 02:45	3.5
11-Dec-2025 02:50	3.19
11-Dec-2025 02:55	3.5
11-Dec-2025 03:00	3.53
11-Dec-2025 03:05	2.63
11-Dec-2025 03:10	2.75
11-Dec-2025 03:15	2.97
11-Dec-2025 03:20	3.13
11-Dec-2025 03:25	3.09
11-Dec-2025 03:30	3.59
11-Dec-2025 03:35	3.88
11-Dec-2025 03:40	4
11-Dec-2025 03:45	3.69
11-Dec-2025 03:50	3.59
11-Dec-2025 03:55	6.84
11-Dec-2025 04:00	5.84
11-Dec-2025 04:05	4.25
11-Dec-2025 04:10	5.25
11-Dec-2025 04:15	6.53
11-Dec-2025 04:20	4.06
11-Dec-2025 04:25	5.81
11-Dec-2025 04:30	5.72
11-Dec-2025 04:35	3.75
11-Dec-2025 04:40	3.41
11-Dec-2025 04:45	5.09
11-Dec-2025 04:50	3.5
11-Dec-2025 04:55	3.75
11-Dec-2025 05:00	4.72
11-Dec-2025 05:05	3.72
11-Dec-2025 05:10	3.84
11-Dec-2025 05:15	3.75
11-Dec-2025 05:20	3.88
11-Dec-2025 05:25	4.16
11-Dec-2025 05:30	4.13
11-Dec-2025 05:35	4.16
11-Dec-2025 05:40	5.66
11-Dec-2025 05:45	5.56
11-Dec-2025 05:50	7.03
11-Dec-2025 05:55	3.53
11-Dec-2025 06:00	4.03
11-Dec-2025 06:05	4.03
11-Dec-2025 06:10	3.59
11-Dec-2025 06:15	3.53
11-Dec-2025 06:20	3.53
11-Dec-2025 06:25	3.69

Timestamp	SPM
11-Dec-2025 06:30	3.72
11-Dec-2025 06:35	3.53
11-Dec-2025 06:40	3.44
11-Dec-2025 06:45	4.25
11-Dec-2025 06:50	3.88
11-Dec-2025 06:55	3.72
11-Dec-2025 07:00	3.81
11-Dec-2025 07:05	3.5
11-Dec-2025 07:10	3.38
11-Dec-2025 07:15	3.63
11-Dec-2025 07:20	3.38
11-Dec-2025 07:25	4.31
11-Dec-2025 07:30	4.88
11-Dec-2025 07:35	5.03
11-Dec-2025 07:40	4.94
11-Dec-2025 07:45	4.69
11-Dec-2025 07:50	5.09
11-Dec-2025 07:55	4.94
11-Dec-2025 08:00	5.22
11-Dec-2025 08:05	4
11-Dec-2025 08:10	4.63
11-Dec-2025 08:15	5.44
11-Dec-2025 08:20	4.66
11-Dec-2025 08:25	4.84
11-Dec-2025 08:30	5.38
11-Dec-2025 08:35	4.69
11-Dec-2025 08:40	5.16
11-Dec-2025 08:45	4.31
11-Dec-2025 08:50	3.97
11-Dec-2025 08:55	5.44
11-Dec-2025 09:00	4.81
11-Dec-2025 09:05	4.38
11-Dec-2025 09:10	4.88
11-Dec-2025 09:15	4.66
11-Dec-2025 09:20	4.94
11-Dec-2025 09:25	4.66
11-Dec-2025 09:30	4.31
11-Dec-2025 09:35	4.19
11-Dec-2025 09:40	4.06
11-Dec-2025 09:45	4.34
11-Dec-2025 09:50	4.19
11-Dec-2025 09:55	4.25
11-Dec-2025 10:00	4.47
11-Dec-2025 10:05	4.28
11-Dec-2025 10:10	3.97
11-Dec-2025 10:15	3.72
11-Dec-2025 10:20	3.69

Timestamp	SPM
11-Dec-2025 10:25	4.28
11-Dec-2025 10:30	4.25
11-Dec-2025 10:35	3.47
11-Dec-2025 10:40	4.66
11-Dec-2025 10:45	7.22
11-Dec-2025 10:50	4.34
11-Dec-2025 10:55	4.47
11-Dec-2025 11:00	4.13
11-Dec-2025 11:05	4.5
11-Dec-2025 11:10	4.94
11-Dec-2025 11:15	4.38
11-Dec-2025 11:20	3.56
11-Dec-2025 11:25	4.16
11-Dec-2025 11:30	3.63
11-Dec-2025 11:35	3.78
11-Dec-2025 11:40	3.59
11-Dec-2025 11:45	3.78
11-Dec-2025 11:50	3.81
11-Dec-2025 11:55	3.88
11-Dec-2025 12:00	4.5
11-Dec-2025 12:05	4.06
11-Dec-2025 12:10	3.56
11-Dec-2025 12:15	3.09
11-Dec-2025 12:20	3.47
11-Dec-2025 12:25	4.31
11-Dec-2025 12:30	3.69
11-Dec-2025 12:35	4.34
11-Dec-2025 12:40	4.31
11-Dec-2025 12:45	3.44
11-Dec-2025 12:50	3.75
11-Dec-2025 12:55	3.88
11-Dec-2025 13:00	4.81
11-Dec-2025 13:05	4.47
11-Dec-2025 13:10	4.13
11-Dec-2025 13:15	3.44
11-Dec-2025 13:20	3.63
11-Dec-2025 13:25	4.31
11-Dec-2025 13:30	3.84
11-Dec-2025 13:35	3.5
11-Dec-2025 13:40	4.31
11-Dec-2025 13:45	4
11-Dec-2025 13:50	3.78
11-Dec-2025 13:55	4.72
11-Dec-2025 14:00	4.44
11-Dec-2025 14:05	4.53
11-Dec-2025 14:10	4.47
11-Dec-2025 14:15	3.97

Timestamp	SPM
11-Dec-2025 14:20	5.19
11-Dec-2025 14:25	4.28
11-Dec-2025 14:30	4.38
11-Dec-2025 14:35	4.44
11-Dec-2025 14:40	3.88
11-Dec-2025 14:45	4
11-Dec-2025 14:50	4
11-Dec-2025 14:55	3.63
11-Dec-2025 15:00	4.75
11-Dec-2025 15:05	4.69
11-Dec-2025 15:10	4.22
11-Dec-2025 15:15	4.13
11-Dec-2025 15:20	4
11-Dec-2025 15:25	4.16
11-Dec-2025 15:30	4.66
11-Dec-2025 15:35	4.41
11-Dec-2025 15:40	3.84
11-Dec-2025 15:45	4.09
11-Dec-2025 15:50	3.97
11-Dec-2025 15:55	3.47
11-Dec-2025 16:00	4.38
11-Dec-2025 16:05	4.78
11-Dec-2025 16:10	4.63
11-Dec-2025 16:15	4.63
11-Dec-2025 16:20	4.5
11-Dec-2025 16:25	3.56
11-Dec-2025 16:30	5.09
11-Dec-2025 16:35	4.97
11-Dec-2025 16:40	4
11-Dec-2025 16:45	3.47
11-Dec-2025 16:50	3.69
11-Dec-2025 16:55	3.22
11-Dec-2025 17:00	4.13
11-Dec-2025 17:05	3.97
11-Dec-2025 17:10	3.22
11-Dec-2025 17:15	5.09
11-Dec-2025 17:20	3.63
11-Dec-2025 17:25	3.78
11-Dec-2025 17:30	4.31
11-Dec-2025 17:35	3.91
11-Dec-2025 17:40	3.69
11-Dec-2025 17:45	3.09
11-Dec-2025 17:50	2.94
11-Dec-2025 17:55	4.81
11-Dec-2025 18:00	4.69
11-Dec-2025 18:05	7.28
11-Dec-2025 18:10	4.5

Timestamp	SPM
11-Dec-2025 18:15	4.38
11-Dec-2025 18:20	6.63
11-Dec-2025 18:25	6
11-Dec-2025 18:30	6.84
11-Dec-2025 18:35	7.22
11-Dec-2025 18:40	4.38
11-Dec-2025 18:45	6.25
11-Dec-2025 18:50	4.75
11-Dec-2025 18:55	6.84
11-Dec-2025 19:00	4.63
11-Dec-2025 19:05	6.09
11-Dec-2025 19:10	6.41
11-Dec-2025 19:15	4.91
11-Dec-2025 19:20	5
11-Dec-2025 19:25	6.31
11-Dec-2025 19:30	6.5
11-Dec-2025 19:35	4.59
11-Dec-2025 19:40	3.88
11-Dec-2025 19:45	4.59
11-Dec-2025 19:50	6.28
11-Dec-2025 19:55	3.38
11-Dec-2025 20:00	2.84
11-Dec-2025 20:05	3.53
11-Dec-2025 20:10	2.84
11-Dec-2025 20:15	3.47
11-Dec-2025 20:20	2.97
11-Dec-2025 20:25	3.78
11-Dec-2025 20:30	3.44
11-Dec-2025 20:35	2.75
11-Dec-2025 20:40	3.41
11-Dec-2025 20:45	2.84
11-Dec-2025 20:50	2.69
11-Dec-2025 20:55	3.09
11-Dec-2025 21:00	2.97
11-Dec-2025 21:05	2.91
11-Dec-2025 21:10	3.34
11-Dec-2025 21:15	3.03
11-Dec-2025 21:20	3.03
11-Dec-2025 21:25	2.94
11-Dec-2025 21:30	2.66
11-Dec-2025 21:35	2.81
11-Dec-2025 21:40	3.41
11-Dec-2025 21:45	2.66
11-Dec-2025 21:50	2.88
11-Dec-2025 21:55	3.25
11-Dec-2025 22:00	3.28
11-Dec-2025 22:05	3.28

Timestamp	SPM
11-Dec-2025 22:10	3.38
11-Dec-2025 22:15	3.09
11-Dec-2025 22:20	3
11-Dec-2025 22:25	2.81
11-Dec-2025 22:30	2.88
11-Dec-2025 22:35	2.72
11-Dec-2025 22:40	2.78
11-Dec-2025 22:45	3.75
11-Dec-2025 22:50	3.16
11-Dec-2025 22:55	3.44
11-Dec-2025 23:00	3.38
11-Dec-2025 23:05	7.06
11-Dec-2025 23:10	6.28
11-Dec-2025 23:15	5.75
11-Dec-2025 23:20	5.38
11-Dec-2025 23:25	3.78
11-Dec-2025 23:30	5.72
11-Dec-2025 23:35	6.59
11-Dec-2025 23:40	5.47
11-Dec-2025 23:45	5.66
11-Dec-2025 23:50	6.72
11-Dec-2025 23:55	5.19
12-Dec-2025 00:00	4.97
12-Dec-2025 00:05	5.5
12-Dec-2025 00:10	5.81
12-Dec-2025 00:15	6.03
12-Dec-2025 00:20	6.06
12-Dec-2025 00:25	5.5
12-Dec-2025 00:30	6.19
12-Dec-2025 00:35	5.81
12-Dec-2025 00:40	5.41
12-Dec-2025 00:45	5.66
12-Dec-2025 00:50	5.53
12-Dec-2025 00:55	5.69
12-Dec-2025 01:00	6.19
12-Dec-2025 01:05	6
12-Dec-2025 01:10	5.53
12-Dec-2025 01:15	5.63
12-Dec-2025 01:20	5.16
12-Dec-2025 01:25	6
12-Dec-2025 01:30	5.63
12-Dec-2025 01:35	5.47
12-Dec-2025 01:40	2.78
12-Dec-2025 01:45	2.97
12-Dec-2025 01:50	2.94
12-Dec-2025 01:55	2.94
12-Dec-2025 02:00	3.22

Timestamp	SPM
12-Dec-2025 02:05	3.19
12-Dec-2025 02:10	3
12-Dec-2025 02:15	3.16
12-Dec-2025 02:20	3.09
12-Dec-2025 02:25	2.97
12-Dec-2025 02:30	3.16
12-Dec-2025 02:35	2.84
12-Dec-2025 02:40	3.63
12-Dec-2025 02:45	3.47
12-Dec-2025 02:50	3.59
12-Dec-2025 02:55	3.53
12-Dec-2025 03:00	4.13
12-Dec-2025 03:05	3.69
12-Dec-2025 03:10	3.34
12-Dec-2025 03:15	3.41
12-Dec-2025 03:20	3.59
12-Dec-2025 03:25	4.31
12-Dec-2025 03:30	3.25
12-Dec-2025 03:35	3.5
12-Dec-2025 03:40	2.81
12-Dec-2025 03:45	3.09
12-Dec-2025 03:50	3.03
12-Dec-2025 03:55	4.25
12-Dec-2025 04:00	5.06
12-Dec-2025 04:05	4.25
12-Dec-2025 04:10	4.97
12-Dec-2025 04:15	6.22
12-Dec-2025 04:20	6
12-Dec-2025 04:25	4.94
12-Dec-2025 04:30	4.81
12-Dec-2025 04:35	6.06
12-Dec-2025 04:40	6.44
12-Dec-2025 04:45	6.03
12-Dec-2025 04:50	7.16
12-Dec-2025 04:55	6.94
12-Dec-2025 05:00	7.34
12-Dec-2025 05:05	7.66
12-Dec-2025 05:10	5.78
12-Dec-2025 05:15	4.31
12-Dec-2025 05:20	3.59
12-Dec-2025 05:25	3.84
12-Dec-2025 05:30	4.41
12-Dec-2025 05:35	3.78
12-Dec-2025 05:40	3.47
12-Dec-2025 05:45	4
12-Dec-2025 05:50	3.78
12-Dec-2025 05:55	4.34

Timestamp	SPM
12-Dec-2025 06:00	4.69
12-Dec-2025 06:05	4.63
12-Dec-2025 06:10	4.44
12-Dec-2025 06:15	4.34
12-Dec-2025 06:20	4.25
12-Dec-2025 06:25	4.53
12-Dec-2025 06:30	4.47
12-Dec-2025 06:35	4.5
12-Dec-2025 06:40	4.16
12-Dec-2025 06:45	4.41
12-Dec-2025 06:50	3.97
12-Dec-2025 06:55	3.84
12-Dec-2025 07:00	4.03
12-Dec-2025 07:05	4.22
12-Dec-2025 07:10	3.78
12-Dec-2025 07:15	3.72
12-Dec-2025 07:20	3.81
12-Dec-2025 07:25	4.03
12-Dec-2025 07:30	3.91
12-Dec-2025 07:35	3.78
12-Dec-2025 07:40	4.63
12-Dec-2025 07:45	4.03
12-Dec-2025 07:50	3.84
12-Dec-2025 07:55	4.16
12-Dec-2025 08:00	4.5
12-Dec-2025 08:05	3.69
12-Dec-2025 08:10	4.31
12-Dec-2025 08:15	4.88
12-Dec-2025 08:20	3.91
12-Dec-2025 08:25	4.13
12-Dec-2025 08:30	4.19
12-Dec-2025 08:35	3.81
12-Dec-2025 08:40	4.97
12-Dec-2025 08:45	4.09
12-Dec-2025 08:50	3.88
12-Dec-2025 08:55	4.97
12-Dec-2025 09:00	4.44
12-Dec-2025 09:05	3.69
12-Dec-2025 09:10	3.91
12-Dec-2025 09:15	3.78
12-Dec-2025 09:20	4.19
12-Dec-2025 09:25	4.13
12-Dec-2025 09:30	3.72
12-Dec-2025 09:35	4.63
12-Dec-2025 09:40	4.06
12-Dec-2025 09:45	3.94
12-Dec-2025 09:50	3.44

Timestamp	SPM
12-Dec-2025 09:55	3.81
12-Dec-2025 10:00	3.56
12-Dec-2025 10:05	3.41
12-Dec-2025 10:10	4.06
12-Dec-2025 10:15	3.94
12-Dec-2025 10:20	3.56
12-Dec-2025 10:25	3.66
12-Dec-2025 10:30	3.81
12-Dec-2025 10:35	3.84
12-Dec-2025 10:40	3.91
12-Dec-2025 10:45	4.34
12-Dec-2025 10:50	4.09
12-Dec-2025 10:55	4.19
12-Dec-2025 11:00	4.38
12-Dec-2025 11:05	3.72
12-Dec-2025 11:10	4
12-Dec-2025 11:15	3.88
12-Dec-2025 11:20	3.56
12-Dec-2025 11:25	4
12-Dec-2025 11:30	3.41
12-Dec-2025 11:35	2.88
12-Dec-2025 11:40	3.53
12-Dec-2025 11:45	3.66
12-Dec-2025 11:50	3.5
12-Dec-2025 11:55	4.34
12-Dec-2025 12:00	2.22
12-Dec-2025 12:05	3.44
12-Dec-2025 12:10	3.06
12-Dec-2025 12:15	3.53
12-Dec-2025 12:20	3.19
12-Dec-2025 12:25	4.28
12-Dec-2025 12:30	3.78
12-Dec-2025 12:35	4.34
12-Dec-2025 12:40	3.84
12-Dec-2025 12:45	3.38
12-Dec-2025 12:50	3.13
12-Dec-2025 12:55	3.5
12-Dec-2025 13:00	3.44
12-Dec-2025 13:05	3.47
12-Dec-2025 13:10	2.97
12-Dec-2025 13:15	2.88
12-Dec-2025 13:20	3.16
12-Dec-2025 13:25	2.97
12-Dec-2025 13:30	3.19
12-Dec-2025 13:35	3.63
12-Dec-2025 13:40	4.56
12-Dec-2025 13:45	6

Timestamp	SPM
12-Dec-2025 13:50	5.34
12-Dec-2025 13:55	7.88
12-Dec-2025 14:00	9.78
12-Dec-2025 14:05	11
12-Dec-2025 14:10	8.72
12-Dec-2025 14:15	8.84
12-Dec-2025 14:20	8.69
12-Dec-2025 14:25	8.47
12-Dec-2025 14:30	7.88
12-Dec-2025 14:35	8.19
12-Dec-2025 14:40	6.44
12-Dec-2025 14:45	6.38
12-Dec-2025 14:50	5.19
12-Dec-2025 14:55	4.5
12-Dec-2025 15:00	6.16
12-Dec-2025 15:05	7.06
12-Dec-2025 15:10	6.25
12-Dec-2025 15:15	7.28
12-Dec-2025 15:20	6.78
12-Dec-2025 15:25	4.16
12-Dec-2025 15:30	6
12-Dec-2025 15:35	5.94
12-Dec-2025 15:40	5.22
12-Dec-2025 15:45	5.63
12-Dec-2025 15:50	5.19
12-Dec-2025 15:55	4.56
12-Dec-2025 16:00	5.69
12-Dec-2025 16:05	4.88
12-Dec-2025 16:10	5.19
12-Dec-2025 16:15	4.16
12-Dec-2025 16:20	4.28
12-Dec-2025 16:25	3.75
12-Dec-2025 16:30	4.16
12-Dec-2025 16:35	4.47
12-Dec-2025 16:40	3.72
12-Dec-2025 16:45	3.94
12-Dec-2025 16:50	3.28
12-Dec-2025 16:55	2.66
12-Dec-2025 17:00	3.75
12-Dec-2025 17:05	4.72
12-Dec-2025 17:10	3.78
12-Dec-2025 17:15	3.88
12-Dec-2025 17:20	4.16
12-Dec-2025 17:25	4
12-Dec-2025 17:30	4.5
12-Dec-2025 17:35	4.44
12-Dec-2025 17:40	4.13

Timestamp	SPM
12-Dec-2025 17:45	5.69
12-Dec-2025 17:50	3.72
12-Dec-2025 17:55	3.78
12-Dec-2025 18:00	4.44
12-Dec-2025 18:05	3.91
12-Dec-2025 18:10	3.34
12-Dec-2025 18:15	3.56
12-Dec-2025 18:20	3.53
12-Dec-2025 18:25	3.91
12-Dec-2025 18:30	4.22
12-Dec-2025 18:35	3.97
12-Dec-2025 18:40	4
12-Dec-2025 18:45	3.81
12-Dec-2025 18:50	3.38
12-Dec-2025 18:55	3.88
12-Dec-2025 19:00	3.63
12-Dec-2025 19:05	4.28
12-Dec-2025 19:10	4.22
12-Dec-2025 19:15	4.16
12-Dec-2025 19:20	4.19
12-Dec-2025 19:25	3.72
12-Dec-2025 19:30	3.81
12-Dec-2025 19:35	4.63
12-Dec-2025 19:40	3.88
12-Dec-2025 19:45	3.38
12-Dec-2025 19:50	3.59
12-Dec-2025 19:55	3.72
12-Dec-2025 20:00	4.19
12-Dec-2025 20:05	3.34
12-Dec-2025 20:10	3.66
12-Dec-2025 20:15	4.22
12-Dec-2025 20:20	6.63
12-Dec-2025 20:25	7.16
12-Dec-2025 20:30	5.56
12-Dec-2025 20:35	3.41
12-Dec-2025 20:40	3.69
12-Dec-2025 20:45	7.5
12-Dec-2025 20:50	7.06
12-Dec-2025 20:55	7
12-Dec-2025 21:00	4.5
12-Dec-2025 21:05	7.59
12-Dec-2025 21:10	5.19
12-Dec-2025 21:15	7.56
12-Dec-2025 21:20	5.19
12-Dec-2025 21:25	5.69
12-Dec-2025 21:30	6.88
12-Dec-2025 21:35	6.16

Timestamp	SPM
12-Dec-2025 21:40	4.38
12-Dec-2025 21:45	4.88
12-Dec-2025 21:50	6.06
12-Dec-2025 21:55	7.72
12-Dec-2025 22:00	6.66
12-Dec-2025 22:05	5.53
12-Dec-2025 22:10	4.22
12-Dec-2025 22:15	4
12-Dec-2025 22:20	4.66
12-Dec-2025 22:25	5.13
12-Dec-2025 22:30	6.09
12-Dec-2025 22:35	3.69
12-Dec-2025 22:40	3.25
12-Dec-2025 22:45	3.88
12-Dec-2025 22:50	3.84
12-Dec-2025 22:55	3.97
12-Dec-2025 23:00	4.16
12-Dec-2025 23:05	3.47
12-Dec-2025 23:10	4.03
12-Dec-2025 23:15	4.13
12-Dec-2025 23:20	3.94
12-Dec-2025 23:25	4.16
12-Dec-2025 23:30	3.5
12-Dec-2025 23:35	4
12-Dec-2025 23:40	6.84
12-Dec-2025 23:45	6.47
12-Dec-2025 23:50	8.75
12-Dec-2025 23:55	5.16
13-Dec-2025 00:00	3.38
13-Dec-2025 00:05	3.22
13-Dec-2025 00:10	4.06
13-Dec-2025 00:15	3.94
13-Dec-2025 00:20	3.31
13-Dec-2025 00:25	4
13-Dec-2025 00:30	3.25
13-Dec-2025 00:35	3.44
13-Dec-2025 00:40	3.44
13-Dec-2025 00:45	3.34
13-Dec-2025 00:50	4.28
13-Dec-2025 00:55	3.88
13-Dec-2025 01:00	3.78
13-Dec-2025 01:05	3.25
13-Dec-2025 01:10	3.25
13-Dec-2025 01:15	3.16
13-Dec-2025 01:20	3.38
13-Dec-2025 01:25	3.13
13-Dec-2025 01:30	3.09

Timestamp	SPM
13-Dec-2025 01:35	5.59
13-Dec-2025 01:40	3.5
13-Dec-2025 01:45	3.25
13-Dec-2025 01:50	3.47
13-Dec-2025 01:55	3.47
13-Dec-2025 02:00	4.78
13-Dec-2025 02:05	4.59
13-Dec-2025 02:10	3.91
13-Dec-2025 02:15	3.59
13-Dec-2025 02:20	3.28
13-Dec-2025 02:25	3.5
13-Dec-2025 02:30	3.44
13-Dec-2025 02:35	3.56
13-Dec-2025 02:40	3.25
13-Dec-2025 02:45	3.78
13-Dec-2025 02:50	2.94
13-Dec-2025 02:55	3.5
13-Dec-2025 03:00	3.81
13-Dec-2025 03:05	3.47
13-Dec-2025 03:10	2.94
13-Dec-2025 03:15	3.19
13-Dec-2025 03:20	3.59
13-Dec-2025 03:25	3.47
13-Dec-2025 03:30	3.47
13-Dec-2025 03:35	3.59
13-Dec-2025 03:40	3.38
13-Dec-2025 03:45	4.44
13-Dec-2025 03:50	4.47
13-Dec-2025 03:55	3.72
13-Dec-2025 04:00	3.84
13-Dec-2025 04:05	4.19
13-Dec-2025 04:10	3.13
13-Dec-2025 04:15	3.22
13-Dec-2025 04:20	3.19
13-Dec-2025 04:25	3.34
13-Dec-2025 04:30	3.31
13-Dec-2025 04:35	3.22
13-Dec-2025 04:40	3.44
13-Dec-2025 04:45	3.63
13-Dec-2025 04:50	3.69
13-Dec-2025 04:55	3.34
13-Dec-2025 05:00	3.75
13-Dec-2025 05:05	3.88
13-Dec-2025 05:10	3.41
13-Dec-2025 05:15	3.66
13-Dec-2025 05:20	3.66
13-Dec-2025 05:25	3.94

Timestamp	SPM
13-Dec-2025 05:30	4.91
13-Dec-2025 05:35	4.22
13-Dec-2025 05:40	3.63
13-Dec-2025 05:45	3.78
13-Dec-2025 05:50	4.06
13-Dec-2025 05:55	3.47
13-Dec-2025 06:00	3.75
13-Dec-2025 06:05	3.5
13-Dec-2025 06:10	3.69
13-Dec-2025 06:15	3.38
13-Dec-2025 06:20	3.81
13-Dec-2025 06:25	3.72
13-Dec-2025 06:30	3.84
13-Dec-2025 06:35	4.25
13-Dec-2025 06:40	4.25
13-Dec-2025 06:45	3.5
13-Dec-2025 06:50	4.06
13-Dec-2025 06:55	3.63
13-Dec-2025 07:00	5.13
13-Dec-2025 07:05	4.5
13-Dec-2025 07:10	3.91
13-Dec-2025 07:15	3.94
13-Dec-2025 07:20	3.66
13-Dec-2025 07:25	3.53
13-Dec-2025 07:30	3.69
13-Dec-2025 07:35	3.78
13-Dec-2025 07:40	5
13-Dec-2025 07:45	4.31
13-Dec-2025 07:50	3.28
13-Dec-2025 07:55	4.88
13-Dec-2025 08:00	5
13-Dec-2025 08:05	3.78
13-Dec-2025 08:10	4.41
13-Dec-2025 08:15	4.97
13-Dec-2025 08:20	3.81
13-Dec-2025 08:25	4.75
13-Dec-2025 08:30	4.81
13-Dec-2025 08:35	4.38
13-Dec-2025 08:40	4.94
13-Dec-2025 08:45	4.69
13-Dec-2025 08:50	4.66
13-Dec-2025 08:55	4.47
13-Dec-2025 09:00	4.38
13-Dec-2025 09:05	3.84
13-Dec-2025 09:10	3.91
13-Dec-2025 09:15	4.16
13-Dec-2025 09:20	4.06

Timestamp	SPM
13-Dec-2025 09:25	4.28
13-Dec-2025 09:30	4.44
13-Dec-2025 09:35	3.88
13-Dec-2025 09:40	3.84
13-Dec-2025 09:45	4.38
13-Dec-2025 09:50	3.97
13-Dec-2025 09:55	3.84
13-Dec-2025 10:00	4.84
13-Dec-2025 10:05	3.56
13-Dec-2025 10:10	3.94
13-Dec-2025 10:15	3.91
13-Dec-2025 10:20	3.91
13-Dec-2025 10:25	3.88
13-Dec-2025 10:30	3.47
13-Dec-2025 10:35	3.84
13-Dec-2025 10:40	2.19
13-Dec-2025 10:45	2.13
13-Dec-2025 10:50	1.78
13-Dec-2025 10:55	2.19
13-Dec-2025 11:00	2.06
13-Dec-2025 11:05	2.38
13-Dec-2025 11:10	2.06
13-Dec-2025 11:15	2.28
13-Dec-2025 11:20	2.06
13-Dec-2025 11:25	3.66
13-Dec-2025 11:30	4.66
13-Dec-2025 11:35	5.03
13-Dec-2025 11:40	4.88
13-Dec-2025 11:45	4.69
13-Dec-2025 11:50	4.38
13-Dec-2025 11:55	5.56
13-Dec-2025 12:00	5.5
13-Dec-2025 12:05	5.03
13-Dec-2025 12:10	3.72
13-Dec-2025 12:15	4.03
13-Dec-2025 12:20	3.31
13-Dec-2025 12:25	3.91
13-Dec-2025 12:30	3.72
13-Dec-2025 12:35	3.5
13-Dec-2025 12:40	3.16
13-Dec-2025 12:45	3.06
13-Dec-2025 12:50	3.16
13-Dec-2025 12:55	3.25
13-Dec-2025 13:00	3.75
13-Dec-2025 13:05	4.81
13-Dec-2025 13:10	7.91
13-Dec-2025 13:15	5.91

Timestamp	SPM
13-Dec-2025 13:20	4.28
13-Dec-2025 13:25	4.09
13-Dec-2025 13:30	6.94
13-Dec-2025 13:35	3.06
13-Dec-2025 13:40	3.06
13-Dec-2025 13:45	3.72
13-Dec-2025 13:50	3.5
13-Dec-2025 13:55	3.06
13-Dec-2025 14:00	3.59
13-Dec-2025 14:05	3.38
13-Dec-2025 14:10	3.16
13-Dec-2025 14:15	3.22
13-Dec-2025 14:20	3.59
13-Dec-2025 14:25	3.47
13-Dec-2025 14:30	4.28
13-Dec-2025 14:35	3.63
13-Dec-2025 14:40	3.28
13-Dec-2025 14:45	3.59
13-Dec-2025 14:50	3.72
13-Dec-2025 14:55	3.28
13-Dec-2025 15:00	4.81
13-Dec-2025 15:05	4.5
13-Dec-2025 15:10	4.09
13-Dec-2025 15:15	4.47
13-Dec-2025 15:20	4.88
13-Dec-2025 15:25	4.69
13-Dec-2025 15:30	4.47
13-Dec-2025 15:35	4.56
13-Dec-2025 15:40	3.56
13-Dec-2025 15:45	3.63
13-Dec-2025 15:50	3.38
13-Dec-2025 15:55	3.06
13-Dec-2025 16:00	3.63
13-Dec-2025 16:05	4.5
13-Dec-2025 16:10	2.91
13-Dec-2025 16:15	3.47
13-Dec-2025 16:20	3.44
13-Dec-2025 16:25	3.31
13-Dec-2025 16:30	3.59
13-Dec-2025 16:35	3.78
13-Dec-2025 16:40	3.09
13-Dec-2025 16:45	2.91
13-Dec-2025 16:50	3.16
13-Dec-2025 16:55	3.25
13-Dec-2025 17:00	3.94
13-Dec-2025 17:05	3.38
13-Dec-2025 17:10	3.44

Timestamp	SPM
13-Dec-2025 17:15	3.34
13-Dec-2025 17:20	3.19
13-Dec-2025 17:25	2.81
13-Dec-2025 17:30	3.34
13-Dec-2025 17:35	3.13
13-Dec-2025 17:40	3.09
13-Dec-2025 17:45	2.91
13-Dec-2025 17:50	2.94
13-Dec-2025 17:55	3.31
13-Dec-2025 18:00	3.53
13-Dec-2025 18:05	3.47
13-Dec-2025 18:10	3.63
13-Dec-2025 18:15	3.56
13-Dec-2025 18:20	3.31
13-Dec-2025 18:25	3.47
13-Dec-2025 18:30	3.03
13-Dec-2025 18:35	3.31
13-Dec-2025 18:40	3.56
13-Dec-2025 18:45	3.91
13-Dec-2025 18:50	3.94
13-Dec-2025 18:55	4.63
13-Dec-2025 19:00	4.22
13-Dec-2025 19:05	3.78
13-Dec-2025 19:10	3.91
13-Dec-2025 19:15	3.16
13-Dec-2025 19:20	3.31
13-Dec-2025 19:25	3.63
13-Dec-2025 19:30	3.88
13-Dec-2025 19:35	2.97
13-Dec-2025 19:40	3.09
13-Dec-2025 19:45	3.28
13-Dec-2025 19:50	3.25
13-Dec-2025 19:55	2.97
13-Dec-2025 20:00	3.34
13-Dec-2025 20:05	2.78
13-Dec-2025 20:10	2.84
13-Dec-2025 20:15	2.84
13-Dec-2025 20:20	2.72
13-Dec-2025 20:25	2.84
13-Dec-2025 20:30	2.72
13-Dec-2025 20:35	2.88
13-Dec-2025 20:40	3.5
13-Dec-2025 20:45	2.81
13-Dec-2025 20:50	3.38
13-Dec-2025 20:55	3.72
13-Dec-2025 21:00	3.78
13-Dec-2025 21:05	3.19

Timestamp	SPM
13-Dec-2025 21:10	3.56
13-Dec-2025 21:15	3.63
13-Dec-2025 21:20	3.31
13-Dec-2025 21:25	3.41
13-Dec-2025 21:30	3.22
13-Dec-2025 21:35	3.06
13-Dec-2025 21:40	3.38
13-Dec-2025 21:45	3.38
13-Dec-2025 21:50	3.25
13-Dec-2025 21:55	3.72
13-Dec-2025 22:00	3.97
13-Dec-2025 22:05	3.34
13-Dec-2025 22:10	3.53
13-Dec-2025 22:15	3.06
13-Dec-2025 22:20	3.16
13-Dec-2025 22:25	3.63
13-Dec-2025 22:30	3.59
13-Dec-2025 22:35	3.38
13-Dec-2025 22:40	3.56
13-Dec-2025 22:45	3.69
13-Dec-2025 22:50	4.03
13-Dec-2025 22:55	4.19
13-Dec-2025 23:00	3.69
13-Dec-2025 23:05	3.22
13-Dec-2025 23:10	3.41
13-Dec-2025 23:15	3.63
13-Dec-2025 23:20	3.44
13-Dec-2025 23:25	5.75
13-Dec-2025 23:30	6.53
13-Dec-2025 23:35	4.72
13-Dec-2025 23:40	4.78
13-Dec-2025 23:45	5.09
13-Dec-2025 23:50	5.66
13-Dec-2025 23:55	6.22
14-Dec-2025 00:00	6.66
14-Dec-2025 00:05	4.47
14-Dec-2025 00:10	4.53
14-Dec-2025 00:15	4.34
14-Dec-2025 00:20	4.47
14-Dec-2025 00:25	4.38
14-Dec-2025 00:30	4.28
14-Dec-2025 00:35	4.5
14-Dec-2025 00:40	4.41
14-Dec-2025 00:45	4.41
14-Dec-2025 00:50	4.41
14-Dec-2025 00:55	4.81
14-Dec-2025 01:00	5.25

Timestamp	SPM
14-Dec-2025 01:05	5.75
14-Dec-2025 01:10	5.53
14-Dec-2025 01:15	5.84
14-Dec-2025 01:20	5.78
14-Dec-2025 01:25	5.78
14-Dec-2025 01:30	6
14-Dec-2025 01:35	3.19
14-Dec-2025 01:40	2.91
14-Dec-2025 01:45	2.94
14-Dec-2025 01:50	2.56
14-Dec-2025 01:55	3.06
14-Dec-2025 02:00	3.16
14-Dec-2025 02:05	2.81
14-Dec-2025 02:10	2.88
14-Dec-2025 02:15	3
14-Dec-2025 02:20	3.13
14-Dec-2025 02:25	2.94
14-Dec-2025 02:30	2.91
14-Dec-2025 02:35	3.25
14-Dec-2025 02:40	3.38
14-Dec-2025 02:45	3
14-Dec-2025 02:50	2.81
14-Dec-2025 02:55	3.25
14-Dec-2025 03:00	3.69
14-Dec-2025 03:05	5.28
14-Dec-2025 03:10	4.75
14-Dec-2025 03:15	3.97
14-Dec-2025 03:20	3.66
14-Dec-2025 03:25	3.53
14-Dec-2025 03:30	3.41
14-Dec-2025 03:35	3.06
14-Dec-2025 03:40	3.19
14-Dec-2025 03:45	3.09
14-Dec-2025 03:50	3.19
14-Dec-2025 03:55	3.31
14-Dec-2025 04:00	3.44
14-Dec-2025 04:05	3.16
14-Dec-2025 04:10	3.28
14-Dec-2025 04:15	3.13
14-Dec-2025 04:20	3.06
14-Dec-2025 04:25	3.09
14-Dec-2025 04:30	3.38
14-Dec-2025 04:35	3.28
14-Dec-2025 04:40	3.28
14-Dec-2025 04:45	3.56
14-Dec-2025 04:50	3.94
14-Dec-2025 04:55	4.09

Timestamp	SPM
14-Dec-2025 05:00	5.91
14-Dec-2025 05:05	4.56
14-Dec-2025 05:10	4.31
14-Dec-2025 05:15	4.47
14-Dec-2025 05:20	4.13
14-Dec-2025 05:25	3.72
14-Dec-2025 05:30	4.22
14-Dec-2025 05:35	4.66
14-Dec-2025 05:40	3.5
14-Dec-2025 05:45	4.84
14-Dec-2025 05:50	4.56
14-Dec-2025 05:55	3.81
14-Dec-2025 06:00	3.69
14-Dec-2025 06:05	3.81
14-Dec-2025 06:10	3.06
14-Dec-2025 06:15	3.38
14-Dec-2025 06:20	4.31
14-Dec-2025 06:25	4.41
14-Dec-2025 06:30	5.06
14-Dec-2025 06:35	4.69
14-Dec-2025 06:40	3.91
14-Dec-2025 06:45	4.09
14-Dec-2025 06:50	3.59
14-Dec-2025 06:55	3.59
14-Dec-2025 07:00	3.84
14-Dec-2025 07:05	4
14-Dec-2025 07:10	3.69
14-Dec-2025 07:15	3.56
14-Dec-2025 07:20	3.53
14-Dec-2025 07:25	4.06
14-Dec-2025 07:30	3.66
14-Dec-2025 07:35	3.91
14-Dec-2025 07:40	4.06
14-Dec-2025 07:45	3.66
14-Dec-2025 07:50	4.13
14-Dec-2025 07:55	4.5
14-Dec-2025 08:00	4.84
14-Dec-2025 08:05	4.41
14-Dec-2025 08:10	5.09
14-Dec-2025 08:15	4.84
14-Dec-2025 08:20	4.03
14-Dec-2025 08:25	4.41
14-Dec-2025 08:30	4.78
14-Dec-2025 08:35	3.47
14-Dec-2025 08:40	3.53
14-Dec-2025 08:45	3.97
14-Dec-2025 08:50	3.69

Timestamp	SPM
14-Dec-2025 08:55	4.38
14-Dec-2025 09:00	4
14-Dec-2025 09:05	3.19
14-Dec-2025 09:10	3.28
14-Dec-2025 09:15	3.03
14-Dec-2025 09:20	2.75
14-Dec-2025 09:25	3.75
14-Dec-2025 09:30	5.06
14-Dec-2025 09:35	4.84
14-Dec-2025 09:40	5.63
14-Dec-2025 09:45	5.34
14-Dec-2025 09:50	5.72
14-Dec-2025 09:55	4.41
14-Dec-2025 10:00	5
14-Dec-2025 10:05	4.41
14-Dec-2025 10:10	4.5
14-Dec-2025 10:15	4.47
14-Dec-2025 10:20	3.81
14-Dec-2025 10:25	4.41
14-Dec-2025 10:30	4.66
14-Dec-2025 10:35	4.91
14-Dec-2025 10:40	4.81
14-Dec-2025 10:45	5.88
14-Dec-2025 10:50	6.34
14-Dec-2025 10:55	5.81
14-Dec-2025 11:00	4.72
14-Dec-2025 11:05	4.16
14-Dec-2025 11:10	5.13
14-Dec-2025 11:15	4.81
14-Dec-2025 11:20	6.47
14-Dec-2025 11:25	5.03
14-Dec-2025 11:30	5.19
14-Dec-2025 11:35	7.09
14-Dec-2025 11:40	5.88
14-Dec-2025 11:45	4.69
14-Dec-2025 11:50	3.69
14-Dec-2025 11:55	3.5
14-Dec-2025 12:00	4.31
14-Dec-2025 12:05	4.59
14-Dec-2025 12:10	4.06
14-Dec-2025 12:15	3.75
14-Dec-2025 12:20	3.5
14-Dec-2025 12:25	2.94
14-Dec-2025 12:30	4.63
14-Dec-2025 12:35	3.5
14-Dec-2025 12:40	2.84
14-Dec-2025 12:45	3.72

Timestamp	SPM
14-Dec-2025 12:50	3.88
14-Dec-2025 12:55	3.69
14-Dec-2025 13:00	4.34
14-Dec-2025 13:05	3.38
14-Dec-2025 13:10	3.97
14-Dec-2025 13:15	5.06
14-Dec-2025 13:20	4.22
14-Dec-2025 13:25	3.25
14-Dec-2025 13:30	4.28
14-Dec-2025 13:35	4.56
14-Dec-2025 13:40	4.72
14-Dec-2025 13:45	4.63
14-Dec-2025 13:50	4.44
14-Dec-2025 13:55	4.47
14-Dec-2025 14:00	4.91
14-Dec-2025 14:05	5.16
14-Dec-2025 14:10	4.75
14-Dec-2025 14:15	5.22
14-Dec-2025 14:20	6.13
14-Dec-2025 14:25	4.94
14-Dec-2025 14:30	5.53
14-Dec-2025 14:35	6.19
14-Dec-2025 14:40	5.06
14-Dec-2025 14:45	3.94
14-Dec-2025 14:50	4.44
14-Dec-2025 14:55	4.5
14-Dec-2025 15:00	4.59
14-Dec-2025 15:05	4.03
14-Dec-2025 15:10	2.59
14-Dec-2025 15:15	3.53
14-Dec-2025 15:20	3.44
14-Dec-2025 15:25	2.69
14-Dec-2025 15:30	4.78
14-Dec-2025 15:35	3.34
14-Dec-2025 15:40	2.41
14-Dec-2025 15:45	2.56
14-Dec-2025 15:50	3.53
14-Dec-2025 15:55	4
14-Dec-2025 16:00	3.72
14-Dec-2025 16:05	3.91
14-Dec-2025 16:10	3.16
14-Dec-2025 16:15	3.72
14-Dec-2025 16:20	5
14-Dec-2025 16:25	3.81
14-Dec-2025 16:30	3.94
14-Dec-2025 16:35	3.47
14-Dec-2025 16:40	3.03

Timestamp	SPM
14-Dec-2025 16:45	3.38
14-Dec-2025 16:50	3.94
14-Dec-2025 16:55	3.44
14-Dec-2025 17:00	3.94
14-Dec-2025 17:05	3.94
14-Dec-2025 17:10	3.47
14-Dec-2025 17:15	3.59
14-Dec-2025 17:20	4.41
14-Dec-2025 17:25	3.59
14-Dec-2025 17:30	3.91
14-Dec-2025 17:35	3.44
14-Dec-2025 17:40	3.22
14-Dec-2025 17:45	3.78
14-Dec-2025 17:50	4.38
14-Dec-2025 17:55	4.88
14-Dec-2025 18:00	5.28
14-Dec-2025 18:05	4.25
14-Dec-2025 18:10	3.97
14-Dec-2025 18:15	3.81
14-Dec-2025 18:20	3.72
14-Dec-2025 18:25	3.91
14-Dec-2025 18:30	3.47
14-Dec-2025 18:35	3.53
14-Dec-2025 18:40	3.53
14-Dec-2025 18:45	3.81
14-Dec-2025 18:50	3.66
14-Dec-2025 18:55	3.59
14-Dec-2025 19:00	3.44
14-Dec-2025 19:05	3.25
14-Dec-2025 19:10	3.41
14-Dec-2025 19:15	3.44
14-Dec-2025 19:20	3.09
14-Dec-2025 19:25	3.28
14-Dec-2025 19:30	3.03
14-Dec-2025 19:35	2.81
14-Dec-2025 19:40	3.97
14-Dec-2025 19:45	4.31
14-Dec-2025 19:50	5.25
14-Dec-2025 19:55	4.72
14-Dec-2025 20:00	4.09
14-Dec-2025 20:05	3.81
14-Dec-2025 20:10	3.94
14-Dec-2025 20:15	3.63
14-Dec-2025 20:20	3.25
14-Dec-2025 20:25	3.59
14-Dec-2025 20:30	3.41
14-Dec-2025 20:35	3.25

Timestamp	SPM
14-Dec-2025 20:40	3.34
14-Dec-2025 20:45	3.56
14-Dec-2025 20:50	3.38
14-Dec-2025 20:55	3.91
14-Dec-2025 21:00	3.78
14-Dec-2025 21:05	3.69
14-Dec-2025 21:10	3.69
14-Dec-2025 21:15	3.66
14-Dec-2025 21:20	3.5
14-Dec-2025 21:25	3.56
14-Dec-2025 21:30	4
14-Dec-2025 21:35	4.53
14-Dec-2025 21:40	4.97
14-Dec-2025 21:45	4.5
14-Dec-2025 21:50	3.72
14-Dec-2025 21:55	3.47
14-Dec-2025 22:00	3.44
14-Dec-2025 22:05	3.44
14-Dec-2025 22:10	3.22
14-Dec-2025 22:15	3.19
14-Dec-2025 22:20	3.5
14-Dec-2025 22:25	3.69
14-Dec-2025 22:30	3.28
14-Dec-2025 22:35	3.34
14-Dec-2025 22:40	6.25
14-Dec-2025 22:45	6.41
14-Dec-2025 22:50	4.25
14-Dec-2025 22:55	5.41
14-Dec-2025 23:00	4.94
14-Dec-2025 23:05	7.19
14-Dec-2025 23:10	4.44
14-Dec-2025 23:15	6.28
14-Dec-2025 23:20	6.78
14-Dec-2025 23:25	7.19
14-Dec-2025 23:30	7.28
14-Dec-2025 23:35	7.25
14-Dec-2025 23:40	7.13
14-Dec-2025 23:45	5.63
14-Dec-2025 23:50	5.31
14-Dec-2025 23:55	7.81
15-Dec-2025 00:00	7.84
15-Dec-2025 00:05	6.16
15-Dec-2025 00:10	4.81
15-Dec-2025 00:15	5.09
15-Dec-2025 00:20	6.09
15-Dec-2025 00:25	6.75
15-Dec-2025 00:30	5.97

Timestamp	SPM
15-Dec-2025 00:35	4.25
15-Dec-2025 00:40	4.53
15-Dec-2025 00:45	5.97
15-Dec-2025 00:50	6.31
15-Dec-2025 00:55	5.66
15-Dec-2025 01:00	5.63
15-Dec-2025 01:05	4.97
15-Dec-2025 01:10	4.31
15-Dec-2025 01:15	4.34
15-Dec-2025 01:20	5.22
15-Dec-2025 01:25	5.78
15-Dec-2025 01:30	5.66
15-Dec-2025 01:35	6.34
15-Dec-2025 01:40	6.38
15-Dec-2025 01:45	5.91
15-Dec-2025 01:50	5.63
15-Dec-2025 01:55	5.06
15-Dec-2025 02:00	4.56
15-Dec-2025 02:05	3.78
15-Dec-2025 02:10	4.31
15-Dec-2025 02:15	4.5
15-Dec-2025 02:20	5.31
15-Dec-2025 02:25	3.84
15-Dec-2025 02:30	3.94
15-Dec-2025 02:35	3.66
15-Dec-2025 02:40	3.25
15-Dec-2025 02:45	3.16
15-Dec-2025 02:50	3.53
15-Dec-2025 02:55	3.84
15-Dec-2025 03:00	4.38
15-Dec-2025 03:05	3.53
15-Dec-2025 03:10	4.03
15-Dec-2025 03:15	4.19
15-Dec-2025 03:20	4.19
15-Dec-2025 03:25	3.94
15-Dec-2025 03:30	3.5
15-Dec-2025 03:35	3.94
15-Dec-2025 03:40	4.03
15-Dec-2025 03:45	3.66
15-Dec-2025 03:50	3.91
15-Dec-2025 03:55	4.34
15-Dec-2025 04:00	4.06
15-Dec-2025 04:05	3.5
15-Dec-2025 04:10	3.78
15-Dec-2025 04:15	3.97
15-Dec-2025 04:20	3.81
15-Dec-2025 04:25	3.84

Timestamp	SPM
15-Dec-2025 04:30	4.13
15-Dec-2025 04:35	4.38
15-Dec-2025 04:40	4
15-Dec-2025 04:45	4.63
15-Dec-2025 04:50	4.44
15-Dec-2025 04:55	4.47
15-Dec-2025 05:00	4.72
15-Dec-2025 05:05	4.19
15-Dec-2025 05:10	3.97
15-Dec-2025 05:15	4.34
15-Dec-2025 05:20	4
15-Dec-2025 05:25	3.81
15-Dec-2025 05:30	4.81
15-Dec-2025 05:35	4.06
15-Dec-2025 05:40	4
15-Dec-2025 05:45	4.41
15-Dec-2025 05:50	3.97
15-Dec-2025 05:55	3.81
15-Dec-2025 06:00	4.06
15-Dec-2025 06:05	4.19
15-Dec-2025 06:10	4.09
15-Dec-2025 06:15	4.03
15-Dec-2025 06:20	4.38
15-Dec-2025 06:25	5.59
15-Dec-2025 06:30	13.34
15-Dec-2025 06:35	4.94
15-Dec-2025 06:40	4
15-Dec-2025 06:45	3.78
15-Dec-2025 06:50	3.84
15-Dec-2025 06:55	3.47
15-Dec-2025 07:00	3.69
15-Dec-2025 07:05	3.47
15-Dec-2025 07:10	3.09
15-Dec-2025 07:15	2.94
15-Dec-2025 07:20	2.84
15-Dec-2025 07:25	3.59
15-Dec-2025 07:30	4.09
15-Dec-2025 07:35	4.44
15-Dec-2025 07:40	4.25
15-Dec-2025 07:45	4.63
15-Dec-2025 07:50	4.03
15-Dec-2025 07:55	4.47
15-Dec-2025 08:00	4.41
15-Dec-2025 08:05	4.09
15-Dec-2025 08:10	4.44
15-Dec-2025 08:15	4.16
15-Dec-2025 08:20	3.84

Timestamp	SPM
15-Dec-2025 08:25	4.75
15-Dec-2025 08:30	4.63
15-Dec-2025 08:35	3.63
15-Dec-2025 08:40	4.16
15-Dec-2025 08:45	4.47
15-Dec-2025 08:50	4.41
15-Dec-2025 08:55	4.34
15-Dec-2025 09:00	4.59
15-Dec-2025 09:05	3.41
15-Dec-2025 09:10	4.47
15-Dec-2025 09:15	4.44
15-Dec-2025 09:20	4.53
15-Dec-2025 09:25	4.28
15-Dec-2025 09:30	4.06
15-Dec-2025 09:35	4.09
15-Dec-2025 09:40	4.13
15-Dec-2025 09:45	5.69
15-Dec-2025 09:50	4.53
15-Dec-2025 09:55	5.06
15-Dec-2025 10:00	5.41
15-Dec-2025 10:05	4.72
15-Dec-2025 10:10	5.09
15-Dec-2025 10:15	4.81
15-Dec-2025 10:20	4.38
15-Dec-2025 10:25	4.66
15-Dec-2025 10:30	4.5
15-Dec-2025 10:35	4.19
15-Dec-2025 10:40	4.66
15-Dec-2025 10:45	4.09
15-Dec-2025 10:50	4.06
15-Dec-2025 10:55	4.09
15-Dec-2025 11:00	4.53
15-Dec-2025 11:05	3.84
15-Dec-2025 11:10	3.41
15-Dec-2025 11:15	3.88
15-Dec-2025 11:20	3.91
15-Dec-2025 11:25	3.69
15-Dec-2025 11:30	3.94
15-Dec-2025 11:35	4.34
15-Dec-2025 11:40	3.94
15-Dec-2025 11:45	3.91
15-Dec-2025 11:50	4.5
15-Dec-2025 11:55	4.25
15-Dec-2025 12:00	4.94
15-Dec-2025 12:05	5.03
15-Dec-2025 12:10	4.34
15-Dec-2025 12:15	3.94

Timestamp	SPM
15-Dec-2025 12:20	4.19
15-Dec-2025 12:25	4.13
15-Dec-2025 12:30	4.09
15-Dec-2025 12:35	4.06
15-Dec-2025 12:40	3.69
15-Dec-2025 12:45	3.97
15-Dec-2025 12:50	4
15-Dec-2025 12:55	5.06
15-Dec-2025 13:00	7.19
15-Dec-2025 13:05	8.22
15-Dec-2025 13:10	8.28
15-Dec-2025 13:15	5.34
15-Dec-2025 13:20	7.16
15-Dec-2025 13:25	4.38
15-Dec-2025 13:30	5.75
15-Dec-2025 13:35	5.84
15-Dec-2025 13:40	4.78
15-Dec-2025 13:45	4.78
15-Dec-2025 13:50	5.09
15-Dec-2025 13:55	5.03
15-Dec-2025 14:00	5.66
15-Dec-2025 14:05	7.06
15-Dec-2025 14:10	7.41
15-Dec-2025 14:15	7.94
15-Dec-2025 14:20	8.69
15-Dec-2025 14:25	6.84
15-Dec-2025 14:30	5.78
15-Dec-2025 14:35	6.03
15-Dec-2025 14:40	4.53
15-Dec-2025 14:45	5.72
15-Dec-2025 14:50	7.09
15-Dec-2025 14:55	7.19
15-Dec-2025 15:00	7.63
15-Dec-2025 15:05	7.34
15-Dec-2025 15:10	6
15-Dec-2025 15:15	5.13
15-Dec-2025 15:20	5.03
15-Dec-2025 15:25	4.84
15-Dec-2025 15:30	5.41
15-Dec-2025 15:35	4.09
15-Dec-2025 15:40	3.53
15-Dec-2025 15:45	3.38
15-Dec-2025 15:50	3.41
15-Dec-2025 15:55	3.56
15-Dec-2025 16:00	4.47
15-Dec-2025 16:05	4.19
15-Dec-2025 16:10	3.72

Timestamp	SPM
15-Dec-2025 16:15	3.16
15-Dec-2025 16:20	4.31
15-Dec-2025 16:25	3.25
15-Dec-2025 16:30	4.75
15-Dec-2025 16:35	4.56
15-Dec-2025 16:40	3.69
15-Dec-2025 16:45	3.28
15-Dec-2025 16:50	3.28
15-Dec-2025 16:55	3.16
15-Dec-2025 17:00	3.66
15-Dec-2025 17:05	3.78
15-Dec-2025 17:10	3.53
15-Dec-2025 17:15	3.41
15-Dec-2025 17:20	3.41
15-Dec-2025 17:25	2.97
15-Dec-2025 17:30	3.66
15-Dec-2025 17:35	3.25
15-Dec-2025 17:40	1.03
15-Dec-2025 17:45	1
15-Dec-2025 17:50	1
15-Dec-2025 17:55	3
15-Dec-2025 18:00	3.47
15-Dec-2025 18:05	3.69
15-Dec-2025 18:10	3.44
15-Dec-2025 18:15	3.41
15-Dec-2025 18:20	3.34
15-Dec-2025 18:25	3.47
15-Dec-2025 18:30	3.59
15-Dec-2025 18:35	3.56
15-Dec-2025 18:40	3.41
15-Dec-2025 18:45	3.44
15-Dec-2025 18:50	3.25
15-Dec-2025 18:55	3.09
15-Dec-2025 19:00	3.66
15-Dec-2025 19:05	3.31
15-Dec-2025 19:10	3.25
15-Dec-2025 19:15	3.25
15-Dec-2025 19:20	2.78
15-Dec-2025 19:25	3.13
15-Dec-2025 19:30	3.41
15-Dec-2025 19:35	3.22
15-Dec-2025 19:40	3.38
15-Dec-2025 19:45	3.5
15-Dec-2025 19:50	3.19
15-Dec-2025 19:55	3.53
15-Dec-2025 20:00	3.34
15-Dec-2025 20:05	3.09

Timestamp	SPM
15-Dec-2025 20:10	3.06
15-Dec-2025 20:15	2.81
15-Dec-2025 20:20	2.72
15-Dec-2025 20:25	3.03
15-Dec-2025 20:30	2.94
15-Dec-2025 20:35	2.88
15-Dec-2025 20:40	3.34
15-Dec-2025 20:45	3.16
15-Dec-2025 20:50	3.19
15-Dec-2025 20:55	3.09
15-Dec-2025 21:00	3.38
15-Dec-2025 21:05	3.31
15-Dec-2025 21:10	2.97
15-Dec-2025 21:15	3.72
15-Dec-2025 21:20	3.72
15-Dec-2025 21:25	3.56
15-Dec-2025 21:30	3.69
15-Dec-2025 21:35	3.38
15-Dec-2025 21:40	4.03
15-Dec-2025 21:45	3.91
15-Dec-2025 21:50	3.63
15-Dec-2025 21:55	3.53
15-Dec-2025 22:00	3.63
15-Dec-2025 22:05	3.56
15-Dec-2025 22:10	3.31
15-Dec-2025 22:15	3.38
15-Dec-2025 22:20	3.25
15-Dec-2025 22:25	3.53
15-Dec-2025 22:30	3.53
15-Dec-2025 22:35	2.97
15-Dec-2025 22:40	3.38
15-Dec-2025 22:45	3.63
15-Dec-2025 22:50	3.88
15-Dec-2025 22:55	3.63
15-Dec-2025 23:00	3.31
15-Dec-2025 23:05	3.56
15-Dec-2025 23:10	3.44
15-Dec-2025 23:15	3.25
15-Dec-2025 23:20	3.63
15-Dec-2025 23:25	3.84
15-Dec-2025 23:30	3.69
15-Dec-2025 23:35	3.41
15-Dec-2025 23:40	3.69
15-Dec-2025 23:45	4.13
15-Dec-2025 23:50	4.03
15-Dec-2025 23:55	3.78
16-Dec-2025 00:00	3.63

Timestamp	SPM
16-Dec-2025 00:05	3.56
16-Dec-2025 00:10	3.09
16-Dec-2025 00:15	3.5
16-Dec-2025 00:20	3.09
16-Dec-2025 00:25	3.34
16-Dec-2025 00:30	3.81
16-Dec-2025 00:35	3.28
16-Dec-2025 00:40	2.81
16-Dec-2025 00:45	3.5
16-Dec-2025 00:50	3.94
16-Dec-2025 00:55	3.88
16-Dec-2025 01:00	4.03
16-Dec-2025 01:05	3.97
16-Dec-2025 01:10	4.31
16-Dec-2025 01:15	3.84
16-Dec-2025 01:20	3.25
16-Dec-2025 01:25	3.63
16-Dec-2025 01:30	3.38
16-Dec-2025 01:35	3.19
16-Dec-2025 01:40	3.44
16-Dec-2025 01:45	3.16
16-Dec-2025 01:50	3.16
16-Dec-2025 01:55	3.22
16-Dec-2025 02:00	3.25
16-Dec-2025 02:05	3.06
16-Dec-2025 02:10	2.91
16-Dec-2025 02:15	7.22
16-Dec-2025 02:20	5.81
16-Dec-2025 02:25	5.34
16-Dec-2025 02:30	5.38
16-Dec-2025 02:35	4.25
16-Dec-2025 02:40	5.16
16-Dec-2025 02:45	6.97
16-Dec-2025 02:50	6.25
16-Dec-2025 02:55	5.38
16-Dec-2025 03:00	5.72
16-Dec-2025 03:05	6.25
16-Dec-2025 03:10	6.34
16-Dec-2025 03:15	6.59
16-Dec-2025 03:20	6
16-Dec-2025 03:25	5.28
16-Dec-2025 03:30	4.72
16-Dec-2025 03:35	5.06
16-Dec-2025 03:40	6.06
16-Dec-2025 03:45	7.41
16-Dec-2025 03:50	5.41
16-Dec-2025 03:55	4.22

Timestamp	SPM
16-Dec-2025 04:00	4.47
16-Dec-2025 04:05	5.16
16-Dec-2025 04:10	6.16
16-Dec-2025 04:15	5.41
16-Dec-2025 04:20	5.03
16-Dec-2025 04:25	4
16-Dec-2025 04:30	4.38
16-Dec-2025 04:35	4.72
16-Dec-2025 04:40	6.41
16-Dec-2025 04:45	6.53
16-Dec-2025 04:50	6.34
16-Dec-2025 04:55	6.34
16-Dec-2025 05:00	4.91
16-Dec-2025 05:05	4.47
16-Dec-2025 05:10	3.69
16-Dec-2025 05:15	4.59
16-Dec-2025 05:20	5.22
16-Dec-2025 05:25	3.81
16-Dec-2025 05:30	4.41
16-Dec-2025 05:35	4.5
16-Dec-2025 05:40	4.16
16-Dec-2025 05:45	4.25
16-Dec-2025 05:50	4.44
16-Dec-2025 05:55	4.47
16-Dec-2025 06:00	5.16
16-Dec-2025 06:05	4.22
16-Dec-2025 06:10	3.72
16-Dec-2025 06:15	4.66
16-Dec-2025 06:20	4.06
16-Dec-2025 06:25	3.84
16-Dec-2025 06:30	4.5
16-Dec-2025 06:35	4.13
16-Dec-2025 06:40	3.44
16-Dec-2025 06:45	3.44
16-Dec-2025 06:50	3.38
16-Dec-2025 06:55	3.66
16-Dec-2025 07:00	4
16-Dec-2025 07:05	4
16-Dec-2025 07:10	4.47
16-Dec-2025 07:15	3.28
16-Dec-2025 07:20	4.75
16-Dec-2025 07:25	6.63
16-Dec-2025 07:30	7.59
16-Dec-2025 07:35	7
16-Dec-2025 07:40	4.25
16-Dec-2025 07:45	6.94
16-Dec-2025 07:50	3.78

Timestamp	SPM
16-Dec-2025 07:55	4.47
16-Dec-2025 08:00	4.75
16-Dec-2025 08:05	3.63
16-Dec-2025 08:10	4.66
16-Dec-2025 08:15	4.44
16-Dec-2025 08:20	3.53
16-Dec-2025 08:25	4.47
16-Dec-2025 08:30	4.81
16-Dec-2025 08:35	4.06
16-Dec-2025 08:40	4.56
16-Dec-2025 08:45	4.31
16-Dec-2025 08:50	4.75
16-Dec-2025 08:55	4.88
16-Dec-2025 09:00	5.5
16-Dec-2025 09:05	8.34
16-Dec-2025 09:10	5.38
16-Dec-2025 09:15	5.38
16-Dec-2025 09:20	4.94
16-Dec-2025 09:25	5.06
16-Dec-2025 09:30	4.72
16-Dec-2025 09:35	4.59
16-Dec-2025 09:40	7.25
16-Dec-2025 09:45	4.53
16-Dec-2025 09:50	4
16-Dec-2025 09:55	4.84
16-Dec-2025 10:00	4.47
16-Dec-2025 10:05	4.25
16-Dec-2025 10:10	4.22
16-Dec-2025 10:15	4.44
16-Dec-2025 10:20	5.13
16-Dec-2025 10:25	4.94
16-Dec-2025 10:30	4.5
16-Dec-2025 10:35	5.06
16-Dec-2025 10:40	4.19
16-Dec-2025 10:45	3.72
16-Dec-2025 10:50	3.72
16-Dec-2025 10:55	4.09
16-Dec-2025 11:00	4.28
16-Dec-2025 11:05	3.97
16-Dec-2025 11:10	3.97
16-Dec-2025 11:15	3.56
16-Dec-2025 11:20	3.56
16-Dec-2025 11:25	3.88
16-Dec-2025 11:30	3.94
16-Dec-2025 11:35	3.72
16-Dec-2025 11:40	3.41
16-Dec-2025 11:45	4.06

Timestamp	SPM
16-Dec-2025 11:50	4.06
16-Dec-2025 11:55	4.66
16-Dec-2025 12:00	4.63
16-Dec-2025 12:05	3.63
16-Dec-2025 12:10	3.69
16-Dec-2025 12:15	3.22
16-Dec-2025 12:20	3.78
16-Dec-2025 12:25	4.38
16-Dec-2025 12:30	4.66
16-Dec-2025 12:35	4.06
16-Dec-2025 12:40	3.22
16-Dec-2025 12:55	4.28
16-Dec-2025 13:00	4.66
16-Dec-2025 13:05	4.5
16-Dec-2025 13:10	3.78
16-Dec-2025 13:15	4.63
16-Dec-2025 13:20	4.47
16-Dec-2025 13:25	4.13
16-Dec-2025 13:30	4.16
16-Dec-2025 13:35	4.38
16-Dec-2025 13:40	4.5
16-Dec-2025 13:45	4.69
16-Dec-2025 13:50	4.63
16-Dec-2025 13:55	4.56
16-Dec-2025 14:00	4.81
16-Dec-2025 14:05	5.09
16-Dec-2025 14:10	4.44
16-Dec-2025 14:15	4.47
16-Dec-2025 14:20	5.28
16-Dec-2025 14:25	4.56
16-Dec-2025 14:30	5.5
16-Dec-2025 14:35	4.72
16-Dec-2025 14:40	4.03
16-Dec-2025 14:45	3.75
16-Dec-2025 14:50	3.78
16-Dec-2025 14:55	4.25
16-Dec-2025 15:00	4.38
16-Dec-2025 15:05	4.63
16-Dec-2025 15:10	4.22
16-Dec-2025 15:15	4.34
16-Dec-2025 15:20	4.34
16-Dec-2025 15:25	4.13
16-Dec-2025 15:30	4.41
16-Dec-2025 15:35	4.63
16-Dec-2025 15:40	4.13
16-Dec-2025 15:45	4.06
16-Dec-2025 15:50	4.66

Timestamp	SPM
16-Dec-2025 15:55	4.16
16-Dec-2025 16:00	3.78
16-Dec-2025 16:05	4.41
16-Dec-2025 16:10	3.25
16-Dec-2025 16:15	3.53
16-Dec-2025 16:20	3.84
16-Dec-2025 16:25	3.25
16-Dec-2025 16:30	4.03
16-Dec-2025 16:35	4.09
16-Dec-2025 16:40	3.19
16-Dec-2025 16:45	3.63
16-Dec-2025 16:50	3.47
16-Dec-2025 16:55	3.16
16-Dec-2025 17:00	4
16-Dec-2025 17:05	4.34
16-Dec-2025 17:10	3.06
16-Dec-2025 17:15	3.47
16-Dec-2025 17:20	3.53
16-Dec-2025 17:25	3.34
16-Dec-2025 17:30	3.5
16-Dec-2025 17:35	3.06
16-Dec-2025 17:40	3.16
16-Dec-2025 17:45	3.47
16-Dec-2025 17:50	3.16
16-Dec-2025 17:55	3.13
16-Dec-2025 18:00	3.16
16-Dec-2025 18:05	3.31
16-Dec-2025 18:10	2.94
16-Dec-2025 18:15	2.97
16-Dec-2025 18:20	2.69
16-Dec-2025 18:25	3
16-Dec-2025 18:30	3.5
16-Dec-2025 18:35	3.19
16-Dec-2025 18:40	3.59
16-Dec-2025 18:45	3.53
16-Dec-2025 18:50	3.53
16-Dec-2025 18:55	3.59
16-Dec-2025 19:00	3.22
16-Dec-2025 19:05	3.28
16-Dec-2025 19:10	3.22
16-Dec-2025 19:15	3.09
16-Dec-2025 19:20	2.47
16-Dec-2025 19:25	3.16
16-Dec-2025 19:30	3.34
16-Dec-2025 19:35	2.63
16-Dec-2025 19:40	3.16
16-Dec-2025 19:45	3.38

Timestamp	SPM
16-Dec-2025 19:50	3.03
16-Dec-2025 19:55	3
16-Dec-2025 20:00	3.56
16-Dec-2025 20:05	3.16
16-Dec-2025 20:10	3.41
16-Dec-2025 20:15	3.16
16-Dec-2025 20:20	3.44
16-Dec-2025 20:25	3.59
16-Dec-2025 20:30	3.25
16-Dec-2025 20:35	2.72
16-Dec-2025 20:40	3.03
16-Dec-2025 20:45	3.09
16-Dec-2025 20:50	3.25
16-Dec-2025 20:55	2.97
16-Dec-2025 21:00	2.88
16-Dec-2025 21:05	3.06
16-Dec-2025 21:10	3.28
16-Dec-2025 21:15	1.53
16-Dec-2025 21:20	1.53
16-Dec-2025 21:25	1.5
16-Dec-2025 21:30	1.34
16-Dec-2025 21:35	1.5
16-Dec-2025 21:40	1.66
16-Dec-2025 21:45	1.63
16-Dec-2025 21:50	1.53
16-Dec-2025 21:55	1.75
16-Dec-2025 22:00	1.63
16-Dec-2025 22:05	1.66
16-Dec-2025 22:10	2.31
16-Dec-2025 22:15	3.28
16-Dec-2025 22:20	3.06
16-Dec-2025 22:25	3.56
16-Dec-2025 22:30	3.38
16-Dec-2025 22:35	3.28
16-Dec-2025 22:40	3.75
16-Dec-2025 22:45	3.5
16-Dec-2025 22:50	3.53
16-Dec-2025 22:55	3.75
16-Dec-2025 23:00	3.66
16-Dec-2025 23:05	3.19
16-Dec-2025 23:10	3
16-Dec-2025 23:15	3.13
16-Dec-2025 23:20	2.66
16-Dec-2025 23:25	2.72
16-Dec-2025 23:30	3
16-Dec-2025 23:35	2.84
16-Dec-2025 23:40	2.63

Timestamp	SPM
16-Dec-2025 23:45	2.31
16-Dec-2025 23:50	2.69
16-Dec-2025 23:55	2.72
17-Dec-2025 00:00	2.94
17-Dec-2025 00:05	2.5
17-Dec-2025 00:10	2.78
17-Dec-2025 00:15	2.94
17-Dec-2025 00:20	3.34
17-Dec-2025 00:25	3.13
17-Dec-2025 00:30	3.06
17-Dec-2025 00:35	2.91
17-Dec-2025 00:40	2.81
17-Dec-2025 00:45	2.84
17-Dec-2025 00:50	2.59
17-Dec-2025 00:55	3.06
17-Dec-2025 01:00	2.91
17-Dec-2025 01:05	2.72
17-Dec-2025 01:10	2.84
17-Dec-2025 01:15	3.25
17-Dec-2025 01:20	7.34
17-Dec-2025 01:25	5.06
17-Dec-2025 01:30	4.75
17-Dec-2025 01:35	4.75
17-Dec-2025 01:40	3.88
17-Dec-2025 01:45	6
17-Dec-2025 01:50	4.19
17-Dec-2025 01:55	7.38
17-Dec-2025 02:00	7.06
17-Dec-2025 02:05	6.56
17-Dec-2025 02:10	6.59
17-Dec-2025 02:15	5.47
17-Dec-2025 02:20	4.34
17-Dec-2025 02:25	4.16
17-Dec-2025 02:30	5.97
17-Dec-2025 02:35	7.09
17-Dec-2025 02:40	7.28
17-Dec-2025 02:45	5.16
17-Dec-2025 02:50	4.66
17-Dec-2025 02:55	4.41
17-Dec-2025 03:00	5.06
17-Dec-2025 03:05	6.16
17-Dec-2025 03:10	6.72
17-Dec-2025 03:15	6.66
17-Dec-2025 03:20	6.03
17-Dec-2025 03:25	5.31
17-Dec-2025 03:30	4.84
17-Dec-2025 03:35	4.78

Timestamp	SPM
17-Dec-2025 03:40	5.13
17-Dec-2025 03:45	6.19
17-Dec-2025 03:50	6.91
17-Dec-2025 03:55	7.72
17-Dec-2025 04:00	8.03
17-Dec-2025 04:05	7.44
17-Dec-2025 04:10	6.78
17-Dec-2025 04:15	6.06
17-Dec-2025 04:20	6
17-Dec-2025 04:25	4.94
17-Dec-2025 04:30	4.94
17-Dec-2025 04:35	6
17-Dec-2025 04:40	6.31
17-Dec-2025 04:45	6.44
17-Dec-2025 04:50	7.63
17-Dec-2025 04:55	8.78
17-Dec-2025 05:00	7.09
17-Dec-2025 05:05	6.59
17-Dec-2025 05:10	5.56
17-Dec-2025 05:15	5.09
17-Dec-2025 05:20	4.22
17-Dec-2025 05:25	4.31
17-Dec-2025 05:30	5.19
17-Dec-2025 05:35	5.94
17-Dec-2025 05:40	5.97
17-Dec-2025 05:45	6.97
17-Dec-2025 05:50	7.72
17-Dec-2025 05:55	7.19
17-Dec-2025 06:00	7.72
17-Dec-2025 06:05	6.66
17-Dec-2025 06:10	5.66
17-Dec-2025 06:15	6.78
17-Dec-2025 06:20	5.66
17-Dec-2025 06:25	5.13
17-Dec-2025 06:30	5
17-Dec-2025 06:35	4.56
17-Dec-2025 06:40	4.34
17-Dec-2025 06:45	4.63
17-Dec-2025 06:50	5
17-Dec-2025 06:55	5.28
17-Dec-2025 07:00	5.44
17-Dec-2025 07:05	6.41
17-Dec-2025 07:10	7.22
17-Dec-2025 07:15	6.84
17-Dec-2025 07:20	7.28
17-Dec-2025 07:25	6.97
17-Dec-2025 07:30	6.94

Timestamp	SPM
17-Dec-2025 07:35	6.72
17-Dec-2025 07:40	6.91
17-Dec-2025 07:45	6.59
17-Dec-2025 07:50	6.25
17-Dec-2025 07:55	5.84
17-Dec-2025 08:00	6.22
17-Dec-2025 08:05	3.81
17-Dec-2025 08:10	4.06
17-Dec-2025 08:15	4.59
17-Dec-2025 08:20	4.31
17-Dec-2025 08:25	4.19
17-Dec-2025 08:30	4.47
17-Dec-2025 08:35	4
17-Dec-2025 08:40	4.19
17-Dec-2025 08:45	4.22
17-Dec-2025 08:50	4
17-Dec-2025 08:55	4.19
17-Dec-2025 09:00	3.72
17-Dec-2025 09:05	3.63
17-Dec-2025 09:10	3.78
17-Dec-2025 09:15	3.28
17-Dec-2025 09:20	3.38
17-Dec-2025 09:25	3.84
17-Dec-2025 09:30	3.75
17-Dec-2025 09:35	3.56
17-Dec-2025 09:40	3.78
17-Dec-2025 09:45	3.66
17-Dec-2025 09:50	3.78
17-Dec-2025 09:55	3.66
17-Dec-2025 10:00	3.56
17-Dec-2025 10:05	3.28
17-Dec-2025 10:10	3.25
17-Dec-2025 10:15	3.44
17-Dec-2025 10:20	3.47
17-Dec-2025 10:25	3.53
17-Dec-2025 10:30	3.75
17-Dec-2025 10:35	3.34
17-Dec-2025 10:40	3.5
17-Dec-2025 10:45	3.81
17-Dec-2025 10:50	3.72
17-Dec-2025 10:55	3.66
17-Dec-2025 11:00	4
17-Dec-2025 11:05	3.88
17-Dec-2025 11:10	3.69
17-Dec-2025 11:15	3.81
17-Dec-2025 11:20	3.5
17-Dec-2025 11:25	3.81

Timestamp	SPM
17-Dec-2025 11:30	3.78
17-Dec-2025 11:35	4
17-Dec-2025 11:40	3.78
17-Dec-2025 11:45	3.44
17-Dec-2025 11:50	3.44
17-Dec-2025 11:55	4.06
17-Dec-2025 12:00	4
17-Dec-2025 12:05	3.5
17-Dec-2025 12:10	3.97
17-Dec-2025 12:15	4.06
17-Dec-2025 12:20	4.72
17-Dec-2025 12:25	3.94
17-Dec-2025 12:30	4.09
17-Dec-2025 12:35	4.25
17-Dec-2025 12:40	3.03
17-Dec-2025 12:45	3.22
17-Dec-2025 12:50	3.31
17-Dec-2025 12:55	3.5
17-Dec-2025 13:00	4
17-Dec-2025 13:05	3.88
17-Dec-2025 13:10	3.84
17-Dec-2025 13:15	3.72
17-Dec-2025 13:20	3.38
17-Dec-2025 13:25	3.59
17-Dec-2025 13:30	5
17-Dec-2025 13:35	4.25
17-Dec-2025 13:40	3.75
17-Dec-2025 13:45	3.84
17-Dec-2025 13:50	3.81
17-Dec-2025 13:55	4.5
17-Dec-2025 14:00	5.19
17-Dec-2025 14:05	6.44
17-Dec-2025 14:10	6.19
17-Dec-2025 14:15	4.78
17-Dec-2025 14:20	4.88
17-Dec-2025 14:25	5.44
17-Dec-2025 14:30	4.09
17-Dec-2025 14:35	4.81
17-Dec-2025 14:40	4.25
17-Dec-2025 14:45	4.22
17-Dec-2025 14:50	4
17-Dec-2025 14:55	4.16
17-Dec-2025 15:00	4.81
17-Dec-2025 15:05	4.47
17-Dec-2025 15:10	4.06
17-Dec-2025 15:15	4.47
17-Dec-2025 15:20	3.91

Timestamp	SPM
17-Dec-2025 15:25	3.97
17-Dec-2025 15:30	4.25
17-Dec-2025 15:35	4.41
17-Dec-2025 15:40	4.53
17-Dec-2025 15:45	5.44
17-Dec-2025 15:50	4.81
17-Dec-2025 15:55	4.63
17-Dec-2025 16:00	5.81
17-Dec-2025 16:05	3.88
17-Dec-2025 16:10	3.66
17-Dec-2025 16:15	5
17-Dec-2025 16:20	3.72
17-Dec-2025 16:25	3.53
17-Dec-2025 16:30	3.16
17-Dec-2025 16:35	3.72
17-Dec-2025 16:40	3.47
17-Dec-2025 16:45	3.81
17-Dec-2025 16:50	3.84
17-Dec-2025 16:55	3.69
17-Dec-2025 17:00	3.66
17-Dec-2025 17:05	3.69
17-Dec-2025 17:10	3.16
17-Dec-2025 17:15	2.78
17-Dec-2025 17:20	3.66
17-Dec-2025 17:25	3.13
17-Dec-2025 17:30	3.38
17-Dec-2025 17:35	3.44
17-Dec-2025 17:40	3.09
17-Dec-2025 17:45	2.91
17-Dec-2025 17:50	3.06
17-Dec-2025 17:55	3.13
17-Dec-2025 18:00	3.75
17-Dec-2025 18:05	3.56
17-Dec-2025 18:10	3.78
17-Dec-2025 18:15	3.66
17-Dec-2025 18:20	3.5
17-Dec-2025 18:25	3.31
17-Dec-2025 18:30	4.44
17-Dec-2025 18:35	3.84
17-Dec-2025 18:40	3.81
17-Dec-2025 18:45	4.09
17-Dec-2025 18:50	4
17-Dec-2025 18:55	3.94
17-Dec-2025 19:00	3.47
17-Dec-2025 19:05	3.69
17-Dec-2025 19:10	3.94
17-Dec-2025 19:15	3.69

Timestamp	SPM
17-Dec-2025 19:20	3.47
17-Dec-2025 19:25	3.88
17-Dec-2025 19:30	3.69
17-Dec-2025 19:35	3.31
17-Dec-2025 19:40	3.34
17-Dec-2025 19:45	2.88
17-Dec-2025 19:50	2.81
17-Dec-2025 19:55	3.16
17-Dec-2025 20:00	3.06
17-Dec-2025 20:05	3.41
17-Dec-2025 20:10	3.81
17-Dec-2025 20:15	3.47
17-Dec-2025 20:20	4.22
17-Dec-2025 20:25	4.25
17-Dec-2025 20:30	4
17-Dec-2025 20:35	3.94
17-Dec-2025 20:40	4.03
17-Dec-2025 20:45	3.84
17-Dec-2025 20:50	3.59
17-Dec-2025 20:55	3.75
17-Dec-2025 21:00	4.47
17-Dec-2025 21:05	3.63
17-Dec-2025 21:10	3.72
17-Dec-2025 21:15	3.97
17-Dec-2025 21:20	3.66
17-Dec-2025 21:25	3.5
17-Dec-2025 21:30	3.41
17-Dec-2025 21:35	4.06
17-Dec-2025 21:40	3.81
17-Dec-2025 21:45	4
17-Dec-2025 21:50	3.97
17-Dec-2025 21:55	4.44
17-Dec-2025 22:00	4.13
17-Dec-2025 22:05	3.69
17-Dec-2025 22:10	3.66
17-Dec-2025 22:15	3.69
17-Dec-2025 22:20	3.81
17-Dec-2025 22:25	3.53
17-Dec-2025 22:30	3.94
17-Dec-2025 22:35	4.19
17-Dec-2025 22:40	3.97
17-Dec-2025 22:45	3.88
17-Dec-2025 22:50	3.94
17-Dec-2025 22:55	3.59
17-Dec-2025 23:00	3.38
17-Dec-2025 23:05	3.47
17-Dec-2025 23:10	3.38

Timestamp	SPM
17-Dec-2025 23:15	3.13
17-Dec-2025 23:20	3.06
17-Dec-2025 23:25	4.25
17-Dec-2025 23:30	3.25
17-Dec-2025 23:35	2.88
17-Dec-2025 23:40	3.69
17-Dec-2025 23:45	3.03
17-Dec-2025 23:50	3.34
17-Dec-2025 23:55	3.63
18-Dec-2025 00:00	3.19
18-Dec-2025 00:05	3.13
18-Dec-2025 00:10	3.38
18-Dec-2025 00:15	2.78
18-Dec-2025 00:20	3.09
18-Dec-2025 00:25	3.06
18-Dec-2025 00:30	2.97
18-Dec-2025 00:35	2.91
18-Dec-2025 00:40	2.81
18-Dec-2025 00:45	3.03
18-Dec-2025 00:50	3.13
18-Dec-2025 00:55	2.88
18-Dec-2025 01:00	2.69
18-Dec-2025 01:05	2.78
18-Dec-2025 01:10	2.41
18-Dec-2025 01:15	2.31
18-Dec-2025 01:20	2.38
18-Dec-2025 01:25	2.94
18-Dec-2025 01:30	3.13
18-Dec-2025 01:35	2.84
18-Dec-2025 01:40	2.5
18-Dec-2025 01:45	2.97
18-Dec-2025 01:50	2.56
18-Dec-2025 01:55	2.59
18-Dec-2025 02:00	2.69
18-Dec-2025 02:05	2.44
18-Dec-2025 02:10	2.34
18-Dec-2025 02:15	2.63
18-Dec-2025 02:20	2.84
18-Dec-2025 02:25	2.78
18-Dec-2025 02:30	2.53
18-Dec-2025 02:35	2.31
18-Dec-2025 02:40	2.66
18-Dec-2025 02:45	2.59
18-Dec-2025 02:50	2.53
18-Dec-2025 02:55	2.63
18-Dec-2025 03:00	2.84
18-Dec-2025 03:05	2.69

Timestamp	SPM
18-Dec-2025 03:10	2.31
18-Dec-2025 03:15	2.63
18-Dec-2025 03:20	2.81
18-Dec-2025 03:25	2.63
18-Dec-2025 03:30	2.53
18-Dec-2025 03:35	2.69
18-Dec-2025 03:40	2.53
18-Dec-2025 03:45	2.5
18-Dec-2025 03:50	2.44
18-Dec-2025 03:55	2.25
18-Dec-2025 04:00	2.25
18-Dec-2025 04:05	2.31
18-Dec-2025 04:10	2.28
18-Dec-2025 04:15	2.09
18-Dec-2025 04:20	2.22
18-Dec-2025 04:25	2.28
18-Dec-2025 04:30	2.22
18-Dec-2025 04:35	2.06
18-Dec-2025 04:40	2.19
18-Dec-2025 04:45	2.13
18-Dec-2025 04:50	2.09
18-Dec-2025 04:55	2.03
18-Dec-2025 05:00	2.28
18-Dec-2025 05:05	2.22
18-Dec-2025 05:10	2.63
18-Dec-2025 05:15	2.25
18-Dec-2025 05:20	2.25
18-Dec-2025 05:25	2.41
18-Dec-2025 05:30	2.31
18-Dec-2025 05:35	2.28
18-Dec-2025 05:40	2.44
18-Dec-2025 05:45	2.28
18-Dec-2025 05:50	2.5
18-Dec-2025 05:55	2.44
18-Dec-2025 06:00	2.31
18-Dec-2025 06:05	2.41
18-Dec-2025 06:10	2.25
18-Dec-2025 06:15	2.31
18-Dec-2025 06:20	2.38
18-Dec-2025 06:25	2.28
18-Dec-2025 06:30	2.19
18-Dec-2025 06:35	2
18-Dec-2025 06:40	2.31
18-Dec-2025 06:45	2.53
18-Dec-2025 06:50	2.22
18-Dec-2025 06:55	2.25
18-Dec-2025 07:00	2.63

Timestamp	SPM
18-Dec-2025 07:05	2.19
18-Dec-2025 07:10	2.25
18-Dec-2025 07:15	2.31
18-Dec-2025 07:20	2.19
18-Dec-2025 07:25	2.13
18-Dec-2025 07:30	2.19
18-Dec-2025 07:35	2.34
18-Dec-2025 07:40	2.34
18-Dec-2025 07:45	2.22
18-Dec-2025 07:50	2.97
18-Dec-2025 07:55	4.66
18-Dec-2025 08:00	2.19
18-Dec-2025 08:05	4.22
18-Dec-2025 08:10	2.84
18-Dec-2025 08:15	4.31
18-Dec-2025 08:20	2.84
18-Dec-2025 08:25	4.66
18-Dec-2025 08:30	3.81
18-Dec-2025 08:35	2.81
18-Dec-2025 08:40	3.22
18-Dec-2025 08:45	3.75
18-Dec-2025 08:50	2.53
18-Dec-2025 08:55	3.78
18-Dec-2025 09:00	3.31
18-Dec-2025 09:05	2.81
18-Dec-2025 09:10	3.25
18-Dec-2025 09:15	3.78
18-Dec-2025 09:20	3.38
18-Dec-2025 09:25	2.44
18-Dec-2025 09:30	2.63
18-Dec-2025 09:35	2.72
18-Dec-2025 09:40	3.06
18-Dec-2025 09:45	3.31
18-Dec-2025 09:50	4.28
18-Dec-2025 09:55	3.66
18-Dec-2025 10:00	3.38
18-Dec-2025 10:05	3.66
18-Dec-2025 10:10	4.16
18-Dec-2025 10:15	2.06
18-Dec-2025 10:20	2.13
18-Dec-2025 10:25	2.25
18-Dec-2025 10:30	1.97
18-Dec-2025 10:35	2.22
18-Dec-2025 10:40	2.13
18-Dec-2025 10:45	2.22
18-Dec-2025 10:50	2.22
18-Dec-2025 10:55	2.28

Timestamp	SPM
18-Dec-2025 11:00	2.34
18-Dec-2025 11:05	3.19
18-Dec-2025 11:10	2.47
18-Dec-2025 11:15	2.28
18-Dec-2025 11:20	2.44
18-Dec-2025 11:25	2.47
18-Dec-2025 11:30	2.5
18-Dec-2025 11:35	2.31
18-Dec-2025 11:40	2.44
18-Dec-2025 11:45	2.44
18-Dec-2025 11:50	2.38
18-Dec-2025 11:55	2.59
18-Dec-2025 12:00	2.63
18-Dec-2025 12:05	2.5
18-Dec-2025 12:10	0.88
18-Dec-2025 12:15	0.88
18-Dec-2025 12:20	0.88
18-Dec-2025 12:25	0.88
18-Dec-2025 12:30	0.84
18-Dec-2025 12:35	0.94
18-Dec-2025 12:40	0.91
18-Dec-2025 12:45	0.94
18-Dec-2025 12:50	0.97
18-Dec-2025 12:55	0.91
18-Dec-2025 13:00	0.94
18-Dec-2025 13:05	0.97
18-Dec-2025 13:10	2.09
18-Dec-2025 13:15	2.13
18-Dec-2025 13:20	2.44
18-Dec-2025 13:25	2.34
18-Dec-2025 13:30	2.53
18-Dec-2025 13:35	2.59
18-Dec-2025 13:40	2.53
18-Dec-2025 13:45	2.69
18-Dec-2025 13:50	2.53
18-Dec-2025 13:55	2.63
18-Dec-2025 14:00	2.78
18-Dec-2025 14:05	2.75
18-Dec-2025 14:10	2.84
18-Dec-2025 14:15	2.63
18-Dec-2025 14:20	2.78
18-Dec-2025 14:25	2.47
18-Dec-2025 14:30	2.56
18-Dec-2025 14:35	2.75
18-Dec-2025 14:40	2.75
18-Dec-2025 14:45	2.75
18-Dec-2025 14:50	2.69

Timestamp	SPM
18-Dec-2025 14:55	2.94
18-Dec-2025 15:00	3.47
18-Dec-2025 15:05	3.84
18-Dec-2025 15:10	3.69
18-Dec-2025 15:15	3.78
18-Dec-2025 15:20	3.94
18-Dec-2025 15:25	3.38
18-Dec-2025 15:30	3.69
18-Dec-2025 15:35	3.78
18-Dec-2025 15:40	3.59
18-Dec-2025 15:45	3.88
18-Dec-2025 15:50	3.56
18-Dec-2025 15:55	3.78
18-Dec-2025 16:00	4.28
18-Dec-2025 16:05	3.91
18-Dec-2025 16:10	3.5
18-Dec-2025 16:15	3.72
18-Dec-2025 16:20	3.66
18-Dec-2025 16:25	3.5
18-Dec-2025 16:30	3.91
18-Dec-2025 16:35	3.84
18-Dec-2025 16:40	3.38
18-Dec-2025 16:45	3.47
18-Dec-2025 16:50	4.88
18-Dec-2025 16:55	6.41
18-Dec-2025 17:00	3.75
18-Dec-2025 17:05	3.81
18-Dec-2025 17:10	3.56
18-Dec-2025 17:15	3.47
18-Dec-2025 17:20	4.19
18-Dec-2025 17:25	3.44
18-Dec-2025 17:30	3.63
18-Dec-2025 17:35	3.81
18-Dec-2025 17:40	3.25
18-Dec-2025 17:45	3.41
18-Dec-2025 17:50	4.28
18-Dec-2025 17:55	3.56
18-Dec-2025 18:00	3.78
18-Dec-2025 18:05	3.75
18-Dec-2025 18:10	3.44
18-Dec-2025 18:15	3.13
18-Dec-2025 18:20	2.88
18-Dec-2025 18:25	3.5
18-Dec-2025 18:30	3.75
18-Dec-2025 18:35	3.75
18-Dec-2025 18:40	3.25
18-Dec-2025 18:45	3.5

Timestamp	SPM
18-Dec-2025 18:50	3.28
18-Dec-2025 18:55	3.75
18-Dec-2025 19:00	3.63
18-Dec-2025 19:05	3.69
18-Dec-2025 19:10	3.72
18-Dec-2025 19:15	4.09
18-Dec-2025 19:20	3.19
18-Dec-2025 19:25	4.78
18-Dec-2025 19:30	2.88
18-Dec-2025 19:35	3.59
18-Dec-2025 19:40	3.66
18-Dec-2025 19:45	3.78
18-Dec-2025 19:50	3.66
18-Dec-2025 19:55	3.56
18-Dec-2025 20:00	3.25
18-Dec-2025 20:05	3.22
18-Dec-2025 20:10	3.03
18-Dec-2025 20:15	3.22
18-Dec-2025 20:20	4.22
18-Dec-2025 20:25	3.91
18-Dec-2025 20:30	4.53
18-Dec-2025 20:35	6.31
18-Dec-2025 20:40	4.47
18-Dec-2025 20:45	4.28
18-Dec-2025 20:50	3.84
18-Dec-2025 20:55	5.19
18-Dec-2025 21:00	4.13
18-Dec-2025 21:05	6.66
18-Dec-2025 21:10	5.13
18-Dec-2025 21:15	4.72
18-Dec-2025 21:20	4.84
18-Dec-2025 21:25	4.81
18-Dec-2025 21:30	5.78
18-Dec-2025 21:35	6.06
18-Dec-2025 21:40	5.47
18-Dec-2025 21:45	5.97
18-Dec-2025 21:50	5.34
18-Dec-2025 21:55	4.75
18-Dec-2025 22:00	5.16
18-Dec-2025 22:05	4.88
18-Dec-2025 22:10	5.09
18-Dec-2025 22:15	4.31
18-Dec-2025 22:20	3.88
18-Dec-2025 22:25	3.5
18-Dec-2025 22:30	3.88
18-Dec-2025 22:35	4.13
18-Dec-2025 22:40	3.5

Timestamp	SPM
18-Dec-2025 22:45	3.34
18-Dec-2025 22:50	3.53
18-Dec-2025 22:55	3.44
18-Dec-2025 23:00	2.63
18-Dec-2025 23:05	2.5
18-Dec-2025 23:10	2.66
18-Dec-2025 23:15	2.94
18-Dec-2025 23:20	2.56
18-Dec-2025 23:25	2.5
18-Dec-2025 23:30	2.34
18-Dec-2025 23:35	2.53
18-Dec-2025 23:40	2.41
18-Dec-2025 23:45	2.34
18-Dec-2025 23:50	2
18-Dec-2025 23:55	2.41
19-Dec-2025 00:00	2.13
19-Dec-2025 00:05	2.22
19-Dec-2025 00:10	2.41
19-Dec-2025 00:15	2.91
19-Dec-2025 00:20	2.59
19-Dec-2025 00:25	2.88
19-Dec-2025 00:30	2.72
19-Dec-2025 00:35	2.5
19-Dec-2025 00:40	2.75
19-Dec-2025 00:45	2.69
19-Dec-2025 00:50	2.38
19-Dec-2025 00:55	2.28
19-Dec-2025 01:00	2.38
19-Dec-2025 01:05	2.31
19-Dec-2025 01:10	2.38
19-Dec-2025 01:15	2.56
19-Dec-2025 01:20	2.38
19-Dec-2025 01:25	2.31
19-Dec-2025 01:30	2.25
19-Dec-2025 01:35	2.19
19-Dec-2025 01:40	2.59
19-Dec-2025 01:45	2.41
19-Dec-2025 01:50	2.31
19-Dec-2025 01:55	2.25
19-Dec-2025 02:00	2.44
19-Dec-2025 02:05	2.66
19-Dec-2025 02:10	2.38
19-Dec-2025 02:15	2.63
19-Dec-2025 02:20	2.78
19-Dec-2025 02:25	2.56
19-Dec-2025 02:30	2.47
19-Dec-2025 02:35	2.34

Timestamp	SPM
19-Dec-2025 02:40	2.59
19-Dec-2025 02:45	2.31
19-Dec-2025 02:50	2.28
19-Dec-2025 02:55	2.31
19-Dec-2025 03:00	2.41
19-Dec-2025 03:05	2.44
19-Dec-2025 03:10	2.34
19-Dec-2025 03:15	2.31
19-Dec-2025 03:20	2.34
19-Dec-2025 03:25	2.41
19-Dec-2025 03:30	2.38
19-Dec-2025 03:35	2.28
19-Dec-2025 03:40	2.16
19-Dec-2025 03:45	2.22
19-Dec-2025 03:50	2.13
19-Dec-2025 03:55	2.41
19-Dec-2025 04:00	1.94
19-Dec-2025 04:05	2.13
19-Dec-2025 04:10	2.19
19-Dec-2025 04:15	2.47
19-Dec-2025 04:20	2.38
19-Dec-2025 04:25	2.41
19-Dec-2025 04:30	2.09
19-Dec-2025 04:35	2.06
19-Dec-2025 04:40	1.97
19-Dec-2025 04:45	2.06
19-Dec-2025 04:50	2.34
19-Dec-2025 04:55	2.13
19-Dec-2025 05:00	2.22
19-Dec-2025 05:05	2.53
19-Dec-2025 05:10	2.63
19-Dec-2025 05:15	2.38
19-Dec-2025 05:20	2.38
19-Dec-2025 05:25	3.13
19-Dec-2025 05:30	2.97
19-Dec-2025 05:35	2.69
19-Dec-2025 05:40	2.38
19-Dec-2025 05:45	2.34
19-Dec-2025 05:50	2.38
19-Dec-2025 05:55	2.28
19-Dec-2025 06:00	2.31
19-Dec-2025 06:05	2.34
19-Dec-2025 06:10	2.59
19-Dec-2025 06:15	2.56
19-Dec-2025 06:20	2.72
19-Dec-2025 06:25	2.63
19-Dec-2025 06:30	2.47

Timestamp	SPM
19-Dec-2025 06:35	2.47
19-Dec-2025 06:40	2.56
19-Dec-2025 06:45	2.75
19-Dec-2025 06:50	3.72
19-Dec-2025 06:55	4.41
19-Dec-2025 07:00	3.75
19-Dec-2025 07:05	3.59
19-Dec-2025 07:10	3.81
19-Dec-2025 07:15	4.69
19-Dec-2025 07:20	3.25
19-Dec-2025 07:25	4.91
19-Dec-2025 07:30	5.31
19-Dec-2025 07:35	4.91
19-Dec-2025 07:40	4.56
19-Dec-2025 07:45	4.63
19-Dec-2025 07:50	4.53
19-Dec-2025 07:55	4.53
19-Dec-2025 08:00	4.81
19-Dec-2025 08:05	5.03
19-Dec-2025 08:10	5.34
19-Dec-2025 08:15	4.97
19-Dec-2025 08:20	5.22
19-Dec-2025 08:25	5.09
19-Dec-2025 08:30	4.47
19-Dec-2025 08:35	4.19
19-Dec-2025 08:40	4.03
19-Dec-2025 08:45	3.13
19-Dec-2025 08:50	2.91
19-Dec-2025 08:55	2.91
19-Dec-2025 09:00	3.5
19-Dec-2025 09:05	2.53
19-Dec-2025 09:10	2.47
19-Dec-2025 09:15	2.63
19-Dec-2025 09:20	2.47
19-Dec-2025 09:25	2.66
19-Dec-2025 09:30	2.78
19-Dec-2025 09:35	2.72
19-Dec-2025 09:40	2.69
19-Dec-2025 09:45	2.59
19-Dec-2025 09:50	2.31
19-Dec-2025 09:55	2.22
19-Dec-2025 10:00	2.5
19-Dec-2025 10:05	2.56
19-Dec-2025 10:10	2.75
19-Dec-2025 10:15	2.78
19-Dec-2025 10:20	2.94
19-Dec-2025 10:25	2.97

Timestamp	SPM
19-Dec-2025 10:30	2.81
19-Dec-2025 10:35	3.63
19-Dec-2025 10:40	2.97
19-Dec-2025 10:45	2.44
19-Dec-2025 10:50	2.53
19-Dec-2025 10:55	2.44
19-Dec-2025 11:00	3.94
19-Dec-2025 11:05	2.84
19-Dec-2025 11:10	2.75
19-Dec-2025 11:15	2.75
19-Dec-2025 11:20	2.69
19-Dec-2025 11:25	2.97
19-Dec-2025 11:30	3
19-Dec-2025 11:35	2.81
19-Dec-2025 11:40	2.81
19-Dec-2025 11:45	2.97
19-Dec-2025 11:50	3.25
19-Dec-2025 11:55	3.16
19-Dec-2025 12:00	3.66
19-Dec-2025 12:05	3.69
19-Dec-2025 12:10	3.53
19-Dec-2025 12:15	3.09
19-Dec-2025 12:20	3.06
19-Dec-2025 12:25	2.75
19-Dec-2025 12:30	3.06
19-Dec-2025 12:35	2.91
19-Dec-2025 12:40	3.09
19-Dec-2025 12:45	3
19-Dec-2025 12:50	3.31
19-Dec-2025 12:55	3.22
19-Dec-2025 13:00	3.41
19-Dec-2025 13:05	3.44
19-Dec-2025 13:10	3.16
19-Dec-2025 13:15	4.97
19-Dec-2025 13:20	4.22
19-Dec-2025 13:25	3
19-Dec-2025 13:30	3.75
19-Dec-2025 13:35	3.25
19-Dec-2025 13:40	3.19
19-Dec-2025 13:45	3.53
19-Dec-2025 13:50	3.88
19-Dec-2025 13:55	3.91
19-Dec-2025 14:00	3.47
19-Dec-2025 14:05	4
19-Dec-2025 14:10	3.34
19-Dec-2025 14:15	3.31
19-Dec-2025 14:20	3.78

Timestamp	SPM
19-Dec-2025 14:25	3.34
19-Dec-2025 14:30	3.53
19-Dec-2025 14:35	4.06
19-Dec-2025 14:40	3.63
19-Dec-2025 14:45	3.38
19-Dec-2025 14:50	3.59
19-Dec-2025 14:55	3.5
19-Dec-2025 15:00	3.09
19-Dec-2025 15:05	3.72
19-Dec-2025 15:10	3.13
19-Dec-2025 15:15	3.25
19-Dec-2025 15:20	3.19
19-Dec-2025 15:25	3.09
19-Dec-2025 15:30	3.19
19-Dec-2025 15:35	3.56
19-Dec-2025 15:40	3.38
19-Dec-2025 15:45	3.66
19-Dec-2025 15:50	3.94
19-Dec-2025 15:55	3
19-Dec-2025 16:00	3.44
19-Dec-2025 16:05	3.81
19-Dec-2025 16:10	3
19-Dec-2025 16:15	3.63
19-Dec-2025 16:20	3.44
19-Dec-2025 16:25	3.09
19-Dec-2025 16:30	3.19
19-Dec-2025 16:35	3.19
19-Dec-2025 16:40	3.34
19-Dec-2025 16:45	3.19
19-Dec-2025 16:50	3.16
19-Dec-2025 16:55	3.13
19-Dec-2025 17:00	3.53
19-Dec-2025 17:05	4.41
19-Dec-2025 17:10	3.09
19-Dec-2025 17:15	3.84
19-Dec-2025 17:20	3.94
19-Dec-2025 17:25	3.16
19-Dec-2025 17:30	3.91
19-Dec-2025 17:35	3.75
19-Dec-2025 17:40	2.88
19-Dec-2025 17:45	3.47
19-Dec-2025 17:50	3.25
19-Dec-2025 17:55	3.41
19-Dec-2025 18:00	3.47
19-Dec-2025 18:05	3.69
19-Dec-2025 18:10	3.28
19-Dec-2025 18:15	3.06

Timestamp	SPM
19-Dec-2025 18:20	2.72
19-Dec-2025 18:25	3.06
19-Dec-2025 18:30	2.94
19-Dec-2025 18:35	3.06
19-Dec-2025 18:40	3.56
19-Dec-2025 18:45	4
19-Dec-2025 18:50	3.59
19-Dec-2025 18:55	3.63
19-Dec-2025 19:00	3.72
19-Dec-2025 19:05	3.66
19-Dec-2025 19:10	3.31
19-Dec-2025 19:15	3.34
19-Dec-2025 19:20	2.63
19-Dec-2025 19:25	2.91
19-Dec-2025 19:30	3
19-Dec-2025 19:35	2.88
19-Dec-2025 19:40	3.25
19-Dec-2025 19:45	3.63
19-Dec-2025 19:50	3.25
19-Dec-2025 19:55	3.09
19-Dec-2025 20:00	6.69
19-Dec-2025 20:05	4.94
19-Dec-2025 20:10	7.59
19-Dec-2025 20:15	6.81
19-Dec-2025 20:20	6.06
19-Dec-2025 20:25	5.31
19-Dec-2025 20:30	5.84
19-Dec-2025 20:35	7.09
19-Dec-2025 20:40	6.31
19-Dec-2025 20:45	6.84
19-Dec-2025 20:50	6.34
19-Dec-2025 20:55	7.34
19-Dec-2025 21:00	6.97
19-Dec-2025 21:05	6.25
19-Dec-2025 21:10	5.38
19-Dec-2025 21:15	4.41
19-Dec-2025 21:20	3.63
19-Dec-2025 21:25	4.34
19-Dec-2025 21:30	4.81
19-Dec-2025 21:35	5.94
19-Dec-2025 21:40	6.38
19-Dec-2025 21:45	7.22
19-Dec-2025 21:50	6.91
19-Dec-2025 21:55	7.25
19-Dec-2025 22:00	7.31
19-Dec-2025 22:05	5.72
19-Dec-2025 22:10	5.63

Timestamp	SPM
19-Dec-2025 22:15	4.91
19-Dec-2025 22:20	4.41
19-Dec-2025 22:25	3.94
19-Dec-2025 22:30	2.69
19-Dec-2025 22:35	2.84
19-Dec-2025 22:40	2.75
19-Dec-2025 22:45	2.94
19-Dec-2025 22:50	3.06
19-Dec-2025 22:55	2.63
19-Dec-2025 23:00	2.88
19-Dec-2025 23:05	2.63
19-Dec-2025 23:10	2.75
19-Dec-2025 23:15	2.5
19-Dec-2025 23:20	8.47
19-Dec-2025 23:25	6.16
19-Dec-2025 23:30	4.22
19-Dec-2025 23:35	4.84
19-Dec-2025 23:40	4.25
19-Dec-2025 23:45	5
19-Dec-2025 23:50	5.5
19-Dec-2025 23:55	5.53
20-Dec-2025 00:00	5.97
20-Dec-2025 00:05	5.09
20-Dec-2025 00:10	5.41
20-Dec-2025 00:15	2.63
20-Dec-2025 00:20	2.81
20-Dec-2025 00:25	3.06
20-Dec-2025 00:30	3.06
20-Dec-2025 00:35	2.81
20-Dec-2025 00:40	2.59
20-Dec-2025 00:45	2.94
20-Dec-2025 00:50	2.66
20-Dec-2025 00:55	2.66
20-Dec-2025 01:00	3.13
20-Dec-2025 01:05	2.81
20-Dec-2025 01:10	2.84
20-Dec-2025 01:15	2.84
20-Dec-2025 01:20	2.72
20-Dec-2025 01:25	2.59
20-Dec-2025 01:30	2.78
20-Dec-2025 01:35	3.06
20-Dec-2025 01:40	2.75
20-Dec-2025 01:45	2.5
20-Dec-2025 01:50	2.53
20-Dec-2025 01:55	3.16
20-Dec-2025 02:00	2.38
20-Dec-2025 02:05	2.47

Timestamp	SPM
20-Dec-2025 02:10	2.63
20-Dec-2025 02:15	2.63
20-Dec-2025 02:20	2.59
20-Dec-2025 02:25	2.44
20-Dec-2025 02:30	2.5
20-Dec-2025 02:35	2.5
20-Dec-2025 02:40	2.31
20-Dec-2025 02:45	2.53
20-Dec-2025 02:50	2.56
20-Dec-2025 02:55	2.59
20-Dec-2025 03:00	2.66
20-Dec-2025 03:05	2.66
20-Dec-2025 03:10	2.44
20-Dec-2025 03:15	2.63
20-Dec-2025 03:20	2.34
20-Dec-2025 03:25	2.47
20-Dec-2025 03:30	2.66
20-Dec-2025 03:35	2.47
20-Dec-2025 03:40	2.47
20-Dec-2025 03:45	2.75
20-Dec-2025 03:50	2.5
20-Dec-2025 03:55	2.31
20-Dec-2025 04:00	2.44
20-Dec-2025 04:05	2.44
20-Dec-2025 04:10	2.41
20-Dec-2025 04:15	2.34
20-Dec-2025 04:20	2.44
20-Dec-2025 04:25	2.75
20-Dec-2025 04:30	2.38
20-Dec-2025 04:35	2.53
20-Dec-2025 04:40	2.41
20-Dec-2025 04:45	2.56
20-Dec-2025 04:50	2.53
20-Dec-2025 04:55	2.5
20-Dec-2025 05:00	2.38
20-Dec-2025 05:05	2.38
20-Dec-2025 05:10	2.5
20-Dec-2025 05:15	2.63
20-Dec-2025 05:20	2.47
20-Dec-2025 05:25	2.38
20-Dec-2025 05:30	2.5
20-Dec-2025 05:35	2.5
20-Dec-2025 05:40	2.5
20-Dec-2025 05:45	2.78
20-Dec-2025 05:50	2.47
20-Dec-2025 05:55	0.94
20-Dec-2025 06:00	4.53

Timestamp	SPM
20-Dec-2025 06:05	2.16
20-Dec-2025 06:10	2.53
20-Dec-2025 06:15	4.09
20-Dec-2025 06:20	4.09
20-Dec-2025 06:25	4.06
20-Dec-2025 06:30	3.97
20-Dec-2025 06:35	3.91
20-Dec-2025 06:40	3.97
20-Dec-2025 06:45	3.81
20-Dec-2025 06:50	3.97
20-Dec-2025 06:55	4.59
20-Dec-2025 07:00	3.78
20-Dec-2025 07:05	3.91
20-Dec-2025 07:10	4.03
20-Dec-2025 07:15	3.94
20-Dec-2025 07:20	3.72
20-Dec-2025 07:25	3.88
20-Dec-2025 07:30	3.84
20-Dec-2025 07:35	3.84
20-Dec-2025 07:40	3.72
20-Dec-2025 07:45	1.03
20-Dec-2025 07:50	0.94
20-Dec-2025 07:55	0.94
20-Dec-2025 08:00	0.94
20-Dec-2025 08:05	0.97
20-Dec-2025 08:10	0.84
20-Dec-2025 08:15	0.66
20-Dec-2025 08:20	0.72
20-Dec-2025 08:25	0.84
20-Dec-2025 08:30	0.56
20-Dec-2025 08:35	0.69
20-Dec-2025 08:40	0.63
20-Dec-2025 08:45	0.66
20-Dec-2025 08:50	0.63
20-Dec-2025 08:55	0.63
20-Dec-2025 09:00	0.59
20-Dec-2025 09:05	0.66
20-Dec-2025 09:10	0.53
20-Dec-2025 09:15	0.59
20-Dec-2025 09:20	0.66
20-Dec-2025 09:25	0.53
20-Dec-2025 09:30	0.59
20-Dec-2025 09:35	0.63
20-Dec-2025 09:40	0.63
20-Dec-2025 09:45	0.66
20-Dec-2025 09:50	0.78
20-Dec-2025 09:55	0.84

Timestamp	SPM
20-Dec-2025 10:00	0.84
20-Dec-2025 10:05	0.81
20-Dec-2025 10:10	0.84
20-Dec-2025 10:15	0.81
20-Dec-2025 10:20	0.75
20-Dec-2025 10:25	0.75
20-Dec-2025 10:30	0.81
20-Dec-2025 10:35	0.81
20-Dec-2025 10:40	0.84
20-Dec-2025 10:45	2.19
20-Dec-2025 10:50	0.69
20-Dec-2025 10:55	0.75
20-Dec-2025 11:00	0.75
20-Dec-2025 11:05	0.84
20-Dec-2025 11:10	0.81
20-Dec-2025 11:15	0.84
20-Dec-2025 11:20	0.84
20-Dec-2025 11:25	0.94
20-Dec-2025 11:30	0.88
20-Dec-2025 11:35	0.91
20-Dec-2025 11:40	0.94
20-Dec-2025 11:45	0.91
20-Dec-2025 11:50	0.97
20-Dec-2025 11:55	1.06
20-Dec-2025 12:00	1.16
20-Dec-2025 12:05	1.25
20-Dec-2025 12:10	1.25
20-Dec-2025 12:15	1.09
20-Dec-2025 12:20	1.13
20-Dec-2025 12:25	1.13
20-Dec-2025 12:30	0.97
20-Dec-2025 12:35	1.03
20-Dec-2025 12:40	1.22
20-Dec-2025 12:45	1.5
20-Dec-2025 12:50	1.44
20-Dec-2025 12:55	1.47
20-Dec-2025 13:00	1.63
20-Dec-2025 13:05	1.47
20-Dec-2025 13:10	1.5
20-Dec-2025 13:15	2.5
20-Dec-2025 13:20	3.25
20-Dec-2025 13:25	2.88
20-Dec-2025 13:30	2.94
20-Dec-2025 13:35	3.06
20-Dec-2025 13:40	3.28
20-Dec-2025 13:45	3.16
20-Dec-2025 13:50	3.13

Timestamp	SPM
20-Dec-2025 13:55	3.09
20-Dec-2025 14:00	3.34
20-Dec-2025 14:05	3.09
20-Dec-2025 14:10	2.97
20-Dec-2025 14:15	2.91
20-Dec-2025 14:20	2.84
20-Dec-2025 14:25	2.94
20-Dec-2025 14:30	3.19
20-Dec-2025 14:35	2.72
20-Dec-2025 14:40	2.97
20-Dec-2025 14:45	3.03
20-Dec-2025 14:50	2.97
20-Dec-2025 14:55	3.16
20-Dec-2025 15:00	3.03
20-Dec-2025 15:05	3.38
20-Dec-2025 15:10	3.09
20-Dec-2025 15:15	3.13
20-Dec-2025 15:20	3.22
20-Dec-2025 15:25	3.38
20-Dec-2025 15:30	3.25
20-Dec-2025 15:35	3.22
20-Dec-2025 15:40	3.13
20-Dec-2025 15:45	3.16
20-Dec-2025 15:50	3.25
20-Dec-2025 15:55	2.91
20-Dec-2025 16:00	3
20-Dec-2025 16:05	3.03
20-Dec-2025 16:10	1.81
20-Dec-2025 16:15	1.69
20-Dec-2025 16:20	1.31
20-Dec-2025 16:25	1.19
20-Dec-2025 16:30	1.34
20-Dec-2025 16:35	1.38
20-Dec-2025 16:40	1.06
20-Dec-2025 16:45	1.19
20-Dec-2025 16:50	1.47
20-Dec-2025 16:55	1.16
20-Dec-2025 17:00	1.38
20-Dec-2025 17:05	1.5
20-Dec-2025 17:10	0.75
20-Dec-2025 17:15	0.91
20-Dec-2025 17:20	1.22
20-Dec-2025 17:25	1.44
20-Dec-2025 17:30	2.19
20-Dec-2025 17:35	0.69
20-Dec-2025 17:40	0.88
20-Dec-2025 17:45	0.88

Timestamp	SPM
20-Dec-2025 17:50	0.72
20-Dec-2025 17:55	0.88
20-Dec-2025 18:00	0.53
20-Dec-2025 18:05	1.16
20-Dec-2025 18:10	0.63
20-Dec-2025 18:15	0.84
20-Dec-2025 18:20	0.94
20-Dec-2025 18:25	0.63
20-Dec-2025 18:30	0.59
20-Dec-2025 18:35	0.63
20-Dec-2025 18:40	0.72
20-Dec-2025 18:45	1
20-Dec-2025 18:50	0.91
20-Dec-2025 18:55	1.75
20-Dec-2025 19:00	1.97
20-Dec-2025 19:05	1.59
20-Dec-2025 19:10	1.47
20-Dec-2025 19:15	1.56
20-Dec-2025 19:20	0.59
20-Dec-2025 19:25	1.44
20-Dec-2025 19:30	1.75
20-Dec-2025 19:35	1.88
20-Dec-2025 19:40	1.75
20-Dec-2025 19:45	1.97
20-Dec-2025 19:50	1.47
20-Dec-2025 19:55	2.09
20-Dec-2025 20:00	1.59
20-Dec-2025 20:05	1.28
20-Dec-2025 20:10	1.59
20-Dec-2025 20:15	1.75
20-Dec-2025 20:20	0.94
20-Dec-2025 20:25	1.41
20-Dec-2025 20:30	1.38
20-Dec-2025 20:35	1
20-Dec-2025 20:40	1.25
20-Dec-2025 20:45	1.28
20-Dec-2025 20:50	1.34
20-Dec-2025 20:55	1.41
20-Dec-2025 21:00	1.34
20-Dec-2025 21:05	1.41
20-Dec-2025 21:10	1.34
20-Dec-2025 21:15	1.34
20-Dec-2025 21:20	1.38
20-Dec-2025 21:25	1.31
20-Dec-2025 21:30	1.25
20-Dec-2025 21:35	1.47
20-Dec-2025 21:40	1.63

Timestamp	SPM
20-Dec-2025 21:45	1.41
20-Dec-2025 21:50	1.56
20-Dec-2025 21:55	1.59
20-Dec-2025 22:00	1.69
20-Dec-2025 22:05	1.53
20-Dec-2025 22:10	1.41
20-Dec-2025 22:15	1.44
20-Dec-2025 22:20	1.44
20-Dec-2025 22:25	1.44
20-Dec-2025 22:30	1.25
20-Dec-2025 22:35	0.97
20-Dec-2025 22:40	0.84
20-Dec-2025 22:45	1.03
20-Dec-2025 22:50	0.88
20-Dec-2025 22:55	1.09
20-Dec-2025 23:00	1.25
20-Dec-2025 23:05	1.03
20-Dec-2025 23:10	1.28
20-Dec-2025 23:15	1.66
20-Dec-2025 23:20	1.09
20-Dec-2025 23:25	1.59
20-Dec-2025 23:30	1.31
20-Dec-2025 23:35	1.31
20-Dec-2025 23:40	1.22
20-Dec-2025 23:45	1.09
20-Dec-2025 23:50	0.94
20-Dec-2025 23:55	1.03
21-Dec-2025 00:00	1.19
21-Dec-2025 00:05	0.97
21-Dec-2025 00:10	1.19
21-Dec-2025 00:15	1.06
21-Dec-2025 00:20	1.03
21-Dec-2025 00:25	1.41
21-Dec-2025 00:30	0.84
21-Dec-2025 00:35	1.19
21-Dec-2025 00:40	1.25
21-Dec-2025 00:45	1.06
21-Dec-2025 00:50	1.06
21-Dec-2025 00:55	1.5
21-Dec-2025 01:00	1.47
21-Dec-2025 01:05	1.56
21-Dec-2025 01:10	1.19
21-Dec-2025 01:15	1.19
21-Dec-2025 01:20	1.16
21-Dec-2025 01:25	1.25
21-Dec-2025 01:30	1.19
21-Dec-2025 01:35	1.19

Timestamp	SPM
21-Dec-2025 01:40	1.41
21-Dec-2025 01:45	1.06
21-Dec-2025 01:50	1.19
21-Dec-2025 01:55	1.25
21-Dec-2025 02:00	1.84
21-Dec-2025 02:05	1.5
21-Dec-2025 02:10	1.69
21-Dec-2025 02:15	1.59
21-Dec-2025 02:20	1.44
21-Dec-2025 02:25	1.34
21-Dec-2025 02:30	1.03
21-Dec-2025 02:35	1.34
21-Dec-2025 02:40	1.09
21-Dec-2025 02:45	1.5
21-Dec-2025 02:50	1.91
21-Dec-2025 02:55	1.88
21-Dec-2025 03:00	1.81
21-Dec-2025 03:05	1.47
21-Dec-2025 03:10	1.59
21-Dec-2025 03:15	1.69
21-Dec-2025 03:20	1.94
21-Dec-2025 03:25	1.56
21-Dec-2025 03:30	1.06
21-Dec-2025 03:35	1.09
21-Dec-2025 03:40	2.53
21-Dec-2025 03:45	1
21-Dec-2025 03:50	1.03
21-Dec-2025 03:55	1.31
21-Dec-2025 04:00	1.47
21-Dec-2025 04:05	1.16
21-Dec-2025 04:10	1.22
21-Dec-2025 04:15	1.44
21-Dec-2025 04:20	1.38
21-Dec-2025 04:25	1.13
21-Dec-2025 04:30	1.53
21-Dec-2025 04:35	1.25
21-Dec-2025 04:40	1.38
21-Dec-2025 04:45	1.28
21-Dec-2025 04:50	1.06
21-Dec-2025 04:55	1.19
21-Dec-2025 05:00	1.31
21-Dec-2025 05:05	1.03
21-Dec-2025 05:10	1.38
21-Dec-2025 05:15	1.19
21-Dec-2025 05:20	1.16
21-Dec-2025 05:25	1.19
21-Dec-2025 05:30	1.28

Timestamp	SPM
21-Dec-2025 05:35	1.28
21-Dec-2025 05:40	1.13
21-Dec-2025 05:45	1.25
21-Dec-2025 05:50	1.06
21-Dec-2025 05:55	1.09
21-Dec-2025 06:00	4.13
21-Dec-2025 06:05	3.31
21-Dec-2025 06:10	3.16
21-Dec-2025 06:15	3.41
21-Dec-2025 06:20	3.69
21-Dec-2025 06:25	3.53
21-Dec-2025 06:30	3.44
21-Dec-2025 06:35	3.31
21-Dec-2025 06:40	3.41
21-Dec-2025 06:45	3.75
21-Dec-2025 06:50	3.31
21-Dec-2025 06:55	2.88
21-Dec-2025 07:00	3.22
21-Dec-2025 07:05	3.06
21-Dec-2025 07:10	3.06
21-Dec-2025 07:15	2.91
21-Dec-2025 07:20	2.69
21-Dec-2025 07:25	5.59
21-Dec-2025 07:30	7.41
21-Dec-2025 07:35	4.72
21-Dec-2025 07:40	4.69
21-Dec-2025 07:45	5.56
21-Dec-2025 07:50	7.31
21-Dec-2025 07:55	4.44
21-Dec-2025 08:00	5.75
21-Dec-2025 08:05	6.41
21-Dec-2025 08:10	6.97
21-Dec-2025 08:15	3.09
21-Dec-2025 08:20	3.22
21-Dec-2025 08:25	3.28
21-Dec-2025 08:30	4.13
21-Dec-2025 08:35	3.47
21-Dec-2025 08:40	3.59
21-Dec-2025 08:45	4.13
21-Dec-2025 08:50	4.5
21-Dec-2025 08:55	4.53
21-Dec-2025 09:00	4.63
21-Dec-2025 09:05	4.31
21-Dec-2025 09:10	3.38
21-Dec-2025 09:15	7.78
21-Dec-2025 09:20	8.06
21-Dec-2025 09:25	7.72

Timestamp	SPM
21-Dec-2025 09:30	2.84
21-Dec-2025 09:35	3.78
21-Dec-2025 09:40	4.03
21-Dec-2025 09:45	4
21-Dec-2025 09:50	3.69
21-Dec-2025 09:55	4.5
21-Dec-2025 10:00	4.56
21-Dec-2025 10:05	3.59
21-Dec-2025 10:10	4.28
21-Dec-2025 10:15	4.47
21-Dec-2025 10:20	8.56
21-Dec-2025 10:25	5.84
21-Dec-2025 10:30	7.66
21-Dec-2025 10:35	5.78
21-Dec-2025 10:40	6.41
21-Dec-2025 10:45	5.75
21-Dec-2025 10:50	4.28
21-Dec-2025 10:55	4.31
21-Dec-2025 11:00	5.97
21-Dec-2025 11:05	5.16
21-Dec-2025 11:10	4.84
21-Dec-2025 11:15	4.44
21-Dec-2025 11:20	5.22
21-Dec-2025 11:25	5.09
21-Dec-2025 11:30	4.88
21-Dec-2025 11:35	5.69
21-Dec-2025 11:40	5.28
21-Dec-2025 11:45	4.72
21-Dec-2025 11:50	6.81
21-Dec-2025 11:55	6.59
21-Dec-2025 12:00	9.13
21-Dec-2025 12:05	8.66
21-Dec-2025 12:10	7.78
21-Dec-2025 12:15	6.84
21-Dec-2025 12:20	7.56
21-Dec-2025 12:25	7.91
21-Dec-2025 12:30	5
21-Dec-2025 12:35	7.22
21-Dec-2025 12:40	4.22
21-Dec-2025 12:45	3.81
21-Dec-2025 12:50	4.31
21-Dec-2025 12:55	3.91
21-Dec-2025 13:00	4.09
21-Dec-2025 13:05	7.28
21-Dec-2025 13:10	5.47
21-Dec-2025 13:15	5.34
21-Dec-2025 13:20	7.91

Timestamp	SPM
21-Dec-2025 13:25	7.47
21-Dec-2025 13:30	6.69
21-Dec-2025 13:35	8.09
21-Dec-2025 13:40	6.19
21-Dec-2025 13:45	5.84
21-Dec-2025 13:50	6.09
21-Dec-2025 13:55	5.03
21-Dec-2025 14:00	5
21-Dec-2025 14:05	6.31
21-Dec-2025 14:10	6.53
21-Dec-2025 14:15	7.88
21-Dec-2025 14:20	5.91
21-Dec-2025 14:25	4.5
21-Dec-2025 14:30	6.19
21-Dec-2025 14:35	7.94
21-Dec-2025 14:40	6.09
21-Dec-2025 14:45	7.06
21-Dec-2025 14:50	5.59
21-Dec-2025 14:55	4.66
21-Dec-2025 15:00	3.56
21-Dec-2025 15:05	4.72
21-Dec-2025 15:10	3.56
21-Dec-2025 15:15	3.69
21-Dec-2025 15:20	3.44
21-Dec-2025 15:25	2.97
21-Dec-2025 15:30	3.34
21-Dec-2025 15:35	2.78
21-Dec-2025 15:40	2.81
21-Dec-2025 15:45	2.66
21-Dec-2025 15:50	3.03
21-Dec-2025 15:55	9.34
21-Dec-2025 16:00	4.78
21-Dec-2025 16:05	7.5
21-Dec-2025 16:10	7.59
21-Dec-2025 16:15	5.88
21-Dec-2025 16:20	5.72
21-Dec-2025 16:25	4.66
21-Dec-2025 16:30	4.31
21-Dec-2025 16:35	4.56
21-Dec-2025 16:40	3.56
21-Dec-2025 16:45	3.66
21-Dec-2025 16:50	3.28
21-Dec-2025 16:55	3.53
21-Dec-2025 17:00	4.28
21-Dec-2025 17:05	4.44
21-Dec-2025 17:10	3.44
21-Dec-2025 17:15	3.56

Timestamp	SPM
21-Dec-2025 17:20	3.53
21-Dec-2025 17:25	3.81
21-Dec-2025 17:30	7.47
21-Dec-2025 17:35	4.44
21-Dec-2025 17:40	4.72
21-Dec-2025 17:45	8.75
21-Dec-2025 17:50	2.94
21-Dec-2025 17:55	3.03
21-Dec-2025 18:00	3.34
21-Dec-2025 18:05	4.13
21-Dec-2025 18:10	3.28
21-Dec-2025 18:15	3.44
21-Dec-2025 18:20	3.34
21-Dec-2025 18:25	3.56
21-Dec-2025 18:30	3.66
21-Dec-2025 18:35	3.38
21-Dec-2025 18:40	3.28
21-Dec-2025 18:45	3.5
21-Dec-2025 18:50	3.5
21-Dec-2025 18:55	6.81
21-Dec-2025 19:00	5.72
21-Dec-2025 19:05	7.09
21-Dec-2025 19:10	5.63
21-Dec-2025 19:15	6.94
21-Dec-2025 19:20	4.59
21-Dec-2025 19:25	4.78
21-Dec-2025 19:30	4.09
21-Dec-2025 19:35	3.34
21-Dec-2025 19:40	3.59
21-Dec-2025 19:45	7.72
21-Dec-2025 19:50	3.13
21-Dec-2025 19:55	3.88
21-Dec-2025 20:00	4
21-Dec-2025 20:05	3.66
21-Dec-2025 20:10	3.63
21-Dec-2025 20:15	3.72
21-Dec-2025 20:20	3.94
21-Dec-2025 20:25	3.91
21-Dec-2025 20:30	3.66
21-Dec-2025 20:35	3.75
21-Dec-2025 20:40	4.78
21-Dec-2025 20:45	4.13
21-Dec-2025 20:50	3.63
21-Dec-2025 20:55	3.75
21-Dec-2025 21:00	3.5
21-Dec-2025 21:05	3.44
21-Dec-2025 21:10	3.84

Timestamp	SPM
21-Dec-2025 21:15	10.69
21-Dec-2025 21:20	4.09
21-Dec-2025 21:25	4.63
21-Dec-2025 21:30	4.16
21-Dec-2025 21:35	8.63
21-Dec-2025 21:40	3.91
21-Dec-2025 21:45	4.03
21-Dec-2025 21:50	3.25
21-Dec-2025 21:55	3.72
21-Dec-2025 22:00	3.88
21-Dec-2025 22:05	3.5
21-Dec-2025 22:10	3.63
21-Dec-2025 22:15	3.59
21-Dec-2025 22:20	5.13
21-Dec-2025 22:25	8.16
21-Dec-2025 22:30	6.41
21-Dec-2025 22:35	6.13
21-Dec-2025 22:40	6.72
21-Dec-2025 22:45	6.88
21-Dec-2025 22:50	7.66
21-Dec-2025 22:55	6.78
21-Dec-2025 23:00	3.91
21-Dec-2025 23:05	4.22
21-Dec-2025 23:10	4.59
21-Dec-2025 23:15	3.94
21-Dec-2025 23:20	4.34
21-Dec-2025 23:25	4.25
21-Dec-2025 23:30	4.44
21-Dec-2025 23:35	4.22
21-Dec-2025 23:40	4
21-Dec-2025 23:45	3.91
21-Dec-2025 23:50	4.19
21-Dec-2025 23:55	9.44
22-Dec-2025 00:00	7.19
22-Dec-2025 00:05	6.47
22-Dec-2025 00:10	4.84
22-Dec-2025 00:15	7.97
22-Dec-2025 00:20	4.84
22-Dec-2025 00:25	3.13
22-Dec-2025 00:30	2.97
22-Dec-2025 00:35	2.84
22-Dec-2025 00:40	2.78
22-Dec-2025 00:45	2.88
22-Dec-2025 00:50	3
22-Dec-2025 00:55	2.84
22-Dec-2025 01:00	2.97
22-Dec-2025 01:05	3.03

Timestamp	SPM
22-Dec-2025 01:10	3.25
22-Dec-2025 01:15	2.97
22-Dec-2025 01:20	2.91
22-Dec-2025 01:25	3.25
22-Dec-2025 01:30	3.03
22-Dec-2025 01:35	11.09
22-Dec-2025 01:40	4.72
22-Dec-2025 01:45	3.94
22-Dec-2025 01:50	4.13
22-Dec-2025 01:55	4.13
22-Dec-2025 02:00	3.41
22-Dec-2025 02:05	3.41
22-Dec-2025 02:10	3.34
22-Dec-2025 02:15	3.59
22-Dec-2025 02:20	3.66
22-Dec-2025 02:25	4.06
22-Dec-2025 02:30	3.72
22-Dec-2025 02:35	3.91
22-Dec-2025 02:40	3.5
22-Dec-2025 02:45	3.56
22-Dec-2025 02:50	3.5
22-Dec-2025 02:55	7.09
22-Dec-2025 03:00	7.69
22-Dec-2025 03:05	8.69
22-Dec-2025 03:10	4.53
22-Dec-2025 03:15	3.63
22-Dec-2025 03:20	3.47
22-Dec-2025 03:25	3.31
22-Dec-2025 03:30	3.44
22-Dec-2025 03:35	2.88
22-Dec-2025 03:40	2.94
22-Dec-2025 03:45	3.03
22-Dec-2025 03:50	3.03
22-Dec-2025 03:55	3.31
22-Dec-2025 04:00	3.25
22-Dec-2025 04:05	3.63
22-Dec-2025 04:10	3.09
22-Dec-2025 04:15	6.59
22-Dec-2025 04:20	7.09
22-Dec-2025 04:25	4.56
22-Dec-2025 04:30	6.69
22-Dec-2025 04:35	4.78
22-Dec-2025 04:40	4
22-Dec-2025 04:45	3.94
22-Dec-2025 04:50	4.59
22-Dec-2025 04:55	3.69
22-Dec-2025 05:00	3.56

Timestamp	SPM
22-Dec-2025 05:05	3.69
22-Dec-2025 05:10	3.63
22-Dec-2025 05:15	3.81
22-Dec-2025 05:20	4.03
22-Dec-2025 05:25	3.56
22-Dec-2025 05:30	5.38
22-Dec-2025 05:35	3.78
22-Dec-2025 05:40	3.69
22-Dec-2025 05:45	5.06
22-Dec-2025 05:50	3.66
22-Dec-2025 05:55	3.91
22-Dec-2025 06:00	8.47
22-Dec-2025 06:05	6.38
22-Dec-2025 06:10	5.28
22-Dec-2025 06:15	7.34
22-Dec-2025 06:20	7.63
22-Dec-2025 06:25	7.75
22-Dec-2025 06:30	5.56
22-Dec-2025 06:35	3.59
22-Dec-2025 06:40	3.56
22-Dec-2025 06:45	3.19
22-Dec-2025 06:50	3.09
22-Dec-2025 06:55	3.5
22-Dec-2025 07:00	3.44
22-Dec-2025 07:05	3.28
22-Dec-2025 07:10	3.09
22-Dec-2025 07:15	3.25
22-Dec-2025 07:20	3.09
22-Dec-2025 07:25	2.81
22-Dec-2025 07:30	7.06
22-Dec-2025 07:35	6.31
22-Dec-2025 07:40	6.94
22-Dec-2025 07:45	5.13
22-Dec-2025 07:50	5.41
22-Dec-2025 07:55	6.84
22-Dec-2025 08:00	4.81
22-Dec-2025 08:05	3.66
22-Dec-2025 08:10	3.63
22-Dec-2025 08:15	4.44
22-Dec-2025 08:20	3.69
22-Dec-2025 08:25	3.78
22-Dec-2025 08:30	3.81
22-Dec-2025 08:35	3.41
22-Dec-2025 08:40	3.66
22-Dec-2025 08:45	3.91
22-Dec-2025 08:50	3.56
22-Dec-2025 08:55	4.38

Timestamp	SPM
22-Dec-2025 09:00	4.31
22-Dec-2025 09:05	4.97
22-Dec-2025 09:10	7.22
22-Dec-2025 09:15	3.81
22-Dec-2025 09:20	5.97
22-Dec-2025 09:25	5.78
22-Dec-2025 09:30	3.84
22-Dec-2025 09:35	3.63
22-Dec-2025 09:40	3.41
22-Dec-2025 09:45	3.5
22-Dec-2025 09:50	3.69
22-Dec-2025 09:55	3.72
22-Dec-2025 10:00	6.63
22-Dec-2025 10:05	4.81
22-Dec-2025 10:10	5.69
22-Dec-2025 10:15	5.09
22-Dec-2025 10:20	4.94
22-Dec-2025 10:25	4.81
22-Dec-2025 10:30	5.59
22-Dec-2025 10:35	6.56
22-Dec-2025 10:40	8.53
22-Dec-2025 10:45	7.72
22-Dec-2025 10:50	4.22
22-Dec-2025 10:55	4.13
22-Dec-2025 11:00	4.22
22-Dec-2025 11:05	4.06
22-Dec-2025 11:10	3.94
22-Dec-2025 11:15	4.56
22-Dec-2025 11:20	4.53
22-Dec-2025 11:25	4.94
22-Dec-2025 11:30	5.13
22-Dec-2025 11:35	4.97
22-Dec-2025 11:40	5.47
22-Dec-2025 11:45	4.69
22-Dec-2025 11:50	5.31
22-Dec-2025 11:55	5.03
22-Dec-2025 12:00	5.09
22-Dec-2025 12:05	6.53
22-Dec-2025 12:10	4.22
22-Dec-2025 12:15	4.69
22-Dec-2025 12:20	5.69
22-Dec-2025 12:25	9.06
22-Dec-2025 12:30	6.31
22-Dec-2025 12:35	6.59
22-Dec-2025 12:40	5.53
22-Dec-2025 12:45	8.03
22-Dec-2025 12:50	7.31

Timestamp	SPM
22-Dec-2025 12:55	7.03
22-Dec-2025 13:00	5.97
22-Dec-2025 13:05	7.38
22-Dec-2025 13:10	4.16
22-Dec-2025 13:15	6.31
22-Dec-2025 13:20	5.94
22-Dec-2025 13:25	4.78
22-Dec-2025 13:30	6.03
22-Dec-2025 13:35	7.53
22-Dec-2025 13:40	7.47
22-Dec-2025 13:45	5.56
22-Dec-2025 13:50	4.53
22-Dec-2025 13:55	5.38
22-Dec-2025 14:00	6.25
22-Dec-2025 14:05	6.97
22-Dec-2025 14:10	6.63
22-Dec-2025 14:15	4.88
22-Dec-2025 14:20	4.66
22-Dec-2025 14:25	4.22
22-Dec-2025 14:30	3.66
22-Dec-2025 14:35	4.72
22-Dec-2025 14:40	4.31
22-Dec-2025 14:45	4.38
22-Dec-2025 14:50	5.81
22-Dec-2025 14:55	7.13
22-Dec-2025 15:00	7.13
22-Dec-2025 15:05	5.91
22-Dec-2025 15:10	7.72
22-Dec-2025 15:15	8.28
22-Dec-2025 15:20	7.38
22-Dec-2025 15:25	4.88
22-Dec-2025 15:30	4.44
22-Dec-2025 15:35	4.19
22-Dec-2025 15:40	3.69
22-Dec-2025 15:45	4.72
22-Dec-2025 15:50	3.72
22-Dec-2025 15:55	3.28
22-Dec-2025 16:00	3.88
22-Dec-2025 16:05	4.59
22-Dec-2025 16:10	5.28
22-Dec-2025 16:15	5.06
22-Dec-2025 16:20	7.38
22-Dec-2025 16:25	4.84
22-Dec-2025 16:30	4.94
22-Dec-2025 16:35	6.84
22-Dec-2025 16:40	5.44
22-Dec-2025 16:45	4.75

Timestamp	SPM
22-Dec-2025 16:50	4.91
22-Dec-2025 16:55	4.53
22-Dec-2025 17:00	4.56
22-Dec-2025 17:05	5.03
22-Dec-2025 17:10	4.03
22-Dec-2025 17:15	4.28
22-Dec-2025 17:20	4.53
22-Dec-2025 17:25	4.53
22-Dec-2025 17:30	5.56
22-Dec-2025 17:35	6.25
22-Dec-2025 17:40	6.16
22-Dec-2025 17:45	6.03
22-Dec-2025 17:50	5.66
22-Dec-2025 17:55	6
22-Dec-2025 18:00	6.19
22-Dec-2025 18:05	5.72
22-Dec-2025 18:10	5.38
22-Dec-2025 18:15	5.5
22-Dec-2025 18:20	5.53
22-Dec-2025 18:25	5.78
22-Dec-2025 18:30	5.16
22-Dec-2025 18:35	3.31
22-Dec-2025 18:40	3.16
22-Dec-2025 18:45	3.53
22-Dec-2025 18:50	2.97
22-Dec-2025 18:55	3.16
22-Dec-2025 19:00	3.19
22-Dec-2025 19:05	5.84
22-Dec-2025 19:10	5.06
22-Dec-2025 19:15	4.94
22-Dec-2025 19:20	3.84
22-Dec-2025 19:25	4.44
22-Dec-2025 19:30	4.53
22-Dec-2025 19:35	6.81
22-Dec-2025 19:40	7.25
22-Dec-2025 19:45	6.28
22-Dec-2025 19:50	6
22-Dec-2025 19:55	5.44
22-Dec-2025 20:00	6.13
22-Dec-2025 20:05	6.5
22-Dec-2025 20:10	6.16
22-Dec-2025 20:15	6.19
22-Dec-2025 20:20	5.06
22-Dec-2025 20:25	5.06
22-Dec-2025 20:30	4.88
22-Dec-2025 20:35	4.53
22-Dec-2025 20:40	4.66

Timestamp	SPM
22-Dec-2025 20:45	5.47
22-Dec-2025 20:50	4.47
22-Dec-2025 20:55	5.53
22-Dec-2025 21:00	3.28
22-Dec-2025 21:05	3.53
22-Dec-2025 21:10	3.63
22-Dec-2025 21:15	3.59
22-Dec-2025 21:20	3.38
22-Dec-2025 21:25	3.56
22-Dec-2025 21:30	3.31
22-Dec-2025 21:35	3.31
22-Dec-2025 21:40	3.28
22-Dec-2025 21:45	3.19
22-Dec-2025 21:50	3.28
22-Dec-2025 21:55	3.5
22-Dec-2025 22:00	3.78
22-Dec-2025 22:05	3.78
22-Dec-2025 22:10	4.66
22-Dec-2025 22:15	4.28
22-Dec-2025 22:20	7.25
22-Dec-2025 22:25	4.25
22-Dec-2025 22:30	3.81
22-Dec-2025 22:35	3.72
22-Dec-2025 22:40	4.44
22-Dec-2025 22:45	4.38
22-Dec-2025 22:50	4
22-Dec-2025 22:55	3.75
22-Dec-2025 23:00	3.97
22-Dec-2025 23:05	4.63
22-Dec-2025 23:10	4.16
22-Dec-2025 23:15	3.66
22-Dec-2025 23:20	3.59
22-Dec-2025 23:25	4.47
22-Dec-2025 23:30	4
22-Dec-2025 23:35	5.78
22-Dec-2025 23:40	4.31
22-Dec-2025 23:45	7.5
22-Dec-2025 23:50	7.66
22-Dec-2025 23:55	3.91
23-Dec-2025 00:00	4.09
23-Dec-2025 00:05	3.47
23-Dec-2025 00:10	3.28
23-Dec-2025 00:15	3.41
23-Dec-2025 00:20	3.34
23-Dec-2025 00:25	2.88
23-Dec-2025 00:30	3.38
23-Dec-2025 00:35	3.59

Timestamp	SPM
23-Dec-2025 00:40	3.22
23-Dec-2025 00:45	2.84
23-Dec-2025 00:50	2.66
23-Dec-2025 00:55	2.81
23-Dec-2025 01:00	4.16
23-Dec-2025 01:05	6.56
23-Dec-2025 01:10	7.47
23-Dec-2025 01:15	5.13
23-Dec-2025 01:20	6.47
23-Dec-2025 01:25	4.78
23-Dec-2025 01:30	5.25
23-Dec-2025 01:35	4.25
23-Dec-2025 01:40	4
23-Dec-2025 01:45	3.53
23-Dec-2025 01:50	3.56
23-Dec-2025 01:55	3.88
23-Dec-2025 02:00	3.97
23-Dec-2025 02:05	3.59
23-Dec-2025 02:10	4.81
23-Dec-2025 02:15	3.56
23-Dec-2025 02:20	3.78
23-Dec-2025 02:25	3.97
23-Dec-2025 02:30	3.56
23-Dec-2025 02:35	3.31
23-Dec-2025 02:40	3.84
23-Dec-2025 02:45	12.97
23-Dec-2025 02:50	8.22
23-Dec-2025 02:55	3.16
23-Dec-2025 03:00	3.28
23-Dec-2025 03:05	3
23-Dec-2025 03:10	3.19
23-Dec-2025 03:15	3.25
23-Dec-2025 03:20	3
23-Dec-2025 03:25	2.91
23-Dec-2025 03:30	3.19
23-Dec-2025 03:35	2.97
23-Dec-2025 03:40	2.88
23-Dec-2025 03:45	2.91
23-Dec-2025 03:50	3
23-Dec-2025 03:55	2.91
23-Dec-2025 04:00	3.59
23-Dec-2025 04:05	3.16
23-Dec-2025 04:10	2.38
23-Dec-2025 04:15	2.75
23-Dec-2025 04:20	3.22
23-Dec-2025 04:25	2.88
23-Dec-2025 04:30	3.16

Timestamp	SPM
23-Dec-2025 04:35	2.81
23-Dec-2025 04:40	2.78
23-Dec-2025 04:45	2.94
23-Dec-2025 04:50	2.88
23-Dec-2025 04:55	3.03
23-Dec-2025 05:00	2.97
23-Dec-2025 05:05	3.5
23-Dec-2025 05:10	3.41
23-Dec-2025 05:15	3.28
23-Dec-2025 05:20	3.44
23-Dec-2025 05:25	6.41
23-Dec-2025 05:30	3.97
23-Dec-2025 05:35	4.38
23-Dec-2025 05:40	5.31
23-Dec-2025 05:45	7.28
23-Dec-2025 05:50	4.03
23-Dec-2025 05:55	4.72
23-Dec-2025 06:00	6.16
23-Dec-2025 06:05	5.91
23-Dec-2025 06:10	5.5
23-Dec-2025 06:15	4.16
23-Dec-2025 06:20	3.63
23-Dec-2025 06:25	3.5
23-Dec-2025 06:30	4.25
23-Dec-2025 06:35	4.13
23-Dec-2025 06:40	3.44
23-Dec-2025 06:45	3.5
23-Dec-2025 06:50	2.47
23-Dec-2025 06:55	2.63
23-Dec-2025 07:00	2.66
23-Dec-2025 07:05	2.72
23-Dec-2025 07:10	2.78
23-Dec-2025 07:15	2.72
23-Dec-2025 07:20	2.66
23-Dec-2025 07:25	2.5
23-Dec-2025 07:30	2.47
23-Dec-2025 07:35	8.69
23-Dec-2025 07:40	5.38
23-Dec-2025 07:45	4.53
23-Dec-2025 07:50	4.06
23-Dec-2025 07:55	5.34
23-Dec-2025 08:00	6
23-Dec-2025 08:05	4.56
23-Dec-2025 08:10	3.84
23-Dec-2025 08:15	3.97
23-Dec-2025 08:20	3.75
23-Dec-2025 08:25	4.53

Timestamp	SPM
23-Dec-2025 08:30	3.75
23-Dec-2025 08:35	4.28
23-Dec-2025 08:40	4.38
23-Dec-2025 08:45	5.25
23-Dec-2025 08:50	4.63
23-Dec-2025 08:55	5
23-Dec-2025 09:00	6.41
23-Dec-2025 09:05	6
23-Dec-2025 09:10	6.47
23-Dec-2025 09:15	7.28
23-Dec-2025 09:20	8.94
23-Dec-2025 09:25	4.25
23-Dec-2025 09:30	3.44
23-Dec-2025 09:35	3.56
23-Dec-2025 09:40	3.53
23-Dec-2025 09:45	3.47
23-Dec-2025 09:50	3.44
23-Dec-2025 09:55	3.53
23-Dec-2025 10:00	3.22
23-Dec-2025 10:05	3.59
23-Dec-2025 10:10	3.97
23-Dec-2025 10:15	3.97
23-Dec-2025 10:20	10.34
23-Dec-2025 10:25	6.88
23-Dec-2025 10:30	5.28
23-Dec-2025 10:35	7.47
23-Dec-2025 10:40	5.16
23-Dec-2025 10:45	7.38
23-Dec-2025 10:50	8.94
23-Dec-2025 10:55	8.31
23-Dec-2025 11:00	8.78
23-Dec-2025 11:05	7.53
23-Dec-2025 11:10	7.19
23-Dec-2025 11:15	8.06
23-Dec-2025 11:20	3.47
23-Dec-2025 11:25	3.59
23-Dec-2025 11:30	5.09
23-Dec-2025 11:35	5.81
23-Dec-2025 11:40	7.16
23-Dec-2025 11:45	6.41
23-Dec-2025 11:50	8.31
23-Dec-2025 11:55	5.59
23-Dec-2025 12:00	8.75
23-Dec-2025 12:05	5.84
23-Dec-2025 12:10	8.22
23-Dec-2025 12:15	6.56
23-Dec-2025 12:20	4.69

Timestamp	SPM
23-Dec-2025 12:25	4.44
23-Dec-2025 12:30	4
23-Dec-2025 12:35	4.34
23-Dec-2025 12:40	3.97
23-Dec-2025 12:45	3.81
23-Dec-2025 12:50	3.56
23-Dec-2025 12:55	3.25
23-Dec-2025 13:00	4.09
23-Dec-2025 13:05	4.41
23-Dec-2025 13:10	7.78
23-Dec-2025 13:15	5.13
23-Dec-2025 13:20	4.38
23-Dec-2025 13:25	4.72
23-Dec-2025 13:30	6.84
23-Dec-2025 13:35	6.5
23-Dec-2025 13:40	6.03
23-Dec-2025 13:45	6.91
23-Dec-2025 13:50	5.34
23-Dec-2025 13:55	5
23-Dec-2025 14:00	6.28
23-Dec-2025 14:05	4.94
23-Dec-2025 14:10	4.34
23-Dec-2025 14:15	4.94
23-Dec-2025 14:20	4.63
23-Dec-2025 14:25	4.19
23-Dec-2025 14:30	4.16
23-Dec-2025 14:35	4.41
23-Dec-2025 14:40	4.97
23-Dec-2025 14:45	5
23-Dec-2025 14:50	4.72
23-Dec-2025 14:55	5.41
23-Dec-2025 15:00	5.75
23-Dec-2025 15:05	6.25
23-Dec-2025 15:10	4.94
23-Dec-2025 15:15	6.22
23-Dec-2025 15:20	4
23-Dec-2025 15:25	3.38
23-Dec-2025 15:30	3.69
23-Dec-2025 15:35	4
23-Dec-2025 15:40	3.38
23-Dec-2025 15:45	3.75
23-Dec-2025 15:50	4.03
23-Dec-2025 15:55	3.44
23-Dec-2025 16:00	4.22
23-Dec-2025 16:05	4.25
23-Dec-2025 16:10	3.44
23-Dec-2025 16:15	4.09

Timestamp	SPM
23-Dec-2025 16:20	5.31
23-Dec-2025 16:25	4.97
23-Dec-2025 16:30	4.63
23-Dec-2025 16:35	7.97
23-Dec-2025 16:40	6.88
23-Dec-2025 16:45	4.72
23-Dec-2025 16:50	4.5
23-Dec-2025 16:55	4.84
23-Dec-2025 17:00	6
23-Dec-2025 17:05	6.5
23-Dec-2025 17:10	7.38
23-Dec-2025 17:15	8.03
23-Dec-2025 17:20	7
23-Dec-2025 17:25	5.91
23-Dec-2025 17:30	6.13
23-Dec-2025 17:35	6.06
23-Dec-2025 17:40	6.22
23-Dec-2025 17:45	6.19
23-Dec-2025 17:50	6.22
23-Dec-2025 17:55	4.97
23-Dec-2025 18:00	5.84
23-Dec-2025 18:05	5.72
23-Dec-2025 18:10	4.69
23-Dec-2025 18:15	4.38
23-Dec-2025 18:20	4.25
23-Dec-2025 18:25	4.41
23-Dec-2025 18:30	4.03
23-Dec-2025 18:35	2.97
23-Dec-2025 18:40	2.75
23-Dec-2025 18:45	3.16
23-Dec-2025 18:50	2.94
23-Dec-2025 18:55	2.94
23-Dec-2025 19:00	2.75
23-Dec-2025 19:05	2.69
23-Dec-2025 19:10	2.88
23-Dec-2025 19:15	2.75
23-Dec-2025 19:20	2.38
23-Dec-2025 19:25	2.97
23-Dec-2025 19:30	2.84
23-Dec-2025 19:35	2.59
23-Dec-2025 19:40	1.53
23-Dec-2025 19:45	1.63
23-Dec-2025 19:50	1.63
23-Dec-2025 19:55	3.28
23-Dec-2025 20:00	4.06
23-Dec-2025 20:05	3.91
23-Dec-2025 20:10	4

Timestamp	SPM
23-Dec-2025 20:15	3.72
23-Dec-2025 20:20	4.06
23-Dec-2025 20:25	3.41
23-Dec-2025 20:30	3.31
23-Dec-2025 20:35	4.09
23-Dec-2025 20:40	4.41
23-Dec-2025 20:45	3.47
23-Dec-2025 20:50	3.66
23-Dec-2025 20:55	4
23-Dec-2025 21:00	4.47
23-Dec-2025 21:05	7.06
23-Dec-2025 21:10	4.38
23-Dec-2025 21:15	8.84
23-Dec-2025 21:20	6.53
23-Dec-2025 21:25	6.13
23-Dec-2025 21:30	6.31
23-Dec-2025 21:35	7.34
23-Dec-2025 21:40	4.81
23-Dec-2025 21:45	6.22
23-Dec-2025 21:50	3.94
23-Dec-2025 21:55	7.16
23-Dec-2025 22:00	3.5
23-Dec-2025 22:05	3.16
23-Dec-2025 22:10	3.31
23-Dec-2025 22:15	2.78
23-Dec-2025 22:20	2.59
23-Dec-2025 22:25	2.88
23-Dec-2025 22:30	3.25
23-Dec-2025 22:35	3.09
23-Dec-2025 22:40	6.34
23-Dec-2025 22:45	4.34
23-Dec-2025 22:50	7.31
23-Dec-2025 22:55	4.78
23-Dec-2025 23:00	6.44
23-Dec-2025 23:05	8.31
23-Dec-2025 23:10	8.06
23-Dec-2025 23:15	7.5
23-Dec-2025 23:20	6
23-Dec-2025 23:25	5.69
23-Dec-2025 23:30	5.75
23-Dec-2025 23:35	4.88
23-Dec-2025 23:40	4.94
23-Dec-2025 23:45	5.44
23-Dec-2025 23:50	5.75
23-Dec-2025 23:55	5.97
24-Dec-2025 00:00	5.44
24-Dec-2025 00:05	5.38

Timestamp	SPM
24-Dec-2025 00:10	5.25
24-Dec-2025 00:15	4.59
24-Dec-2025 00:20	3.75
24-Dec-2025 00:25	3.19
24-Dec-2025 00:30	2.84
24-Dec-2025 00:35	3
24-Dec-2025 00:40	2.94
24-Dec-2025 00:45	2.88
24-Dec-2025 00:50	2.75
24-Dec-2025 00:55	2.94
24-Dec-2025 01:00	2.81
24-Dec-2025 01:05	3.19
24-Dec-2025 01:10	3.09
24-Dec-2025 01:15	3.09
24-Dec-2025 01:20	2.75
24-Dec-2025 01:25	3.56
24-Dec-2025 01:30	2.75
24-Dec-2025 01:35	6.66
24-Dec-2025 01:40	4.34
24-Dec-2025 01:45	5.47
24-Dec-2025 01:50	6.97
24-Dec-2025 01:55	4.41
24-Dec-2025 02:00	5.38
24-Dec-2025 02:05	6.69
24-Dec-2025 02:10	5.88
24-Dec-2025 02:15	5.09
24-Dec-2025 02:20	4.31
24-Dec-2025 02:25	3.84
24-Dec-2025 02:30	3.53
24-Dec-2025 02:35	3.5
24-Dec-2025 02:40	4.16
24-Dec-2025 02:45	5.22
24-Dec-2025 02:50	4.88
24-Dec-2025 02:55	6.97
24-Dec-2025 03:00	7.75
24-Dec-2025 03:05	6.91
24-Dec-2025 03:10	8.56
24-Dec-2025 03:15	6.75
24-Dec-2025 03:20	6.88
24-Dec-2025 03:25	3.28
24-Dec-2025 03:30	3.28
24-Dec-2025 03:35	3.47
24-Dec-2025 03:40	3.25
24-Dec-2025 03:45	2.97
24-Dec-2025 03:50	3.13
24-Dec-2025 03:55	2.97
24-Dec-2025 04:00	3.16

Timestamp	SPM
24-Dec-2025 04:05	3.47
24-Dec-2025 04:10	2.97
24-Dec-2025 04:15	3.06
24-Dec-2025 04:20	4.97
24-Dec-2025 04:25	4.56
24-Dec-2025 04:30	4.56
24-Dec-2025 04:35	6.75
24-Dec-2025 04:40	5.28
24-Dec-2025 04:45	5.03
24-Dec-2025 04:50	5.59
24-Dec-2025 04:55	4.19
24-Dec-2025 05:00	4.72
24-Dec-2025 05:05	3.91
24-Dec-2025 05:10	3.56
24-Dec-2025 05:15	4.13
24-Dec-2025 05:20	4
24-Dec-2025 05:25	5.22
24-Dec-2025 05:30	4.25
24-Dec-2025 05:35	4
24-Dec-2025 05:40	8.75
24-Dec-2025 05:45	5.38
24-Dec-2025 05:50	7.16
24-Dec-2025 05:55	5.75
24-Dec-2025 06:00	5.81
24-Dec-2025 06:05	4.34
24-Dec-2025 06:10	3.25
24-Dec-2025 06:15	4.06
24-Dec-2025 06:20	3.56
24-Dec-2025 06:25	3.34
24-Dec-2025 06:30	3.56
24-Dec-2025 06:35	3.56
24-Dec-2025 06:40	3.63
24-Dec-2025 06:45	3.59
24-Dec-2025 06:50	3.38
24-Dec-2025 06:55	3.34
24-Dec-2025 07:00	3.56
24-Dec-2025 07:05	3.63
24-Dec-2025 07:10	2.84
24-Dec-2025 07:15	4.97
24-Dec-2025 07:20	5.53
24-Dec-2025 07:25	7.59
24-Dec-2025 07:30	4.69
24-Dec-2025 07:35	7.19
24-Dec-2025 07:40	9.38
24-Dec-2025 07:45	8.31
24-Dec-2025 07:50	6.56
24-Dec-2025 07:55	7.44

Timestamp	SPM
24-Dec-2025 08:00	6.56
24-Dec-2025 08:05	6.44
24-Dec-2025 08:10	7.63
24-Dec-2025 08:15	8.59
24-Dec-2025 08:20	5.31
24-Dec-2025 08:25	5.19
24-Dec-2025 08:30	5.25
24-Dec-2025 08:35	4.47
24-Dec-2025 08:40	4.91
24-Dec-2025 08:45	4.97
24-Dec-2025 08:50	7.19
24-Dec-2025 08:55	5.41
24-Dec-2025 09:00	5.03
24-Dec-2025 09:05	5.31
24-Dec-2025 09:10	4.53
24-Dec-2025 09:15	4.78
24-Dec-2025 09:20	2.44
24-Dec-2025 09:25	2.31
24-Dec-2025 09:30	2.22
24-Dec-2025 09:35	1.94
24-Dec-2025 09:40	2.38
24-Dec-2025 09:45	2.47
24-Dec-2025 09:50	2.56
24-Dec-2025 09:55	2.66
24-Dec-2025 10:00	2.56
24-Dec-2025 10:05	1.72
24-Dec-2025 10:10	1.88
24-Dec-2025 10:15	4.69
24-Dec-2025 10:20	4.53
24-Dec-2025 10:25	5.06
24-Dec-2025 10:30	4.5
24-Dec-2025 10:35	4.31
24-Dec-2025 10:40	4.69
24-Dec-2025 10:45	4.88
24-Dec-2025 10:50	4.81
24-Dec-2025 10:55	5.44
24-Dec-2025 11:00	4.03
24-Dec-2025 11:05	4.22
24-Dec-2025 11:10	3.66
24-Dec-2025 11:15	4
24-Dec-2025 11:20	3.44
24-Dec-2025 11:25	4.59
24-Dec-2025 11:30	3.88
24-Dec-2025 11:35	3.22
24-Dec-2025 11:40	4.19
24-Dec-2025 11:45	9.44
24-Dec-2025 11:50	2.81

Timestamp	SPM
24-Dec-2025 11:55	3.19
24-Dec-2025 12:00	4.16
24-Dec-2025 12:05	3.44
24-Dec-2025 12:10	3.53
24-Dec-2025 12:15	3.75
24-Dec-2025 12:20	3.63
24-Dec-2025 12:25	4.22
24-Dec-2025 12:30	4.31
24-Dec-2025 12:35	3.59
24-Dec-2025 12:40	4.13
24-Dec-2025 12:45	11.72
24-Dec-2025 12:50	7.06
24-Dec-2025 12:55	5.25
24-Dec-2025 13:00	6.53
24-Dec-2025 13:05	6.06
24-Dec-2025 13:10	7.09
24-Dec-2025 13:15	8.31
24-Dec-2025 13:20	7.31
24-Dec-2025 13:25	7.69
24-Dec-2025 13:30	7.44
24-Dec-2025 13:35	7.56
24-Dec-2025 13:40	6.59
24-Dec-2025 13:45	7.09
24-Dec-2025 13:50	7.09
24-Dec-2025 13:55	7.69
24-Dec-2025 14:00	7.34
24-Dec-2025 14:05	9.28
24-Dec-2025 14:10	8.09
24-Dec-2025 14:15	8.59
24-Dec-2025 14:20	8.97
24-Dec-2025 14:25	7.75
24-Dec-2025 14:30	9.34
24-Dec-2025 14:35	3.94
24-Dec-2025 14:40	3.56
24-Dec-2025 14:45	4
24-Dec-2025 14:50	3.72
24-Dec-2025 14:55	3.63
24-Dec-2025 15:00	4.88
24-Dec-2025 15:05	4.69
24-Dec-2025 15:10	4.22
24-Dec-2025 15:15	4.19
24-Dec-2025 15:20	4.34
24-Dec-2025 15:25	3.91
24-Dec-2025 15:30	4.41
24-Dec-2025 15:35	4.31
24-Dec-2025 15:40	4.03
24-Dec-2025 15:45	10.47

Timestamp	SPM
24-Dec-2025 15:50	7.03
24-Dec-2025 15:55	7.97
24-Dec-2025 16:00	7.06
24-Dec-2025 16:05	7
24-Dec-2025 16:10	5.16
24-Dec-2025 16:15	7.16
24-Dec-2025 16:20	8.09
24-Dec-2025 16:25	6.34
24-Dec-2025 16:30	6.72
24-Dec-2025 16:35	5.81
24-Dec-2025 16:40	4.63
24-Dec-2025 16:45	5.19
24-Dec-2025 16:50	4.72
24-Dec-2025 16:55	4.94
24-Dec-2025 17:00	5.53
24-Dec-2025 17:05	4.66
24-Dec-2025 17:10	4.81
24-Dec-2025 17:15	5.56
24-Dec-2025 17:20	4.06
24-Dec-2025 17:25	4.53
24-Dec-2025 17:30	5.03
24-Dec-2025 17:35	4.69
24-Dec-2025 17:40	4.34
24-Dec-2025 17:45	4.34
24-Dec-2025 17:50	3.97
24-Dec-2025 17:55	3
24-Dec-2025 18:00	2.66
24-Dec-2025 18:05	3.19
24-Dec-2025 18:10	2.91
24-Dec-2025 18:15	2.53
24-Dec-2025 18:20	2.53
24-Dec-2025 18:25	2.63
24-Dec-2025 18:30	3.13
24-Dec-2025 18:35	3.25
24-Dec-2025 18:40	2.56
24-Dec-2025 18:45	2.84
24-Dec-2025 18:50	2.44
24-Dec-2025 18:55	3.06
24-Dec-2025 19:00	5.47
24-Dec-2025 19:05	6.72
24-Dec-2025 19:10	5.78
24-Dec-2025 19:15	3.88
24-Dec-2025 19:20	3.78
24-Dec-2025 19:25	4.06
24-Dec-2025 19:30	4.72
24-Dec-2025 19:35	4.03
24-Dec-2025 19:40	3.94

Timestamp	SPM
24-Dec-2025 19:45	4.91
24-Dec-2025 19:50	3.41
24-Dec-2025 19:55	3.56
24-Dec-2025 20:00	4.09
24-Dec-2025 20:05	3.84
24-Dec-2025 20:10	3.84
24-Dec-2025 20:15	3.72
24-Dec-2025 20:20	3.47
24-Dec-2025 20:25	4.53
24-Dec-2025 20:30	3.59
24-Dec-2025 20:35	3.44
24-Dec-2025 20:40	3.72
24-Dec-2025 20:45	3.53
24-Dec-2025 20:50	3.28
24-Dec-2025 20:55	3.44
24-Dec-2025 21:00	3.59
24-Dec-2025 21:05	5.06
24-Dec-2025 21:10	3.19
24-Dec-2025 21:15	3.72
24-Dec-2025 21:20	3.19
24-Dec-2025 21:25	7.88
24-Dec-2025 21:30	5.69
24-Dec-2025 21:35	6.72
24-Dec-2025 21:40	5.94
24-Dec-2025 21:45	4.13
24-Dec-2025 21:50	8.13
24-Dec-2025 21:55	5.03
24-Dec-2025 22:00	8.13
24-Dec-2025 22:05	5.81
24-Dec-2025 22:10	4.16
24-Dec-2025 22:15	6.09
24-Dec-2025 22:20	7.16
24-Dec-2025 22:25	5.84
24-Dec-2025 22:30	4.13
24-Dec-2025 22:35	4.5
24-Dec-2025 22:40	4.59
24-Dec-2025 22:45	5.16
24-Dec-2025 22:50	5.56
24-Dec-2025 22:55	6.56
24-Dec-2025 23:00	6.56
24-Dec-2025 23:05	7.44
24-Dec-2025 23:10	3.41
24-Dec-2025 23:15	3.56
24-Dec-2025 23:20	3.5
24-Dec-2025 23:25	3.69
24-Dec-2025 23:30	3.59
24-Dec-2025 23:35	4.47

Timestamp	SPM
24-Dec-2025 23:40	3.63
24-Dec-2025 23:45	3.34
24-Dec-2025 23:50	4.56
24-Dec-2025 23:55	3.31
25-Dec-2025 00:00	3.38
25-Dec-2025 00:05	3.38
25-Dec-2025 00:10	3.28
25-Dec-2025 00:15	3.44
25-Dec-2025 00:20	3.91
25-Dec-2025 00:25	7.28
25-Dec-2025 00:30	7.88
25-Dec-2025 00:35	4.63
25-Dec-2025 00:40	4.28
25-Dec-2025 00:45	4.25
25-Dec-2025 00:50	12.47
25-Dec-2025 00:55	4.66
25-Dec-2025 01:00	6.38
25-Dec-2025 01:05	4.34
25-Dec-2025 01:10	2.91
25-Dec-2025 01:15	3.53
25-Dec-2025 01:20	3
25-Dec-2025 01:25	3.31
25-Dec-2025 01:30	3.53
25-Dec-2025 01:35	2.78
25-Dec-2025 01:40	3.28
25-Dec-2025 01:45	3.13
25-Dec-2025 01:50	7.69
25-Dec-2025 01:55	6
25-Dec-2025 02:00	6.19
25-Dec-2025 02:05	5
25-Dec-2025 02:10	6.13
25-Dec-2025 02:15	6.22
25-Dec-2025 02:20	4.19
25-Dec-2025 02:25	3.59
25-Dec-2025 02:30	3.75
25-Dec-2025 02:35	3.31
25-Dec-2025 02:40	3.5
25-Dec-2025 02:45	3.47
25-Dec-2025 02:50	3.78
25-Dec-2025 02:55	3.69
25-Dec-2025 03:00	6.03
25-Dec-2025 03:05	3.13
25-Dec-2025 03:10	3.38
25-Dec-2025 03:15	4.03
25-Dec-2025 03:20	3.66
25-Dec-2025 03:25	3.75
25-Dec-2025 03:30	5.09

Timestamp	SPM
25-Dec-2025 03:35	4
25-Dec-2025 03:40	6.78
25-Dec-2025 03:45	5.03
25-Dec-2025 03:50	3.13
25-Dec-2025 03:55	3.13
25-Dec-2025 04:00	3.19
25-Dec-2025 04:05	3.22
25-Dec-2025 04:10	3.03
25-Dec-2025 04:15	3.28
25-Dec-2025 04:20	3.34
25-Dec-2025 04:25	5.78
25-Dec-2025 04:30	7.22
25-Dec-2025 04:35	4.34
25-Dec-2025 04:40	5.53
25-Dec-2025 04:45	6.44
25-Dec-2025 04:50	6.66
25-Dec-2025 04:55	6.84
25-Dec-2025 05:00	6.97
25-Dec-2025 05:05	5.91
25-Dec-2025 05:10	4.5
25-Dec-2025 05:15	4.31
25-Dec-2025 05:20	5.34
25-Dec-2025 05:25	6.56
25-Dec-2025 05:30	7.16
25-Dec-2025 05:35	3.88
25-Dec-2025 05:40	3.94
25-Dec-2025 05:45	9.5
25-Dec-2025 05:50	7.38
25-Dec-2025 05:55	5.66
25-Dec-2025 06:00	6.06
25-Dec-2025 06:05	7.78
25-Dec-2025 06:10	4.94
25-Dec-2025 06:15	7.75
25-Dec-2025 06:20	4.91
25-Dec-2025 06:25	6.84
25-Dec-2025 06:30	4.16
25-Dec-2025 06:35	4.03
25-Dec-2025 06:40	3.53
25-Dec-2025 06:45	3.5
25-Dec-2025 06:50	4
25-Dec-2025 06:55	3.28
25-Dec-2025 07:00	3.5
25-Dec-2025 07:05	4
25-Dec-2025 07:10	11.69
25-Dec-2025 07:15	5.31
25-Dec-2025 07:20	5.09
25-Dec-2025 07:25	6.03

Timestamp	SPM
25-Dec-2025 07:30	7.25
25-Dec-2025 07:35	7.81
25-Dec-2025 07:40	7.22
25-Dec-2025 07:45	7.16
25-Dec-2025 07:50	6.56
25-Dec-2025 07:55	7.34
25-Dec-2025 08:00	7.5
25-Dec-2025 08:05	4.06
25-Dec-2025 08:10	4.03
25-Dec-2025 08:15	4.41
25-Dec-2025 08:20	4.03
25-Dec-2025 08:25	5.59
25-Dec-2025 08:30	5.78
25-Dec-2025 08:35	5.66
25-Dec-2025 08:40	7
25-Dec-2025 08:45	4.78
25-Dec-2025 08:50	8.31
25-Dec-2025 08:55	12
25-Dec-2025 09:00	5.53
25-Dec-2025 09:05	5.41
25-Dec-2025 09:10	3.97
25-Dec-2025 09:15	3.66
25-Dec-2025 09:20	3.69
25-Dec-2025 09:25	4.25
25-Dec-2025 09:30	4.13
25-Dec-2025 09:35	2.97
25-Dec-2025 09:40	3.75
25-Dec-2025 09:45	4.16
25-Dec-2025 09:50	3.16
25-Dec-2025 09:55	4.28
25-Dec-2025 10:00	4.06
25-Dec-2025 10:05	4.16
25-Dec-2025 10:10	3.91
25-Dec-2025 10:15	4.22
25-Dec-2025 10:20	3.81
25-Dec-2025 10:25	4.38
25-Dec-2025 10:30	4.25
25-Dec-2025 10:35	4.41
25-Dec-2025 10:40	4.75
25-Dec-2025 10:45	4.19
25-Dec-2025 10:50	4.63
25-Dec-2025 10:55	4.91
25-Dec-2025 11:00	4.41
25-Dec-2025 11:05	4.34
25-Dec-2025 11:10	3.91
25-Dec-2025 11:15	3.88
25-Dec-2025 11:20	4.09

Timestamp	SPM
25-Dec-2025 11:25	4.22
25-Dec-2025 11:30	8.13
25-Dec-2025 11:35	5.28
25-Dec-2025 11:40	5.78
25-Dec-2025 11:45	7.69
25-Dec-2025 11:50	8.41
25-Dec-2025 11:55	6.44
25-Dec-2025 12:00	6.38
25-Dec-2025 12:05	5.94
25-Dec-2025 12:10	6.72
25-Dec-2025 12:15	6.81
25-Dec-2025 12:20	6.19
25-Dec-2025 12:25	6.38
25-Dec-2025 12:30	5.94
25-Dec-2025 12:35	5.78
25-Dec-2025 12:40	5.16
25-Dec-2025 12:45	5.06
25-Dec-2025 12:50	4.44
25-Dec-2025 12:55	6.13
25-Dec-2025 13:00	5.31
25-Dec-2025 13:05	5.16
25-Dec-2025 13:10	4.91
25-Dec-2025 13:15	5.06
25-Dec-2025 13:20	5.19
25-Dec-2025 13:25	5.06
25-Dec-2025 13:30	5.38
25-Dec-2025 13:35	3.38
25-Dec-2025 13:40	3.16
25-Dec-2025 13:45	3.41
25-Dec-2025 13:50	3.84
25-Dec-2025 13:55	3.69
25-Dec-2025 14:00	4.34
25-Dec-2025 14:05	3.72
25-Dec-2025 14:10	3.28
25-Dec-2025 14:15	3.16
25-Dec-2025 14:20	3.97
25-Dec-2025 14:25	3.63
25-Dec-2025 14:30	3.47
25-Dec-2025 14:35	3.59
25-Dec-2025 14:40	3.25
25-Dec-2025 14:45	3.47
25-Dec-2025 14:50	3.56
25-Dec-2025 14:55	3.63
25-Dec-2025 15:00	4.47
25-Dec-2025 15:05	3.81
25-Dec-2025 15:10	3.22
25-Dec-2025 15:15	3.38

Timestamp	SPM
25-Dec-2025 15:20	3.41
25-Dec-2025 15:25	3.19
25-Dec-2025 15:30	3
25-Dec-2025 15:35	4.22
25-Dec-2025 15:40	3.22
25-Dec-2025 15:45	4.34
25-Dec-2025 15:50	7.19
25-Dec-2025 15:55	7.06
25-Dec-2025 16:00	4.94
25-Dec-2025 16:05	5.5
25-Dec-2025 16:10	4.25
25-Dec-2025 16:15	4.59
25-Dec-2025 16:20	5.22
25-Dec-2025 16:25	5.75
25-Dec-2025 16:30	4.94
25-Dec-2025 16:35	4.97
25-Dec-2025 16:40	5.25
25-Dec-2025 16:45	6.63
25-Dec-2025 16:50	8.03
25-Dec-2025 16:55	6.97
25-Dec-2025 17:00	9
25-Dec-2025 17:05	9.25
25-Dec-2025 17:10	7.38
25-Dec-2025 17:15	5.25
25-Dec-2025 17:20	7.75
25-Dec-2025 17:25	7.16
25-Dec-2025 17:30	5.34
25-Dec-2025 17:35	6.13
25-Dec-2025 17:40	7.59
25-Dec-2025 17:45	3.16
25-Dec-2025 17:50	3.59
25-Dec-2025 17:55	3.81
25-Dec-2025 18:00	3.81
25-Dec-2025 18:05	10.34
25-Dec-2025 18:10	5.19
25-Dec-2025 18:15	7.59
25-Dec-2025 18:20	7.97
25-Dec-2025 18:25	7.06
25-Dec-2025 18:30	5.81
25-Dec-2025 18:35	5.44
25-Dec-2025 18:40	5.66
25-Dec-2025 18:45	5.28
25-Dec-2025 18:50	5.13
25-Dec-2025 18:55	5.16
25-Dec-2025 19:00	5.53
25-Dec-2025 19:05	4.94
25-Dec-2025 19:10	5.28

Timestamp	SPM
25-Dec-2025 19:15	5.56
25-Dec-2025 19:20	5.31
25-Dec-2025 19:25	5.63
25-Dec-2025 19:30	5.03
25-Dec-2025 19:35	4.63
25-Dec-2025 19:40	4.78
25-Dec-2025 19:45	4.56
25-Dec-2025 19:50	3.72
25-Dec-2025 19:55	2.84
25-Dec-2025 20:00	3.25
25-Dec-2025 20:05	2.84
25-Dec-2025 20:10	3
25-Dec-2025 20:15	3.19
25-Dec-2025 20:20	2.66
25-Dec-2025 20:25	3.59
25-Dec-2025 20:30	2.88
25-Dec-2025 20:35	3.97
25-Dec-2025 20:40	4.91
25-Dec-2025 20:45	8.16
25-Dec-2025 20:50	4.75
25-Dec-2025 20:55	5.16
25-Dec-2025 21:00	6.38
25-Dec-2025 21:05	7.97
25-Dec-2025 21:10	7.72
25-Dec-2025 21:15	6.56
25-Dec-2025 21:20	6.38
25-Dec-2025 21:25	6.91
25-Dec-2025 21:30	4.09
25-Dec-2025 21:35	3.97
25-Dec-2025 21:40	4
25-Dec-2025 21:45	3.88
25-Dec-2025 21:50	4.44
25-Dec-2025 21:55	4.91
25-Dec-2025 22:00	4.19
25-Dec-2025 22:05	5.09
25-Dec-2025 22:10	3.97
25-Dec-2025 22:15	15.34
25-Dec-2025 22:20	8
25-Dec-2025 22:25	4.56
25-Dec-2025 22:30	4.22
25-Dec-2025 22:35	7.66
25-Dec-2025 22:40	7.16
25-Dec-2025 22:45	9.06
25-Dec-2025 22:50	4.28
25-Dec-2025 22:55	6.88
25-Dec-2025 23:00	6.56
25-Dec-2025 23:05	5.88

Timestamp	SPM
25-Dec-2025 23:10	3.06
25-Dec-2025 23:15	3.25
25-Dec-2025 23:20	3.78
25-Dec-2025 23:25	3.06
25-Dec-2025 23:30	3.53
25-Dec-2025 23:35	4.13
25-Dec-2025 23:40	3.56
25-Dec-2025 23:45	6.28
25-Dec-2025 23:50	6.38
25-Dec-2025 23:55	5.28
26-Dec-2025 00:00	6.19
26-Dec-2025 00:05	6.75
26-Dec-2025 00:10	4.47
26-Dec-2025 00:15	4.56
26-Dec-2025 00:20	4.09
26-Dec-2025 00:25	3.97
26-Dec-2025 00:30	3.75
26-Dec-2025 00:35	3.94
26-Dec-2025 00:40	4.34
26-Dec-2025 00:45	3.91
26-Dec-2025 00:50	3.97
26-Dec-2025 00:55	4
26-Dec-2025 01:00	3.88
26-Dec-2025 01:05	3.91
26-Dec-2025 01:10	3.72
26-Dec-2025 01:15	6.38
26-Dec-2025 01:20	6.03
26-Dec-2025 01:25	6.44
26-Dec-2025 01:30	4.56
26-Dec-2025 01:35	3.94
26-Dec-2025 01:40	6.97
26-Dec-2025 01:45	6.5
26-Dec-2025 01:50	4.13
26-Dec-2025 01:55	3
26-Dec-2025 02:00	3.44
26-Dec-2025 02:05	3.13
26-Dec-2025 02:10	3.41
26-Dec-2025 02:15	2.97
26-Dec-2025 02:20	2.97
26-Dec-2025 02:25	3.09
26-Dec-2025 02:30	3.34
26-Dec-2025 02:35	3.5
26-Dec-2025 02:40	3.22
26-Dec-2025 02:45	2.91
26-Dec-2025 02:50	2.91
26-Dec-2025 02:55	3.06
26-Dec-2025 03:00	3.88

Timestamp	SPM
26-Dec-2025 03:05	3
26-Dec-2025 03:10	3.16
26-Dec-2025 03:15	3.38
26-Dec-2025 03:20	10.25
26-Dec-2025 03:25	4.34
26-Dec-2025 03:30	5.56
26-Dec-2025 03:35	5.25
26-Dec-2025 03:40	7.31
26-Dec-2025 03:45	5.81
26-Dec-2025 03:50	5.09
26-Dec-2025 03:55	5.09
26-Dec-2025 04:00	6.56
26-Dec-2025 04:05	6.53
26-Dec-2025 04:10	6.09
26-Dec-2025 04:15	6.31
26-Dec-2025 04:20	6.31
26-Dec-2025 04:25	6.5
26-Dec-2025 04:30	6.22
26-Dec-2025 04:35	6.03
26-Dec-2025 04:40	6.78
26-Dec-2025 04:45	5.19
26-Dec-2025 04:50	4.59
26-Dec-2025 04:55	4.34
26-Dec-2025 05:00	4.5
26-Dec-2025 05:05	4.94
26-Dec-2025 05:10	4.41
26-Dec-2025 05:15	4.94
26-Dec-2025 05:20	3.06
26-Dec-2025 05:25	3.06
26-Dec-2025 05:30	3.06
26-Dec-2025 05:35	3.25
26-Dec-2025 05:40	3.22
26-Dec-2025 05:45	3.44
26-Dec-2025 05:50	3.06
26-Dec-2025 05:55	2.72
26-Dec-2025 06:00	3.22
26-Dec-2025 06:05	3.06
26-Dec-2025 06:10	7.06
26-Dec-2025 06:15	5.69
26-Dec-2025 06:20	4.56
26-Dec-2025 06:25	6.19
26-Dec-2025 06:30	4.22
26-Dec-2025 06:35	6.19
26-Dec-2025 06:40	7.81
26-Dec-2025 06:45	7.22
26-Dec-2025 06:50	8.38
26-Dec-2025 06:55	7.69

Timestamp	SPM
26-Dec-2025 07:00	7.06
26-Dec-2025 07:05	6.47
26-Dec-2025 07:10	6.44
26-Dec-2025 07:15	6.19
26-Dec-2025 07:20	6.25
26-Dec-2025 07:25	6.88
26-Dec-2025 07:30	6.53
26-Dec-2025 07:35	6.16
26-Dec-2025 07:40	7.09
26-Dec-2025 07:45	7.66
26-Dec-2025 07:50	9.19
26-Dec-2025 07:55	8.91
26-Dec-2025 08:00	3.28
26-Dec-2025 08:05	3.56
26-Dec-2025 08:10	3.63
26-Dec-2025 08:15	3.47
26-Dec-2025 08:20	3.16
26-Dec-2025 08:25	3.5
26-Dec-2025 08:30	3.38
26-Dec-2025 08:35	3.31
26-Dec-2025 08:40	3.41
26-Dec-2025 08:45	4.03
26-Dec-2025 08:50	4.09
26-Dec-2025 08:55	3.25
26-Dec-2025 09:00	9.91
26-Dec-2025 09:05	8.41
26-Dec-2025 09:10	9.09
26-Dec-2025 09:15	8.75
26-Dec-2025 09:20	7.69
26-Dec-2025 09:25	5.84
26-Dec-2025 09:30	5.88
26-Dec-2025 09:35	6.53
26-Dec-2025 09:40	6.16
26-Dec-2025 09:45	5.53
26-Dec-2025 09:50	5.16
26-Dec-2025 09:55	5.72
26-Dec-2025 10:00	6
26-Dec-2025 10:05	7.31
26-Dec-2025 10:10	8.5
26-Dec-2025 10:15	8
26-Dec-2025 10:20	10.91
26-Dec-2025 10:25	7.94
26-Dec-2025 10:30	6.06
26-Dec-2025 10:35	5.94
26-Dec-2025 10:40	6
26-Dec-2025 10:45	5.72
26-Dec-2025 10:50	7.03

Timestamp	SPM
26-Dec-2025 10:55	3.13
26-Dec-2025 11:00	3.38
26-Dec-2025 11:05	3.94
26-Dec-2025 11:10	3.5
26-Dec-2025 11:15	4.53
26-Dec-2025 11:20	3.44
26-Dec-2025 11:25	3.19
26-Dec-2025 11:30	4.28
26-Dec-2025 11:35	4.22
26-Dec-2025 11:40	4.5
26-Dec-2025 11:45	3.97
26-Dec-2025 11:50	4.91
26-Dec-2025 11:55	13.97
26-Dec-2025 12:00	8.38
26-Dec-2025 12:05	8.25
26-Dec-2025 12:10	5.75
26-Dec-2025 12:15	9.69
26-Dec-2025 12:20	5.19
26-Dec-2025 12:25	5.03
26-Dec-2025 12:30	4.63
26-Dec-2025 12:35	4.69
26-Dec-2025 12:40	5.16
26-Dec-2025 12:45	4.84
26-Dec-2025 12:50	5.81
26-Dec-2025 12:55	5.06
26-Dec-2025 13:00	5
26-Dec-2025 13:05	7.56
26-Dec-2025 13:10	5.22
26-Dec-2025 13:15	5.28
26-Dec-2025 13:20	8.94
26-Dec-2025 13:25	4.97
26-Dec-2025 13:30	9.44
26-Dec-2025 13:35	5.47
26-Dec-2025 13:40	6.59
26-Dec-2025 13:45	6.69
26-Dec-2025 13:50	4.31
26-Dec-2025 13:55	4.22
26-Dec-2025 14:00	4.72
26-Dec-2025 14:05	4.97
26-Dec-2025 14:10	4.47
26-Dec-2025 14:15	3.19
26-Dec-2025 14:20	3.59
26-Dec-2025 14:25	4.63
26-Dec-2025 14:30	5.41
26-Dec-2025 14:35	3.72
26-Dec-2025 14:40	4.56
26-Dec-2025 14:45	3.69

Timestamp	SPM
26-Dec-2025 14:50	3.41
26-Dec-2025 14:55	8.59
26-Dec-2025 15:00	9.16
26-Dec-2025 15:05	7.44
26-Dec-2025 15:10	6.41
26-Dec-2025 15:15	7.72
26-Dec-2025 15:20	10.38
26-Dec-2025 15:25	8.38
26-Dec-2025 15:30	7.81
26-Dec-2025 15:35	7.44
26-Dec-2025 15:40	8.22
26-Dec-2025 15:45	5.44
26-Dec-2025 15:50	5.03
26-Dec-2025 15:55	5.53
26-Dec-2025 16:00	6.63
26-Dec-2025 16:05	5.47
26-Dec-2025 16:10	4.75
26-Dec-2025 16:15	5.09
26-Dec-2025 16:20	5.53
26-Dec-2025 16:25	5.81
26-Dec-2025 16:30	4.84
26-Dec-2025 16:35	5.34
26-Dec-2025 16:40	3.97
26-Dec-2025 16:45	3.84
26-Dec-2025 16:50	3.28
26-Dec-2025 16:55	1.16
26-Dec-2025 17:00	1.78
26-Dec-2025 17:05	1.75
26-Dec-2025 17:10	1.28
26-Dec-2025 17:15	4.09
26-Dec-2025 17:20	4.13
26-Dec-2025 17:25	4.34
26-Dec-2025 17:30	4.56
26-Dec-2025 17:35	4.38
26-Dec-2025 17:40	4.19
26-Dec-2025 17:45	4.25
26-Dec-2025 17:50	5.69
26-Dec-2025 17:55	3.91
26-Dec-2025 18:00	3.81
26-Dec-2025 18:05	4.06
26-Dec-2025 18:10	4.16
26-Dec-2025 18:15	4.09
26-Dec-2025 18:20	4.03
26-Dec-2025 18:25	3.81
26-Dec-2025 18:30	5.88
26-Dec-2025 18:35	4.56
26-Dec-2025 18:40	4.97

Timestamp	SPM
26-Dec-2025 18:45	4.88
26-Dec-2025 18:50	4.56
26-Dec-2025 18:55	10.78
26-Dec-2025 19:00	5.44
26-Dec-2025 19:05	3.5
26-Dec-2025 19:10	7.13
26-Dec-2025 19:15	3.5
26-Dec-2025 19:20	2.63
26-Dec-2025 19:25	3.03
26-Dec-2025 19:30	3.47
26-Dec-2025 19:35	3.09
26-Dec-2025 19:40	3.28
26-Dec-2025 19:45	3.44
26-Dec-2025 19:50	2.88
26-Dec-2025 19:55	3.34
26-Dec-2025 20:00	3.41
26-Dec-2025 20:05	4.44
26-Dec-2025 20:10	4.75
26-Dec-2025 20:15	8.25
26-Dec-2025 20:20	4.88
26-Dec-2025 20:25	4.59
26-Dec-2025 20:30	5.19
26-Dec-2025 20:35	5.38
26-Dec-2025 20:40	4.81
26-Dec-2025 20:45	4.5
26-Dec-2025 20:50	5.25
26-Dec-2025 20:55	6.81
26-Dec-2025 21:00	6.88
26-Dec-2025 21:05	3.69
26-Dec-2025 21:10	3.91
26-Dec-2025 21:15	3.81
26-Dec-2025 21:20	3.94
26-Dec-2025 21:25	4.09
26-Dec-2025 21:30	4.06
26-Dec-2025 21:35	3.72
26-Dec-2025 21:40	4.5
26-Dec-2025 21:45	4.47
26-Dec-2025 21:50	6.91
26-Dec-2025 21:55	6.88
26-Dec-2025 22:00	4.69
26-Dec-2025 22:05	6.25
26-Dec-2025 22:10	5.75
26-Dec-2025 22:15	4.13
26-Dec-2025 22:20	4.19
26-Dec-2025 22:25	6.5
26-Dec-2025 22:30	3.56
26-Dec-2025 22:35	2.94

Timestamp	SPM
26-Dec-2025 22:40	3.63
26-Dec-2025 22:45	3.53
26-Dec-2025 22:50	3.41
26-Dec-2025 22:55	3.53
26-Dec-2025 23:00	3.28
26-Dec-2025 23:05	2.94
26-Dec-2025 23:10	2.75
26-Dec-2025 23:15	4.78
26-Dec-2025 23:20	6.84
26-Dec-2025 23:25	4.25
26-Dec-2025 23:30	6.91
26-Dec-2025 23:35	4.88
26-Dec-2025 23:40	4.38
26-Dec-2025 23:45	4.34
26-Dec-2025 23:50	4.34
26-Dec-2025 23:55	4.34
27-Dec-2025 00:00	4.63
27-Dec-2025 00:05	3.78
27-Dec-2025 00:10	4.5
27-Dec-2025 00:15	4.41
27-Dec-2025 00:20	4.41
27-Dec-2025 00:25	5.22
27-Dec-2025 00:30	3.81
27-Dec-2025 00:35	5.66
27-Dec-2025 00:40	4.63
27-Dec-2025 00:45	4.44
27-Dec-2025 00:50	3.81
27-Dec-2025 00:55	8.34
27-Dec-2025 01:00	3.78
27-Dec-2025 01:05	7.09
27-Dec-2025 01:10	5.97
27-Dec-2025 01:15	6.75
27-Dec-2025 01:20	2.91
27-Dec-2025 01:25	2.97
27-Dec-2025 01:30	3.28
27-Dec-2025 01:35	2.94
27-Dec-2025 01:40	2.84
27-Dec-2025 01:45	3.41
27-Dec-2025 01:50	3.19
27-Dec-2025 01:55	3.25
27-Dec-2025 02:00	3.28
27-Dec-2025 02:05	3.28
27-Dec-2025 02:10	3.25
27-Dec-2025 02:15	3.44
27-Dec-2025 02:20	6.72
27-Dec-2025 02:25	7.63
27-Dec-2025 02:30	4.56

Timestamp	SPM
27-Dec-2025 02:35	6.97
27-Dec-2025 02:40	5.91
27-Dec-2025 02:45	4.69
27-Dec-2025 02:50	5.53
27-Dec-2025 02:55	5.66
27-Dec-2025 03:00	5.34
27-Dec-2025 03:05	5.53
27-Dec-2025 03:10	5.91
27-Dec-2025 03:15	7.09
27-Dec-2025 03:20	10.03
27-Dec-2025 03:25	7.72
27-Dec-2025 03:30	8.06
27-Dec-2025 03:35	7.72
27-Dec-2025 03:40	6.16
27-Dec-2025 03:45	5.63
27-Dec-2025 03:50	5.16
27-Dec-2025 03:55	4.72
27-Dec-2025 04:00	4.75
27-Dec-2025 04:05	4.59
27-Dec-2025 04:10	4.44
27-Dec-2025 04:15	4.75
27-Dec-2025 04:20	3.38
27-Dec-2025 04:25	3.16
27-Dec-2025 04:30	3.16
27-Dec-2025 04:35	3.38
27-Dec-2025 04:40	3.13
27-Dec-2025 04:45	3.38
27-Dec-2025 04:50	3.38
27-Dec-2025 04:55	3.22
27-Dec-2025 05:00	3.28
27-Dec-2025 05:05	3.28
27-Dec-2025 05:10	3.34
27-Dec-2025 05:15	2.97
27-Dec-2025 05:20	2.84
27-Dec-2025 05:25	7.31
27-Dec-2025 05:30	7.5
27-Dec-2025 05:35	6.5
27-Dec-2025 05:40	4.78
27-Dec-2025 05:45	5.06
27-Dec-2025 05:50	5.78
27-Dec-2025 05:55	6.34
27-Dec-2025 06:00	6.53
27-Dec-2025 06:05	6.25
27-Dec-2025 06:10	5.47
27-Dec-2025 06:15	4.88
27-Dec-2025 06:20	4.47
27-Dec-2025 06:25	4.66

Timestamp	SPM
27-Dec-2025 06:30	4.69
27-Dec-2025 06:35	5.28
27-Dec-2025 06:40	5.69
27-Dec-2025 06:45	5.69
27-Dec-2025 06:50	6.38
27-Dec-2025 06:55	6.28
27-Dec-2025 07:00	6.06
27-Dec-2025 07:05	6.06
27-Dec-2025 07:10	5.28
27-Dec-2025 07:15	5.38
27-Dec-2025 07:20	4.16
27-Dec-2025 07:25	3.94
27-Dec-2025 07:30	4.16
27-Dec-2025 07:35	4.91
27-Dec-2025 07:40	5.5
27-Dec-2025 07:45	6.38
27-Dec-2025 07:50	3.38
27-Dec-2025 07:55	3.03
27-Dec-2025 08:00	5.5
27-Dec-2025 08:05	7.28
27-Dec-2025 08:10	7.59
27-Dec-2025 08:15	7.13
27-Dec-2025 08:20	8.38
27-Dec-2025 08:25	7.69
27-Dec-2025 08:30	6.91
27-Dec-2025 08:35	3.91
27-Dec-2025 08:40	4.22
27-Dec-2025 08:45	6.22
27-Dec-2025 08:50	8.09
27-Dec-2025 08:55	5.22
27-Dec-2025 09:00	4.47
27-Dec-2025 09:05	3.78
27-Dec-2025 09:10	4.03
27-Dec-2025 09:15	3.72
27-Dec-2025 09:20	3.78
27-Dec-2025 09:25	4.31
27-Dec-2025 09:30	5.19
27-Dec-2025 09:35	4.34
27-Dec-2025 09:40	4
27-Dec-2025 09:45	4.56
27-Dec-2025 09:50	3.94
27-Dec-2025 09:55	3.78
27-Dec-2025 10:00	3.75
27-Dec-2025 10:05	3.41
27-Dec-2025 10:10	3.84
27-Dec-2025 10:15	3.84
27-Dec-2025 10:20	3.69

Timestamp	SPM
27-Dec-2025 10:25	4.72
27-Dec-2025 10:30	3.38
27-Dec-2025 10:35	3.25
27-Dec-2025 10:40	4.69
27-Dec-2025 10:45	4.34
27-Dec-2025 10:50	4.13
27-Dec-2025 10:55	11.69
27-Dec-2025 11:00	5.53
27-Dec-2025 11:05	8.56
27-Dec-2025 11:10	5.41
27-Dec-2025 11:15	8.75
27-Dec-2025 11:20	9.38
27-Dec-2025 11:25	6.22
27-Dec-2025 11:30	4.34
27-Dec-2025 11:35	4.03
27-Dec-2025 11:40	3.34
27-Dec-2025 11:45	4.06
27-Dec-2025 11:50	3.38
27-Dec-2025 11:55	4.22
27-Dec-2025 12:00	4.28
27-Dec-2025 12:05	4.09
27-Dec-2025 12:10	3.03
27-Dec-2025 12:15	7.69
27-Dec-2025 12:20	7.69
27-Dec-2025 12:25	4.84
27-Dec-2025 12:30	7.13
27-Dec-2025 12:35	9.03
27-Dec-2025 12:40	7.25
27-Dec-2025 12:45	3.91
27-Dec-2025 12:50	4.06
27-Dec-2025 12:55	4.31
27-Dec-2025 13:00	4.41
27-Dec-2025 13:05	4.03
27-Dec-2025 13:10	3.97
27-Dec-2025 13:15	3.75
27-Dec-2025 13:20	3.91
27-Dec-2025 13:25	4.19
27-Dec-2025 13:30	4.19
27-Dec-2025 13:35	8.94
27-Dec-2025 13:40	4.09
27-Dec-2025 13:45	4.47
27-Dec-2025 13:50	7.06
27-Dec-2025 13:55	5.19
27-Dec-2025 14:00	3.84
27-Dec-2025 14:05	4.13
27-Dec-2025 14:10	3.31
27-Dec-2025 14:15	3.66

Timestamp	SPM
27-Dec-2025 14:20	3.97
27-Dec-2025 14:25	3.78
27-Dec-2025 14:30	3.47
27-Dec-2025 14:35	4.44
27-Dec-2025 14:40	3.94
27-Dec-2025 14:45	4
27-Dec-2025 14:50	4.59
27-Dec-2025 14:55	6.66
27-Dec-2025 15:00	7.16
27-Dec-2025 15:05	5.47
27-Dec-2025 15:10	6.03
27-Dec-2025 15:15	7.75
27-Dec-2025 15:20	7.66
27-Dec-2025 15:25	7.31
27-Dec-2025 15:30	7.84
27-Dec-2025 15:35	8.5
27-Dec-2025 15:40	6.84
27-Dec-2025 15:45	8.59
27-Dec-2025 15:50	7.69
27-Dec-2025 15:55	6.66
27-Dec-2025 16:00	6.63
27-Dec-2025 16:05	8.03
27-Dec-2025 16:10	5.91
27-Dec-2025 16:15	5.34
27-Dec-2025 16:20	6.22
27-Dec-2025 16:25	4.97
27-Dec-2025 16:30	5.91
27-Dec-2025 16:35	5.56
27-Dec-2025 16:40	3.69
27-Dec-2025 16:45	3.47
27-Dec-2025 16:50	3.69
27-Dec-2025 16:55	3.34
27-Dec-2025 17:00	3.63
27-Dec-2025 17:05	3.97
27-Dec-2025 17:10	3.47
27-Dec-2025 17:15	3.69
27-Dec-2025 17:20	3.88
27-Dec-2025 17:25	4
27-Dec-2025 17:30	4.13
27-Dec-2025 17:35	7.44
27-Dec-2025 17:40	7.78
27-Dec-2025 17:45	5.47
27-Dec-2025 17:50	7.91
27-Dec-2025 17:55	7
27-Dec-2025 18:00	5.31
27-Dec-2025 18:05	4.81
27-Dec-2025 18:10	4.66

Timestamp	SPM
27-Dec-2025 18:15	4.94
27-Dec-2025 18:20	5.16
27-Dec-2025 18:25	4.53
27-Dec-2025 18:30	4.66
27-Dec-2025 18:35	7.25
27-Dec-2025 18:40	5.53
27-Dec-2025 18:45	5.69
27-Dec-2025 18:50	6.28
27-Dec-2025 18:55	5.66
27-Dec-2025 19:00	4.97
27-Dec-2025 19:05	4.84
27-Dec-2025 19:10	3.34
27-Dec-2025 19:15	3
27-Dec-2025 19:20	2.81
27-Dec-2025 19:25	3.66
27-Dec-2025 19:30	3.03
27-Dec-2025 19:35	2.81
27-Dec-2025 19:40	3.28
27-Dec-2025 19:45	3.19
27-Dec-2025 19:50	2.94
27-Dec-2025 19:55	3
27-Dec-2025 20:00	3.31
27-Dec-2025 20:05	7.38
27-Dec-2025 20:10	6.19
27-Dec-2025 20:15	6.53
27-Dec-2025 20:20	5.09
27-Dec-2025 20:25	6.88
27-Dec-2025 20:30	4.09
27-Dec-2025 20:35	4.25
27-Dec-2025 20:40	4.66
27-Dec-2025 20:45	5.47
27-Dec-2025 20:50	4.53
27-Dec-2025 20:55	5.53
27-Dec-2025 21:00	4.63
27-Dec-2025 21:05	5.5
27-Dec-2025 21:10	4.72
27-Dec-2025 21:15	4.56
27-Dec-2025 21:20	5.38
27-Dec-2025 21:25	4.34
27-Dec-2025 21:30	11.28
27-Dec-2025 21:35	5.59
27-Dec-2025 21:40	5.16
27-Dec-2025 21:45	7.5
27-Dec-2025 21:50	5
27-Dec-2025 21:55	6.91
27-Dec-2025 22:00	6.56
27-Dec-2025 22:05	4.5

Timestamp	SPM
27-Dec-2025 22:10	4.84
27-Dec-2025 22:15	6.66
27-Dec-2025 22:20	3.22
27-Dec-2025 22:25	2.81
27-Dec-2025 22:30	3.03
27-Dec-2025 22:35	3.13
27-Dec-2025 22:40	3.13
27-Dec-2025 22:45	3.31
27-Dec-2025 22:50	3.09
27-Dec-2025 22:55	2.78
27-Dec-2025 23:00	3.09
27-Dec-2025 23:05	2.88
27-Dec-2025 23:10	3.41
27-Dec-2025 23:15	3.19
27-Dec-2025 23:20	3.28
27-Dec-2025 23:25	2.84
27-Dec-2025 23:30	2.91
27-Dec-2025 23:35	3.06
27-Dec-2025 23:40	3.03
27-Dec-2025 23:45	3.25
27-Dec-2025 23:50	3.06
27-Dec-2025 23:55	3.06
28-Dec-2025 00:00	3.25
28-Dec-2025 00:05	2.84
28-Dec-2025 00:10	3.16
28-Dec-2025 00:15	2.97
28-Dec-2025 00:20	2.84
28-Dec-2025 00:25	3.28
28-Dec-2025 00:30	2.91
28-Dec-2025 00:35	2.88
28-Dec-2025 00:40	3
28-Dec-2025 00:45	2.88
28-Dec-2025 00:50	3.06
28-Dec-2025 00:55	3.22
28-Dec-2025 01:00	3.06
28-Dec-2025 01:05	2.78
28-Dec-2025 01:10	2.91
28-Dec-2025 01:15	3.25
28-Dec-2025 01:20	2.94
28-Dec-2025 01:25	3.16
28-Dec-2025 01:30	3.19
28-Dec-2025 01:35	3.34
28-Dec-2025 01:40	3.28
28-Dec-2025 01:45	2.94
28-Dec-2025 01:50	2.81
28-Dec-2025 01:55	3.41
28-Dec-2025 02:00	3.25

Timestamp	SPM
28-Dec-2025 02:05	6.31
28-Dec-2025 02:10	5.53
28-Dec-2025 02:15	5.06
28-Dec-2025 02:20	6.31
28-Dec-2025 02:25	5.47
28-Dec-2025 02:30	6.16
28-Dec-2025 02:35	4.72
28-Dec-2025 02:40	6.78
28-Dec-2025 02:45	7.44
28-Dec-2025 02:50	6.06
28-Dec-2025 02:55	5.34
28-Dec-2025 03:00	4.84
28-Dec-2025 03:05	5.34
28-Dec-2025 03:10	4.53
28-Dec-2025 03:15	4.13
28-Dec-2025 03:20	4.5
28-Dec-2025 03:25	5.31
28-Dec-2025 03:30	5.44
28-Dec-2025 03:35	6.25
28-Dec-2025 03:40	6.91
28-Dec-2025 03:45	7.06
28-Dec-2025 03:50	7.44
28-Dec-2025 03:55	7.59
28-Dec-2025 04:00	7.28
28-Dec-2025 04:05	6.03
28-Dec-2025 04:10	5
28-Dec-2025 04:15	4.28
28-Dec-2025 04:20	4.41
28-Dec-2025 04:25	5.94
28-Dec-2025 04:30	7.41
28-Dec-2025 04:35	6.44
28-Dec-2025 04:40	6.19
28-Dec-2025 04:45	6.94
28-Dec-2025 04:50	6.25
28-Dec-2025 04:55	4.66
28-Dec-2025 05:00	5.06
28-Dec-2025 05:05	4.81
28-Dec-2025 05:10	6.34
28-Dec-2025 05:15	7.28
28-Dec-2025 05:20	7.03
28-Dec-2025 05:25	5.84
28-Dec-2025 05:30	6.19
28-Dec-2025 05:35	4.38
28-Dec-2025 05:40	4.31
28-Dec-2025 05:45	5.22
28-Dec-2025 05:50	6.28
28-Dec-2025 05:55	7.03

Timestamp	SPM
28-Dec-2025 06:00	7.34
28-Dec-2025 06:05	7.19
28-Dec-2025 06:10	8.03
28-Dec-2025 06:15	6.25
28-Dec-2025 06:20	4.34
28-Dec-2025 06:25	5.09
28-Dec-2025 06:30	4.75
28-Dec-2025 06:35	5.19
28-Dec-2025 06:40	3.09
28-Dec-2025 06:45	2.94
28-Dec-2025 06:50	3
28-Dec-2025 06:55	3.13
28-Dec-2025 07:00	3.31
28-Dec-2025 07:05	3.06
28-Dec-2025 07:10	2.88
28-Dec-2025 07:15	3
28-Dec-2025 07:20	3.06
28-Dec-2025 07:25	5.41
28-Dec-2025 07:30	6.91
28-Dec-2025 07:35	4.44
28-Dec-2025 07:40	6.38
28-Dec-2025 07:45	6.97
28-Dec-2025 07:50	6.81
28-Dec-2025 07:55	6.25
28-Dec-2025 08:00	6.78
28-Dec-2025 08:05	7.06
28-Dec-2025 08:10	5.72
28-Dec-2025 08:15	5.38
28-Dec-2025 08:20	4.19
28-Dec-2025 08:25	4
28-Dec-2025 08:30	4.16
28-Dec-2025 08:35	4.78
28-Dec-2025 08:40	9.22
28-Dec-2025 08:45	7.09
28-Dec-2025 08:50	7.94
28-Dec-2025 08:55	7.22
28-Dec-2025 09:00	6.41
28-Dec-2025 09:05	6.09
28-Dec-2025 09:10	5.75
28-Dec-2025 09:15	3.63
28-Dec-2025 09:20	3.47
28-Dec-2025 09:25	3.31
28-Dec-2025 09:30	3.22
28-Dec-2025 09:35	3.38
28-Dec-2025 09:40	3.28
28-Dec-2025 09:45	3.22
28-Dec-2025 09:50	3.22

Timestamp	SPM
28-Dec-2025 09:55	3.16
28-Dec-2025 10:00	3.41
28-Dec-2025 10:05	3.44
28-Dec-2025 10:10	4.16
28-Dec-2025 10:15	8.34
28-Dec-2025 10:20	6.78
28-Dec-2025 10:25	5.56
28-Dec-2025 10:30	4.97
28-Dec-2025 10:35	5.47
28-Dec-2025 10:40	5.84
28-Dec-2025 10:45	5.16
28-Dec-2025 10:50	4.84
28-Dec-2025 10:55	4.38
28-Dec-2025 11:00	4.66
28-Dec-2025 11:05	5.31
28-Dec-2025 11:10	6.28
28-Dec-2025 11:15	4.22
28-Dec-2025 11:20	4.66
28-Dec-2025 11:25	6
28-Dec-2025 11:30	4.88
28-Dec-2025 11:35	4.16
28-Dec-2025 11:40	4.19
28-Dec-2025 11:45	3.44
28-Dec-2025 11:50	1.72
28-Dec-2025 11:55	2.66
28-Dec-2025 12:00	3.84
28-Dec-2025 12:05	4.63
28-Dec-2025 12:10	1.31
28-Dec-2025 12:15	1.38
28-Dec-2025 12:20	1.34
28-Dec-2025 12:25	1.53
28-Dec-2025 12:30	1.53
28-Dec-2025 12:35	1.44
28-Dec-2025 12:40	1.5
28-Dec-2025 12:45	1.34
28-Dec-2025 12:50	1.38
28-Dec-2025 12:55	1.47
28-Dec-2025 13:00	1.59
28-Dec-2025 13:05	1.47
28-Dec-2025 13:10	1.25
28-Dec-2025 13:15	1.44
28-Dec-2025 13:20	1.28
28-Dec-2025 13:25	3.97
28-Dec-2025 13:30	4.63
28-Dec-2025 13:35	3.97
28-Dec-2025 13:40	4.28
28-Dec-2025 13:45	4.44

Timestamp	SPM
28-Dec-2025 13:50	5.25
28-Dec-2025 13:55	4.31
28-Dec-2025 14:00	4.91
28-Dec-2025 14:05	4.53
28-Dec-2025 14:10	5.13
28-Dec-2025 14:15	5.22
28-Dec-2025 14:20	4.81
28-Dec-2025 14:25	4.47
28-Dec-2025 14:30	4.19
28-Dec-2025 14:35	5.75
28-Dec-2025 14:40	2.81
28-Dec-2025 14:45	5.94
28-Dec-2025 14:50	9.38
28-Dec-2025 14:55	5.84
28-Dec-2025 15:00	8.66
28-Dec-2025 15:05	4.34
28-Dec-2025 15:10	3
28-Dec-2025 15:15	3.59
28-Dec-2025 15:20	3.16
28-Dec-2025 15:25	3.31
28-Dec-2025 15:30	3.38
28-Dec-2025 15:35	3.19
28-Dec-2025 15:40	3.53
28-Dec-2025 15:45	2.88
28-Dec-2025 15:50	2.69
28-Dec-2025 15:55	5
28-Dec-2025 16:00	5.75
28-Dec-2025 16:05	6.31
28-Dec-2025 16:10	4.84
28-Dec-2025 16:15	2.66
28-Dec-2025 16:20	2.88
28-Dec-2025 16:25	2.78
28-Dec-2025 16:30	2.47
28-Dec-2025 16:35	3
28-Dec-2025 16:40	1.09
28-Dec-2025 16:45	1.03
28-Dec-2025 16:50	1.06
28-Dec-2025 16:55	1.13
28-Dec-2025 17:00	1.72
28-Dec-2025 17:05	1.75
28-Dec-2025 17:10	1.34
28-Dec-2025 17:15	1.72
28-Dec-2025 17:20	1.94
28-Dec-2025 17:25	1.53
28-Dec-2025 17:30	2.03
28-Dec-2025 17:35	1.94
28-Dec-2025 17:40	1.69

Timestamp	SPM
28-Dec-2025 17:45	1.69
28-Dec-2025 17:50	1.63
28-Dec-2025 17:55	1.28
28-Dec-2025 18:00	1.56
28-Dec-2025 18:05	1.5
28-Dec-2025 18:10	1.53
28-Dec-2025 18:15	1.28
28-Dec-2025 18:20	1.59
28-Dec-2025 18:25	1.28
28-Dec-2025 18:30	1.34
28-Dec-2025 18:35	1.06
28-Dec-2025 18:40	1.69
28-Dec-2025 18:45	1.59
28-Dec-2025 18:50	0.72
28-Dec-2025 18:55	1.28
28-Dec-2025 19:00	1.34
28-Dec-2025 19:05	1.38
28-Dec-2025 19:10	1.28
28-Dec-2025 19:15	1.34
28-Dec-2025 19:20	0.78
28-Dec-2025 19:25	1.22
28-Dec-2025 19:30	1.5
28-Dec-2025 19:35	0.75
28-Dec-2025 19:40	1.25
28-Dec-2025 19:45	1.94
28-Dec-2025 19:50	1.44
28-Dec-2025 19:55	1.63
28-Dec-2025 20:00	1.09
28-Dec-2025 20:05	1.06
28-Dec-2025 20:10	1.56
28-Dec-2025 20:15	1.03
28-Dec-2025 20:20	1.25
28-Dec-2025 20:25	1.69
28-Dec-2025 20:30	1.38
28-Dec-2025 20:35	1.53
28-Dec-2025 20:40	1.53
28-Dec-2025 20:45	1.53
28-Dec-2025 20:50	1.34
28-Dec-2025 20:55	1.59
28-Dec-2025 21:00	1.44
28-Dec-2025 21:05	1.31
28-Dec-2025 21:10	1.59
28-Dec-2025 21:15	1.34
28-Dec-2025 21:20	1
28-Dec-2025 21:25	1.56
28-Dec-2025 21:30	1.28
28-Dec-2025 21:35	1.34

Timestamp	SPM
28-Dec-2025 21:40	1.34
28-Dec-2025 21:45	1.44
28-Dec-2025 21:50	1.13
28-Dec-2025 21:55	1.69
28-Dec-2025 22:00	1.84
28-Dec-2025 22:05	1.53
28-Dec-2025 22:10	1.56
28-Dec-2025 22:15	1.44
28-Dec-2025 22:20	1.34
28-Dec-2025 22:25	1.47
28-Dec-2025 22:30	1.44
28-Dec-2025 22:35	1.47
28-Dec-2025 22:40	1.47
28-Dec-2025 22:45	1.22
28-Dec-2025 22:50	1.56
28-Dec-2025 22:55	1.06
28-Dec-2025 23:00	1.19
28-Dec-2025 23:05	1.34
28-Dec-2025 23:10	1.38
28-Dec-2025 23:15	1.03
28-Dec-2025 23:20	1.31
28-Dec-2025 23:25	1.53
28-Dec-2025 23:30	1.22
28-Dec-2025 23:35	1.59
28-Dec-2025 23:40	1.16
28-Dec-2025 23:45	1.06
28-Dec-2025 23:50	1.06
28-Dec-2025 23:55	1.47
29-Dec-2025 00:00	1.88
29-Dec-2025 00:05	1.22
29-Dec-2025 00:10	1.53
29-Dec-2025 00:15	1.69
29-Dec-2025 00:20	1.5
29-Dec-2025 00:25	1.19
29-Dec-2025 00:30	1.5
29-Dec-2025 00:35	1.28
29-Dec-2025 00:40	1.72
29-Dec-2025 00:45	1.56
29-Dec-2025 00:50	1.34
29-Dec-2025 00:55	1.16
29-Dec-2025 01:00	1.47
29-Dec-2025 01:05	1.38
29-Dec-2025 01:10	1.19
29-Dec-2025 01:15	1.38
29-Dec-2025 01:20	1.41
29-Dec-2025 01:25	1.25
29-Dec-2025 01:30	1.69

Timestamp	SPM
29-Dec-2025 01:35	1.38
29-Dec-2025 01:40	1.75
29-Dec-2025 01:45	1.59
29-Dec-2025 01:50	1.16
29-Dec-2025 01:55	1.5
29-Dec-2025 02:00	1.44
29-Dec-2025 02:05	1.22
29-Dec-2025 02:10	1.47
29-Dec-2025 02:15	4
29-Dec-2025 02:20	3.16
29-Dec-2025 02:25	3.59
29-Dec-2025 02:30	3
29-Dec-2025 02:35	3.53
29-Dec-2025 02:40	3.28
29-Dec-2025 02:45	3.44
29-Dec-2025 02:50	3.94
29-Dec-2025 02:55	3.22
29-Dec-2025 03:00	2.91
29-Dec-2025 03:05	3.22
29-Dec-2025 03:10	3
29-Dec-2025 03:15	3.25
29-Dec-2025 03:20	3.25
29-Dec-2025 03:25	2.19
29-Dec-2025 03:30	7.22
29-Dec-2025 03:35	6.88
29-Dec-2025 03:40	8.16
29-Dec-2025 03:45	6.13
29-Dec-2025 03:50	5.91
29-Dec-2025 03:55	6.06
29-Dec-2025 04:00	5.03
29-Dec-2025 04:05	3.22
29-Dec-2025 04:10	3.44
29-Dec-2025 04:15	3.88
29-Dec-2025 04:20	5.19
29-Dec-2025 04:25	2.88
29-Dec-2025 04:30	2.84
29-Dec-2025 04:35	2.81
29-Dec-2025 04:40	2.81
29-Dec-2025 04:45	3.38
29-Dec-2025 04:50	4.34
29-Dec-2025 04:55	4.59
29-Dec-2025 05:00	4.34
29-Dec-2025 05:05	2.47
29-Dec-2025 05:10	2.59
29-Dec-2025 05:15	2.59
29-Dec-2025 05:20	2.66
29-Dec-2025 05:25	2.84

Timestamp	SPM
29-Dec-2025 05:30	3.19
29-Dec-2025 05:35	3.06
29-Dec-2025 05:40	2.91
29-Dec-2025 05:45	2.75
29-Dec-2025 05:50	2.38
29-Dec-2025 05:55	2.5
29-Dec-2025 06:00	2.47
29-Dec-2025 06:05	2.19
29-Dec-2025 06:10	2.69
29-Dec-2025 06:15	2.63
29-Dec-2025 06:20	2.56
29-Dec-2025 06:25	2.47
29-Dec-2025 06:30	2.56
29-Dec-2025 06:35	4.06
29-Dec-2025 06:40	4.47
29-Dec-2025 06:45	4.38
29-Dec-2025 06:50	3.78
29-Dec-2025 06:55	4.5
29-Dec-2025 07:00	4.81
29-Dec-2025 07:05	4.84
29-Dec-2025 07:10	4.66
29-Dec-2025 07:15	4.66
29-Dec-2025 07:20	2.91
29-Dec-2025 07:25	2.72
29-Dec-2025 07:30	2.94
29-Dec-2025 07:35	2.91
29-Dec-2025 07:40	2.47
29-Dec-2025 07:45	2.53
29-Dec-2025 07:50	5.16
29-Dec-2025 07:55	2.81
29-Dec-2025 08:00	6.19
29-Dec-2025 08:05	4.59
29-Dec-2025 08:10	4.13
29-Dec-2025 08:15	3.44
29-Dec-2025 08:20	2.34
29-Dec-2025 08:25	2.47
29-Dec-2025 08:30	2.41
29-Dec-2025 08:35	2.56
29-Dec-2025 08:40	2.44
29-Dec-2025 08:45	2.25
29-Dec-2025 08:50	2.34
29-Dec-2025 08:55	2.19
29-Dec-2025 09:00	2.22
29-Dec-2025 09:05	2.41
29-Dec-2025 09:10	2.25
29-Dec-2025 09:15	2.03
29-Dec-2025 09:20	3.78

Timestamp	SPM
29-Dec-2025 09:25	4.47
29-Dec-2025 09:30	5.13
29-Dec-2025 09:35	3.19
29-Dec-2025 09:40	5.03
29-Dec-2025 09:45	5.88
29-Dec-2025 09:50	5.31
29-Dec-2025 09:55	5.16
29-Dec-2025 10:00	5.34
29-Dec-2025 10:05	5.16
29-Dec-2025 10:10	5.88
29-Dec-2025 10:15	4.66
29-Dec-2025 10:20	4.53
29-Dec-2025 10:25	3.69
29-Dec-2025 10:30	4.56
29-Dec-2025 10:35	5.78
29-Dec-2025 10:40	6.47
29-Dec-2025 10:45	6.34
29-Dec-2025 10:50	5.69
29-Dec-2025 10:55	5.09
29-Dec-2025 11:00	4.5
29-Dec-2025 11:05	4.75
29-Dec-2025 11:10	3.69
29-Dec-2025 11:15	3.31
29-Dec-2025 11:20	3.28
29-Dec-2025 11:25	3.19
29-Dec-2025 11:30	3.38
29-Dec-2025 11:35	3.28
29-Dec-2025 11:40	3.41
29-Dec-2025 11:45	2.94
29-Dec-2025 11:50	3.28
29-Dec-2025 11:55	3.69
29-Dec-2025 12:00	3.69
29-Dec-2025 12:05	3.5
29-Dec-2025 12:10	5.09
29-Dec-2025 12:15	6.44
29-Dec-2025 12:20	6.19
29-Dec-2025 12:25	6.16
29-Dec-2025 12:30	5.06
29-Dec-2025 12:35	4.19
29-Dec-2025 12:40	5.38
29-Dec-2025 12:45	4.78
29-Dec-2025 12:50	6.88
29-Dec-2025 12:55	7.47
29-Dec-2025 13:00	6.53
29-Dec-2025 13:05	9.03
29-Dec-2025 13:10	5.81
29-Dec-2025 13:15	5.28

Timestamp	SPM
29-Dec-2025 13:20	4.34
29-Dec-2025 13:25	4.59
29-Dec-2025 13:30	5.97
29-Dec-2025 13:35	6.84
29-Dec-2025 13:40	8.16
29-Dec-2025 13:45	9.97
29-Dec-2025 13:50	7.31
29-Dec-2025 13:55	6.66
29-Dec-2025 14:00	5.38
29-Dec-2025 14:05	5.94
29-Dec-2025 14:10	6.19
29-Dec-2025 14:15	6.75
29-Dec-2025 14:20	3.56
29-Dec-2025 14:25	3.53
29-Dec-2025 14:30	4.03
29-Dec-2025 14:35	3.5
29-Dec-2025 14:40	3.66
29-Dec-2025 14:45	3.47
29-Dec-2025 14:50	3.34
29-Dec-2025 14:55	3.56
29-Dec-2025 15:00	3.75
29-Dec-2025 15:05	4.25
29-Dec-2025 15:10	3.59
29-Dec-2025 15:15	4.5
29-Dec-2025 15:20	3.84
29-Dec-2025 15:25	3.66
29-Dec-2025 15:30	4.34
29-Dec-2025 15:35	4.41
29-Dec-2025 15:40	3.81
29-Dec-2025 15:45	3.69
29-Dec-2025 15:50	3.66
29-Dec-2025 15:55	3.72
29-Dec-2025 16:00	3.72
29-Dec-2025 16:05	3.53
29-Dec-2025 16:10	3.81
29-Dec-2025 16:15	4.44
29-Dec-2025 16:20	3.94
29-Dec-2025 16:25	3.63
29-Dec-2025 16:30	3.53
29-Dec-2025 16:35	3.69
29-Dec-2025 16:40	3.16
29-Dec-2025 16:45	3.5
29-Dec-2025 16:50	3.53
29-Dec-2025 16:55	3.59
29-Dec-2025 17:00	3.63
29-Dec-2025 17:05	4.47
29-Dec-2025 17:10	3.56

Timestamp	SPM
29-Dec-2025 17:15	3.63
29-Dec-2025 17:20	4.13
29-Dec-2025 17:25	3.44
29-Dec-2025 17:30	3.5
29-Dec-2025 17:35	3.81
29-Dec-2025 17:40	3.03
29-Dec-2025 17:45	3.56
29-Dec-2025 17:50	3.16
29-Dec-2025 17:55	3.28
29-Dec-2025 18:00	3.28
29-Dec-2025 18:05	3.41
29-Dec-2025 18:10	3.06
29-Dec-2025 18:15	3
29-Dec-2025 18:20	2.81
29-Dec-2025 18:25	2.81
29-Dec-2025 18:30	2.91
29-Dec-2025 18:35	2.69
29-Dec-2025 18:40	4.72
29-Dec-2025 18:45	4.13
29-Dec-2025 18:50	4.56
29-Dec-2025 18:55	4.16
29-Dec-2025 19:00	4.09
29-Dec-2025 19:05	5.19
29-Dec-2025 19:10	4.56
29-Dec-2025 19:15	4.31
29-Dec-2025 19:20	3.94
29-Dec-2025 19:25	6.66
29-Dec-2025 19:30	4.75
29-Dec-2025 19:35	4.81
29-Dec-2025 19:40	5.38
29-Dec-2025 19:45	5.25
29-Dec-2025 19:50	4.88
29-Dec-2025 19:55	4.31
29-Dec-2025 20:00	4.81
29-Dec-2025 20:05	2.91
29-Dec-2025 20:10	4.84
29-Dec-2025 20:15	4.25
29-Dec-2025 20:20	4.22
29-Dec-2025 20:25	5.66
29-Dec-2025 20:30	4.75
29-Dec-2025 20:35	6.38
29-Dec-2025 20:40	6.78
29-Dec-2025 20:45	6.88
29-Dec-2025 20:50	5.28
29-Dec-2025 20:55	4.75
29-Dec-2025 21:00	7.06
29-Dec-2025 21:05	4.5

Timestamp	SPM
29-Dec-2025 21:10	5.69
29-Dec-2025 21:15	4.34
29-Dec-2025 21:20	7.16
29-Dec-2025 21:25	4.34
29-Dec-2025 21:30	6.56
29-Dec-2025 21:35	6.81
29-Dec-2025 21:40	4.44
29-Dec-2025 21:45	6.75
29-Dec-2025 21:50	7.78
29-Dec-2025 21:55	5.78
29-Dec-2025 22:00	5.78
29-Dec-2025 22:05	7.22
29-Dec-2025 22:10	6.5
29-Dec-2025 22:15	4.22
29-Dec-2025 22:20	5.03
29-Dec-2025 22:25	4.03
29-Dec-2025 22:30	4.19
29-Dec-2025 22:35	3.88
29-Dec-2025 22:40	4.22
29-Dec-2025 22:45	3.84
29-Dec-2025 22:50	4.25
29-Dec-2025 22:55	3.91
29-Dec-2025 23:00	3.38
29-Dec-2025 23:05	5.38
29-Dec-2025 23:10	4.09
29-Dec-2025 23:15	6.75
29-Dec-2025 23:20	5
29-Dec-2025 23:25	4.75
29-Dec-2025 23:30	9.5
29-Dec-2025 23:35	5.19
29-Dec-2025 23:40	3.06
29-Dec-2025 23:45	3.38
29-Dec-2025 23:50	2.94
29-Dec-2025 23:55	3
30-Dec-2025 00:00	3.25
30-Dec-2025 00:05	3.63
30-Dec-2025 00:10	3.72
30-Dec-2025 00:15	4.09
30-Dec-2025 00:20	4.63
30-Dec-2025 00:25	4.22
30-Dec-2025 00:30	4.13
30-Dec-2025 00:35	7.5
30-Dec-2025 00:40	5.28
30-Dec-2025 00:45	6.28
30-Dec-2025 00:50	4.59
30-Dec-2025 00:55	4.34
30-Dec-2025 01:00	4.41

Timestamp	SPM
30-Dec-2025 01:05	5.72
30-Dec-2025 01:10	3.59
30-Dec-2025 01:15	3.69
30-Dec-2025 01:20	5
30-Dec-2025 01:25	3.38
30-Dec-2025 01:30	3.56
30-Dec-2025 01:35	3.56
30-Dec-2025 01:40	3.44
30-Dec-2025 01:45	3.41
30-Dec-2025 01:50	3.41
30-Dec-2025 01:55	3.78
30-Dec-2025 02:00	5.72
30-Dec-2025 02:05	3.91
30-Dec-2025 02:10	6.25
30-Dec-2025 02:15	4.81
30-Dec-2025 02:20	5.47
30-Dec-2025 02:25	7.53
30-Dec-2025 02:30	4.75
30-Dec-2025 02:35	2.78
30-Dec-2025 02:40	2.75
30-Dec-2025 02:45	2.53
30-Dec-2025 02:50	3.06
30-Dec-2025 02:55	2.5
30-Dec-2025 03:00	2.84
30-Dec-2025 03:05	2.69
30-Dec-2025 03:10	2.88
30-Dec-2025 03:15	2.84
30-Dec-2025 03:20	2.59
30-Dec-2025 03:25	2.66
30-Dec-2025 03:30	2.63
30-Dec-2025 03:35	2.63
30-Dec-2025 03:40	4.03
30-Dec-2025 03:45	4
30-Dec-2025 03:50	6.09
30-Dec-2025 03:55	4.31
30-Dec-2025 04:00	3.63
30-Dec-2025 04:05	3.72
30-Dec-2025 04:10	3.84
30-Dec-2025 04:15	4.19
30-Dec-2025 04:20	4.94
30-Dec-2025 04:25	6.5
30-Dec-2025 04:30	7.06
30-Dec-2025 04:35	4.16
30-Dec-2025 04:40	3.38
30-Dec-2025 04:45	3.69
30-Dec-2025 04:50	3.66
30-Dec-2025 04:55	4.22

Timestamp	SPM
30-Dec-2025 05:00	5.53
30-Dec-2025 05:05	5.84
30-Dec-2025 05:10	5.88
30-Dec-2025 05:15	5.44
30-Dec-2025 05:20	2.72
30-Dec-2025 05:25	2.47
30-Dec-2025 05:30	2.44
30-Dec-2025 05:35	2.38
30-Dec-2025 05:40	2.41
30-Dec-2025 05:45	2.44
30-Dec-2025 05:50	2.09
30-Dec-2025 05:55	2.25
30-Dec-2025 06:00	2.19
30-Dec-2025 06:05	2.25
30-Dec-2025 06:10	2.31
30-Dec-2025 06:15	2.25
30-Dec-2025 06:20	4.13
30-Dec-2025 06:25	3.66
30-Dec-2025 06:30	5.09
30-Dec-2025 06:35	3.59
30-Dec-2025 06:40	4.81
30-Dec-2025 06:45	4.78
30-Dec-2025 06:50	4.88
30-Dec-2025 06:55	5.06
30-Dec-2025 07:00	5.31
30-Dec-2025 07:05	3.69
30-Dec-2025 07:10	3.19
30-Dec-2025 07:15	4.03
30-Dec-2025 07:20	5.41
30-Dec-2025 07:25	5.03
30-Dec-2025 07:30	3.31
30-Dec-2025 07:35	5.28
30-Dec-2025 07:40	6.94
30-Dec-2025 07:45	4.72
30-Dec-2025 07:50	3.5
30-Dec-2025 07:55	5.09
30-Dec-2025 08:00	5.47
30-Dec-2025 08:05	5.25
30-Dec-2025 08:10	4.72
30-Dec-2025 08:15	3.13
30-Dec-2025 08:20	3.06
30-Dec-2025 08:25	4.13
30-Dec-2025 08:30	5.06
30-Dec-2025 08:35	7.25
30-Dec-2025 08:40	6.25
30-Dec-2025 08:45	5.22
30-Dec-2025 08:50	5.16

Timestamp	SPM
30-Dec-2025 08:55	3.56
30-Dec-2025 09:00	3.41
30-Dec-2025 09:05	4.13
30-Dec-2025 09:10	5
30-Dec-2025 09:15	6
30-Dec-2025 09:20	7.44
30-Dec-2025 09:25	6.25
30-Dec-2025 09:30	5.88
30-Dec-2025 09:35	4.66
30-Dec-2025 09:40	3.97
30-Dec-2025 09:45	4.09
30-Dec-2025 09:50	4.44
30-Dec-2025 09:55	5.56
30-Dec-2025 10:00	6.19
30-Dec-2025 10:05	7.22
30-Dec-2025 10:10	6.72
30-Dec-2025 10:15	5.34
30-Dec-2025 10:20	4.81
30-Dec-2025 10:25	6
30-Dec-2025 10:30	5.34
30-Dec-2025 10:35	6.28
30-Dec-2025 10:40	7.59
30-Dec-2025 10:45	7.16
30-Dec-2025 10:50	6.88
30-Dec-2025 10:55	6.03
30-Dec-2025 11:00	4.69
30-Dec-2025 11:05	5.63
30-Dec-2025 11:10	5.09
30-Dec-2025 11:15	6.53
30-Dec-2025 11:20	3.38
30-Dec-2025 11:25	3.78
30-Dec-2025 11:30	5.13
30-Dec-2025 11:35	5.41
30-Dec-2025 11:40	4.19
30-Dec-2025 11:45	4.25
30-Dec-2025 11:50	4.53
30-Dec-2025 11:55	4.69
30-Dec-2025 12:00	7.38
30-Dec-2025 12:05	5.03
30-Dec-2025 12:10	4.22
30-Dec-2025 12:15	4.41
30-Dec-2025 12:20	4
30-Dec-2025 12:25	4.25
30-Dec-2025 12:30	4.09
30-Dec-2025 12:35	4.28
30-Dec-2025 12:40	5.47
30-Dec-2025 12:45	4.25

Timestamp	SPM
30-Dec-2025 12:50	4.59
30-Dec-2025 12:55	7.16
30-Dec-2025 13:00	9.47
30-Dec-2025 13:05	4.53
30-Dec-2025 13:10	6.59
30-Dec-2025 13:15	4.03
30-Dec-2025 13:20	4.25
30-Dec-2025 13:25	3.97
30-Dec-2025 13:30	4.16
30-Dec-2025 13:35	4.09
30-Dec-2025 13:40	4
30-Dec-2025 13:45	4.09
30-Dec-2025 13:50	4.13
30-Dec-2025 13:55	3.91
30-Dec-2025 14:00	4.25
30-Dec-2025 14:05	10.72
30-Dec-2025 14:10	6.56
30-Dec-2025 14:15	8.34
30-Dec-2025 14:20	7.47
30-Dec-2025 14:25	5.34
30-Dec-2025 14:30	5.31
30-Dec-2025 14:35	6.34
30-Dec-2025 14:40	6.81
30-Dec-2025 14:45	8.94
30-Dec-2025 14:50	8.88
30-Dec-2025 14:55	6.84
30-Dec-2025 15:00	5.69
30-Dec-2025 15:05	4.84
30-Dec-2025 15:10	6.75
30-Dec-2025 15:15	7.69
30-Dec-2025 15:20	5.09
30-Dec-2025 15:25	11.28
30-Dec-2025 15:30	8.19
30-Dec-2025 15:35	10.06
30-Dec-2025 15:40	5.81
30-Dec-2025 15:45	10.31
30-Dec-2025 15:50	6.03
30-Dec-2025 15:55	4.19
30-Dec-2025 16:00	4.28
30-Dec-2025 16:05	5.31
30-Dec-2025 16:10	5.06
30-Dec-2025 16:15	5.13
30-Dec-2025 16:20	4.44
30-Dec-2025 16:25	3.72
30-Dec-2025 16:30	4.31
30-Dec-2025 16:35	4.56
30-Dec-2025 16:40	4.97

Timestamp	SPM
30-Dec-2025 16:45	7.44
30-Dec-2025 16:50	5.78
30-Dec-2025 16:55	7.56
30-Dec-2025 17:00	8.56
30-Dec-2025 17:05	8.94
30-Dec-2025 17:10	6.69
30-Dec-2025 17:15	5.25
30-Dec-2025 17:20	5.44
30-Dec-2025 17:25	5.03
30-Dec-2025 17:30	6.31
30-Dec-2025 17:35	8.31
30-Dec-2025 17:40	8.09
30-Dec-2025 17:45	4.97
30-Dec-2025 17:50	4.47
30-Dec-2025 17:55	5.13
30-Dec-2025 18:00	5.91
30-Dec-2025 18:05	7.81
30-Dec-2025 18:10	8.47
30-Dec-2025 18:15	7.59
30-Dec-2025 18:20	8.69
30-Dec-2025 18:25	7.31
30-Dec-2025 18:30	3.41
30-Dec-2025 18:35	3.5
30-Dec-2025 18:40	3.63
30-Dec-2025 18:45	3.69
30-Dec-2025 18:50	3.75
30-Dec-2025 18:55	6.22
30-Dec-2025 19:00	4.66
30-Dec-2025 19:05	3.78
30-Dec-2025 19:10	3.53
30-Dec-2025 19:15	3.38
30-Dec-2025 19:20	3.25
30-Dec-2025 19:25	6.03
30-Dec-2025 19:30	7.41
30-Dec-2025 19:35	4.59
30-Dec-2025 19:40	7.78
30-Dec-2025 19:45	7.09
30-Dec-2025 19:50	6.47
30-Dec-2025 19:55	5.63
30-Dec-2025 20:00	6.63
30-Dec-2025 20:05	5.66
30-Dec-2025 20:10	6.91
30-Dec-2025 20:15	3.78
30-Dec-2025 20:20	4.97
30-Dec-2025 20:25	6.88
30-Dec-2025 20:30	4.75
30-Dec-2025 20:35	5

Timestamp	SPM
30-Dec-2025 20:40	5
30-Dec-2025 20:45	4.47
30-Dec-2025 20:50	4.03
30-Dec-2025 20:55	4.34
30-Dec-2025 21:00	4.47
30-Dec-2025 21:05	4.63
30-Dec-2025 21:10	4.13
30-Dec-2025 21:15	7.34
30-Dec-2025 21:20	5.28
30-Dec-2025 21:25	5.69
30-Dec-2025 21:30	7.69
30-Dec-2025 21:35	6.56
30-Dec-2025 21:40	5.44
30-Dec-2025 21:45	3.63
30-Dec-2025 21:50	3.13
30-Dec-2025 21:55	3.47
30-Dec-2025 22:00	3.56
30-Dec-2025 22:05	3.06
30-Dec-2025 22:10	2.94
30-Dec-2025 22:15	3.22
30-Dec-2025 22:20	3.25
30-Dec-2025 22:25	3.16
30-Dec-2025 22:30	4
30-Dec-2025 22:35	6.38
30-Dec-2025 22:40	5.19
30-Dec-2025 22:45	7.03
30-Dec-2025 22:50	3.91
30-Dec-2025 22:55	4.16
30-Dec-2025 23:00	4
30-Dec-2025 23:05	3.88
30-Dec-2025 23:10	3.53
30-Dec-2025 23:15	3.38
30-Dec-2025 23:20	3.56
30-Dec-2025 23:25	3.34
30-Dec-2025 23:30	3.25
30-Dec-2025 23:35	5.09
30-Dec-2025 23:40	3.38
30-Dec-2025 23:45	3.5
30-Dec-2025 23:50	3.5
30-Dec-2025 23:55	3.03
31-Dec-2025 00:00	3.09
31-Dec-2025 00:05	2.91
31-Dec-2025 00:10	3.22
31-Dec-2025 00:15	4.5
31-Dec-2025 00:20	3.06
31-Dec-2025 00:25	2.78
31-Dec-2025 00:30	6.13

Timestamp	SPM
31-Dec-2025 00:35	2.69
31-Dec-2025 00:40	2.97
31-Dec-2025 00:45	2.75
31-Dec-2025 00:50	3.16
31-Dec-2025 00:55	3.19
31-Dec-2025 01:00	3.13
31-Dec-2025 01:05	2.69
31-Dec-2025 01:10	4.06
31-Dec-2025 01:15	2.63
31-Dec-2025 01:20	2.75
31-Dec-2025 01:25	3.16
31-Dec-2025 01:30	2.72
31-Dec-2025 01:35	2.59
31-Dec-2025 01:40	2.63
31-Dec-2025 01:45	2.63
31-Dec-2025 01:50	2.88
31-Dec-2025 01:55	2.47
31-Dec-2025 02:00	2.78
31-Dec-2025 02:05	3
31-Dec-2025 02:10	4.25
31-Dec-2025 02:15	5.56
31-Dec-2025 02:20	3.91
31-Dec-2025 02:25	3.44
31-Dec-2025 02:30	4.47
31-Dec-2025 02:35	2.88
31-Dec-2025 02:40	4.72
31-Dec-2025 02:45	2.28
31-Dec-2025 02:50	2.34
31-Dec-2025 02:55	2.38
31-Dec-2025 03:00	2.25
31-Dec-2025 03:05	2.25
31-Dec-2025 03:10	2.25
31-Dec-2025 03:15	2.22
31-Dec-2025 03:20	2.19
31-Dec-2025 03:25	2.25
31-Dec-2025 03:30	2.25
31-Dec-2025 03:35	2.22
31-Dec-2025 03:40	2.31
31-Dec-2025 03:45	3.84
31-Dec-2025 03:50	3.81
31-Dec-2025 03:55	5.56
31-Dec-2025 04:00	3.47
31-Dec-2025 04:05	2.75
31-Dec-2025 04:10	2.59
31-Dec-2025 04:15	2.75
31-Dec-2025 04:20	2.53
31-Dec-2025 04:25	2.28

Timestamp	SPM
31-Dec-2025 04:30	2.78
31-Dec-2025 04:35	2.94
31-Dec-2025 04:40	2.53
31-Dec-2025 04:45	2.47
31-Dec-2025 04:50	2.31
31-Dec-2025 04:55	2.38
31-Dec-2025 05:00	2.56
31-Dec-2025 05:05	2.41
31-Dec-2025 05:10	3.47
31-Dec-2025 05:15	3.34
31-Dec-2025 05:20	4.81
31-Dec-2025 05:25	4.06
31-Dec-2025 05:30	5.97
31-Dec-2025 05:35	4.59
31-Dec-2025 05:40	2.38
31-Dec-2025 05:45	2.38
31-Dec-2025 05:50	2.09
31-Dec-2025 05:55	1.94
31-Dec-2025 06:00	1.78
31-Dec-2025 06:05	2.34
31-Dec-2025 06:10	2.09
31-Dec-2025 06:15	2
31-Dec-2025 06:20	2.06
31-Dec-2025 06:25	2.06
31-Dec-2025 06:30	2.19
31-Dec-2025 06:35	2.03
31-Dec-2025 06:40	2
31-Dec-2025 06:45	3.88
31-Dec-2025 06:50	5.44
31-Dec-2025 06:55	4.13
31-Dec-2025 07:00	3.41
31-Dec-2025 07:05	4.16
31-Dec-2025 07:10	3.72
31-Dec-2025 07:15	3.75
31-Dec-2025 07:20	3.41
31-Dec-2025 07:25	3.28
31-Dec-2025 07:30	2.84
31-Dec-2025 07:35	2.34
31-Dec-2025 07:40	2.59
31-Dec-2025 07:45	3.19
31-Dec-2025 07:50	3.38
31-Dec-2025 07:55	4.19
31-Dec-2025 08:00	3.28
31-Dec-2025 08:05	2.25
31-Dec-2025 08:10	2.63
31-Dec-2025 08:15	2.56
31-Dec-2025 08:20	3.34

Timestamp	SPM
31-Dec-2025 08:25	3.03
31-Dec-2025 08:30	2.25
31-Dec-2025 08:35	3.06
31-Dec-2025 08:40	4.88
31-Dec-2025 08:45	2.03
31-Dec-2025 08:50	2.25
31-Dec-2025 08:55	2.34
31-Dec-2025 09:00	2.22
31-Dec-2025 09:05	2.34
31-Dec-2025 09:10	2.44
31-Dec-2025 09:15	2.31
31-Dec-2025 09:20	2.47
31-Dec-2025 09:25	4.31
31-Dec-2025 09:30	3.5
31-Dec-2025 09:35	6.06
31-Dec-2025 09:40	6.47
31-Dec-2025 09:45	5.56
31-Dec-2025 09:50	5.5
31-Dec-2025 09:55	5.72
31-Dec-2025 10:00	7.19
31-Dec-2025 10:05	8.34
31-Dec-2025 10:10	6.88
31-Dec-2025 10:15	7.25
31-Dec-2025 10:20	4.06
31-Dec-2025 10:25	4.38
31-Dec-2025 10:30	7
31-Dec-2025 10:35	7.16
31-Dec-2025 10:40	8.53
31-Dec-2025 10:45	7.56
31-Dec-2025 10:50	6.59
31-Dec-2025 10:55	5.78
31-Dec-2025 11:00	5.69
31-Dec-2025 11:05	7.69
31-Dec-2025 11:10	8.59
31-Dec-2025 11:15	9.19
31-Dec-2025 11:20	7.84
31-Dec-2025 11:25	6.28
31-Dec-2025 11:30	5.41
31-Dec-2025 11:35	7.06
31-Dec-2025 11:40	8.16
31-Dec-2025 11:45	7.47
31-Dec-2025 11:50	5.63
31-Dec-2025 11:55	5.16
31-Dec-2025 12:00	7.13
31-Dec-2025 12:05	8.22
31-Dec-2025 12:10	6.34
31-Dec-2025 12:15	5.47

Timestamp	SPM
31-Dec-2025 12:20	6.44
31-Dec-2025 12:25	8.22
31-Dec-2025 12:30	3.91
31-Dec-2025 12:35	7.81
31-Dec-2025 12:40	7.53
31-Dec-2025 12:45	6.41
31-Dec-2025 12:50	6.53
31-Dec-2025 12:55	7.59
31-Dec-2025 13:00	8.97
31-Dec-2025 13:05	6.81
31-Dec-2025 13:10	7.22
31-Dec-2025 13:15	6.53
31-Dec-2025 13:20	5.06
31-Dec-2025 13:25	5.88
31-Dec-2025 13:30	6.63
31-Dec-2025 13:35	9.31
31-Dec-2025 13:40	9.56
31-Dec-2025 13:45	8.31
31-Dec-2025 13:50	7.19
31-Dec-2025 13:55	3.53
31-Dec-2025 14:00	3.5
31-Dec-2025 14:05	5.56
31-Dec-2025 14:10	5.09
31-Dec-2025 14:15	5.22
31-Dec-2025 14:20	7.09
31-Dec-2025 14:25	3.34
31-Dec-2025 14:30	3.88
31-Dec-2025 14:35	3.38
31-Dec-2025 14:40	3.19
31-Dec-2025 14:45	3.28
31-Dec-2025 14:50	3.59
31-Dec-2025 14:55	3.47
31-Dec-2025 15:00	3.97
31-Dec-2025 15:05	3.75
31-Dec-2025 15:10	3.44
31-Dec-2025 15:15	3.72
31-Dec-2025 15:20	3.66
31-Dec-2025 15:25	3.78
31-Dec-2025 15:30	3.59
31-Dec-2025 15:35	3.47
31-Dec-2025 15:40	3.09
31-Dec-2025 15:45	6.28
31-Dec-2025 15:50	1.53
31-Dec-2025 15:55	1.31
31-Dec-2025 16:00	3.81
31-Dec-2025 16:05	4.56
31-Dec-2025 16:10	4.94

Timestamp	SPM
31-Dec-2025 16:15	4.56
31-Dec-2025 16:20	4.09
31-Dec-2025 16:25	5.03
31-Dec-2025 16:30	4.47
31-Dec-2025 16:35	4.5
31-Dec-2025 16:40	3.75
31-Dec-2025 16:45	5.06
31-Dec-2025 16:50	7.94
31-Dec-2025 16:55	7.78
31-Dec-2025 17:00	4.88
31-Dec-2025 17:05	6.16
31-Dec-2025 17:10	6.03
31-Dec-2025 17:15	8.94
31-Dec-2025 17:20	5.84
31-Dec-2025 17:25	10.13
31-Dec-2025 17:30	3.53
31-Dec-2025 17:35	3.03
31-Dec-2025 17:40	2.94
31-Dec-2025 17:45	3.06
31-Dec-2025 17:50	3.72
31-Dec-2025 17:55	3
31-Dec-2025 18:00	10.87
31-Dec-2025 18:05	8.41
31-Dec-2025 18:10	5.63
31-Dec-2025 18:15	5.13
31-Dec-2025 18:20	5.91
31-Dec-2025 18:25	7.13
31-Dec-2025 18:30	7.19
31-Dec-2025 18:35	7.84
31-Dec-2025 18:40	6.88
31-Dec-2025 18:45	7.38
31-Dec-2025 18:50	6.97
31-Dec-2025 18:55	6.44
31-Dec-2025 19:00	5.81
31-Dec-2025 19:05	5.38
31-Dec-2025 19:10	5.94
31-Dec-2025 19:15	5.88
31-Dec-2025 19:20	5.59
31-Dec-2025 19:25	5.13
31-Dec-2025 19:30	4.69
31-Dec-2025 19:35	5
31-Dec-2025 19:40	6.47
31-Dec-2025 19:45	8.19
31-Dec-2025 19:50	7.06
31-Dec-2025 19:55	7.59
31-Dec-2025 20:00	8.69
31-Dec-2025 20:05	8.22

Timestamp	SPM
31-Dec-2025 20:10	7.69
31-Dec-2025 20:15	7.19
31-Dec-2025 20:20	6.53
31-Dec-2025 20:25	6.53
31-Dec-2025 20:30	5.91
31-Dec-2025 20:35	5
31-Dec-2025 20:40	4.72
31-Dec-2025 20:45	4.53
31-Dec-2025 20:50	4.16
31-Dec-2025 20:55	4.78
31-Dec-2025 21:00	4.69
31-Dec-2025 21:05	4.56
31-Dec-2025 21:10	5.59
31-Dec-2025 21:15	5.53
31-Dec-2025 21:20	6.31
31-Dec-2025 21:25	6.5
31-Dec-2025 21:30	6.88
31-Dec-2025 21:35	7.34
31-Dec-2025 21:40	6.13
31-Dec-2025 21:45	5.38
31-Dec-2025 21:50	5.22
31-Dec-2025 21:55	4.63
31-Dec-2025 22:00	4.31
31-Dec-2025 22:05	4.13
31-Dec-2025 22:10	6.88
31-Dec-2025 22:15	6.91
31-Dec-2025 22:20	6.63
31-Dec-2025 22:25	7.44
31-Dec-2025 22:30	7.03
31-Dec-2025 22:35	8.72
31-Dec-2025 22:40	8.19
31-Dec-2025 22:45	7.59
31-Dec-2025 22:50	6.69
31-Dec-2025 22:55	5.03
31-Dec-2025 23:00	4.72
31-Dec-2025 23:05	4.72
31-Dec-2025 23:10	4.94
31-Dec-2025 23:15	5.25
31-Dec-2025 23:20	6.75
31-Dec-2025 23:25	6.66
31-Dec-2025 23:30	7.09
31-Dec-2025 23:35	7.44
31-Dec-2025 23:40	7.47
31-Dec-2025 23:45	6.94
31-Dec-2025 23:50	6.97

Madhav KRG HRC Pvt. Ltd.
Stack_Induction Furnace

From: 2026-01-01 00:06:00 To: 2026-01-31 23:54:00

Timestamp	SPM
01-Jan-2026 00:00	5.76
01-Jan-2026 01:00	5.72
01-Jan-2026 02:00	5.55
01-Jan-2026 03:00	6.36
01-Jan-2026 04:00	5.94
01-Jan-2026 05:00	6.45
01-Jan-2026 06:00	4.71
01-Jan-2026 07:00	2.95
01-Jan-2026 08:00	3.44
01-Jan-2026 09:00	3.13
01-Jan-2026 10:00	3.38
01-Jan-2026 11:00	3.78
01-Jan-2026 12:00	4.39
01-Jan-2026 13:00	6
01-Jan-2026 14:00	3.82
01-Jan-2026 15:00	6.19
01-Jan-2026 16:00	5.9
01-Jan-2026 17:00	3.99
01-Jan-2026 18:00	5.53
01-Jan-2026 19:00	6.28
01-Jan-2026 20:00	4.48
01-Jan-2026 21:00	4.76
01-Jan-2026 22:00	3.54
01-Jan-2026 23:00	4.97
02-Jan-2026 00:00	5.37
02-Jan-2026 01:00	6.55
02-Jan-2026 02:00	3.43
02-Jan-2026 03:00	4.52
02-Jan-2026 04:00	4.47
02-Jan-2026 05:00	3.71
02-Jan-2026 06:00	5.8
02-Jan-2026 07:00	4.88
02-Jan-2026 08:00	3.46
02-Jan-2026 09:00	6.21
02-Jan-2026 10:00	5.2
02-Jan-2026 11:00	3.26
02-Jan-2026 12:00	5.48
02-Jan-2026 13:00	3.82
02-Jan-2026 14:00	5.7
02-Jan-2026 15:00	5.86
02-Jan-2026 16:00	4.62
02-Jan-2026 17:00	5.5

Reported via: <https://tpro.telsys.in> by user: ehs@madhavkrggroup.com

Timestamp	SPM
02-Jan-2026 18:00	6.33
02-Jan-2026 19:00	5.08
02-Jan-2026 20:00	4.15
02-Jan-2026 21:00	5.85
02-Jan-2026 22:00	4.85
02-Jan-2026 23:00	5.88
03-Jan-2026 00:00	5.94
03-Jan-2026 01:00	4.49
03-Jan-2026 02:00	5.83
03-Jan-2026 03:00	5.02
03-Jan-2026 04:00	5.72
03-Jan-2026 05:00	6.06
03-Jan-2026 06:00	5.67
03-Jan-2026 07:00	5.85
03-Jan-2026 08:00	4.1
03-Jan-2026 09:00	5.75
03-Jan-2026 10:00	5.27
03-Jan-2026 11:00	4.9
03-Jan-2026 12:00	5.72
03-Jan-2026 13:00	3.55
03-Jan-2026 14:00	5.28
03-Jan-2026 15:00	7.43
03-Jan-2026 16:00	4.48
03-Jan-2026 17:00	4.09
03-Jan-2026 18:00	4.85
03-Jan-2026 19:00	6.03
03-Jan-2026 20:00	5.47
03-Jan-2026 21:00	4.95
03-Jan-2026 22:00	4.24
03-Jan-2026 23:00	4.22
04-Jan-2026 00:00	3.51
04-Jan-2026 01:00	2.98
04-Jan-2026 02:00	3.99
04-Jan-2026 03:00	3.34
04-Jan-2026 04:00	4.08
04-Jan-2026 05:00	5.71
04-Jan-2026 06:00	4.37
04-Jan-2026 07:00	6.88
04-Jan-2026 08:00	4.56
04-Jan-2026 09:00	6.05
04-Jan-2026 10:00	5.43
04-Jan-2026 11:00	3.96
04-Jan-2026 12:00	4.13
04-Jan-2026 13:00	3.91
04-Jan-2026 14:00	4.4
04-Jan-2026 15:00	3.98
04-Jan-2026 16:00	4.38

Timestamp	SPM
04-Jan-2026 17:00	3.82
04-Jan-2026 18:00	4.84
04-Jan-2026 19:00	4.49
04-Jan-2026 20:00	4.63
04-Jan-2026 21:00	6.45
04-Jan-2026 22:00	4.07
04-Jan-2026 23:00	3.29
05-Jan-2026 00:00	3.38
05-Jan-2026 01:00	3.34
05-Jan-2026 02:00	3.35
05-Jan-2026 03:00	3.45
05-Jan-2026 04:00	5.75
05-Jan-2026 05:00	5.55
05-Jan-2026 06:00	4.49
05-Jan-2026 07:00	3.83
05-Jan-2026 08:00	4.14
05-Jan-2026 09:00	4.47
05-Jan-2026 10:00	4.78
05-Jan-2026 11:00	6.57
05-Jan-2026 12:00	6.82
05-Jan-2026 13:00	6.29
05-Jan-2026 14:00	7.17
05-Jan-2026 15:00	5.66
05-Jan-2026 16:00	4.55
05-Jan-2026 17:00	4.58
05-Jan-2026 18:00	4.98
05-Jan-2026 19:00	3.54
05-Jan-2026 20:00	5.15
05-Jan-2026 21:00	3.99
05-Jan-2026 22:00	3.76
05-Jan-2026 23:00	3.73
06-Jan-2026 00:00	4.73
06-Jan-2026 01:00	3.35
06-Jan-2026 02:00	3.75
06-Jan-2026 03:00	3.79
06-Jan-2026 04:00	3.94
06-Jan-2026 05:00	3.99
06-Jan-2026 06:00	4.33
06-Jan-2026 07:00	2.95
06-Jan-2026 08:00	5.01
06-Jan-2026 09:00	6.34
06-Jan-2026 10:00	4.39
06-Jan-2026 11:00	4.93
06-Jan-2026 12:00	5.84
06-Jan-2026 13:00	5.58
06-Jan-2026 14:00	4.63
06-Jan-2026 15:00	4.22

Timestamp	SPM
06-Jan-2026 16:00	4.12
06-Jan-2026 17:00	4.95
06-Jan-2026 18:00	4.32
06-Jan-2026 19:00	4.13
06-Jan-2026 20:00	5.77
06-Jan-2026 21:00	4.05
06-Jan-2026 22:00	3.38
06-Jan-2026 23:00	4.12
07-Jan-2026 00:00	4.21
07-Jan-2026 01:00	3.31
07-Jan-2026 02:00	3.9
07-Jan-2026 03:00	5.7
07-Jan-2026 04:00	5.77
07-Jan-2026 05:00	4.26
07-Jan-2026 06:00	3.16
07-Jan-2026 07:00	2.36
07-Jan-2026 08:00	1.14
07-Jan-2026 09:00	1.09
07-Jan-2026 10:00	1.23
07-Jan-2026 11:00	1.29
07-Jan-2026 12:00	1.26
07-Jan-2026 13:00	1.02
07-Jan-2026 14:00	0.82
07-Jan-2026 15:00	1.18
07-Jan-2026 16:00	1.11
07-Jan-2026 17:00	1.12
07-Jan-2026 18:00	1.23
07-Jan-2026 19:00	1.39
07-Jan-2026 20:00	1.11
07-Jan-2026 21:00	0.9
07-Jan-2026 22:00	0.82
07-Jan-2026 23:00	0.89
08-Jan-2026 00:00	0.83
08-Jan-2026 01:00	0.8
08-Jan-2026 02:00	0.87
08-Jan-2026 03:00	0.96
08-Jan-2026 04:00	0.89
08-Jan-2026 05:00	2.25
08-Jan-2026 06:00	6.41
08-Jan-2026 07:00	6.68
08-Jan-2026 08:00	6.57
08-Jan-2026 09:00	8.06
08-Jan-2026 10:00	6.21
08-Jan-2026 11:00	5.68
08-Jan-2026 12:00	6.69
08-Jan-2026 13:00	4.49
08-Jan-2026 14:00	4.68

Timestamp	SPM
08-Jan-2026 15:00	8.31
08-Jan-2026 16:00	6.51
08-Jan-2026 17:00	3.86
08-Jan-2026 18:00	4.01
08-Jan-2026 19:00	4.15
08-Jan-2026 20:00	4.06
08-Jan-2026 21:00	2.45
08-Jan-2026 22:00	2.58
08-Jan-2026 23:00	4.12
09-Jan-2026 00:00	4.48
09-Jan-2026 01:00	4.53
09-Jan-2026 02:00	3.52
09-Jan-2026 03:00	3.72
09-Jan-2026 04:00	3.58
09-Jan-2026 05:00	3.65
09-Jan-2026 06:00	6.18
09-Jan-2026 07:00	6.86
09-Jan-2026 08:00	4.22
09-Jan-2026 09:00	5.35
09-Jan-2026 10:00	4.06
09-Jan-2026 11:00	1.48
09-Jan-2026 12:00	1.52
09-Jan-2026 13:00	1.69
09-Jan-2026 14:00	1.72
09-Jan-2026 15:00	1.8
09-Jan-2026 16:00	1.82
09-Jan-2026 17:00	1.43
09-Jan-2026 18:00	1.43
09-Jan-2026 19:00	5.04
09-Jan-2026 20:00	6.93
09-Jan-2026 21:00	4.02
09-Jan-2026 22:00	5.55
09-Jan-2026 23:00	4.86
10-Jan-2026 00:00	3.53
10-Jan-2026 01:00	4.55
10-Jan-2026 02:00	3.68
10-Jan-2026 03:00	3.68
10-Jan-2026 04:00	3.37
10-Jan-2026 05:00	3.43
10-Jan-2026 06:00	3.34
10-Jan-2026 07:00	4.76
10-Jan-2026 08:00	3.61
10-Jan-2026 09:00	4.19
10-Jan-2026 10:00	5.05
10-Jan-2026 11:00	5.31
10-Jan-2026 12:00	3.88
10-Jan-2026 13:00	3.91

Timestamp	SPM
10-Jan-2026 14:00	3.32
10-Jan-2026 15:00	3.72
10-Jan-2026 16:00	4.73
10-Jan-2026 17:00	3.88
10-Jan-2026 18:00	4.09
10-Jan-2026 19:00	4.15
10-Jan-2026 20:00	3.87
10-Jan-2026 21:00	4.06
10-Jan-2026 22:00	3.75
10-Jan-2026 23:00	3.25
11-Jan-2026 00:00	5.18
11-Jan-2026 01:00	4.96
11-Jan-2026 02:00	6.74
11-Jan-2026 03:00	5.6
11-Jan-2026 04:00	3.92
11-Jan-2026 05:00	4.13
11-Jan-2026 06:00	4.19
11-Jan-2026 07:00	6.49
11-Jan-2026 08:00	3.92
11-Jan-2026 09:00	4.53
11-Jan-2026 10:00	3.98
11-Jan-2026 11:00	4.21
11-Jan-2026 12:00	3.68
11-Jan-2026 13:00	3.57
11-Jan-2026 14:00	3.97
11-Jan-2026 15:00	5.69
11-Jan-2026 16:00	5.24
11-Jan-2026 17:00	4.35
11-Jan-2026 18:00	3.55
11-Jan-2026 19:00	3.72
11-Jan-2026 20:00	3.65
11-Jan-2026 21:00	3.5
11-Jan-2026 22:00	3.82
11-Jan-2026 23:00	3.72
12-Jan-2026 00:00	6.05
12-Jan-2026 01:00	6.01
12-Jan-2026 02:00	2.98
12-Jan-2026 03:00	5.28
12-Jan-2026 04:00	3.55
12-Jan-2026 05:00	3.78
12-Jan-2026 06:00	4.03
12-Jan-2026 07:00	4.14
12-Jan-2026 08:00	4.41
12-Jan-2026 09:00	5.95
12-Jan-2026 10:00	5.82
12-Jan-2026 11:00	6.48
12-Jan-2026 12:00	4.42

Timestamp	SPM
12-Jan-2026 13:00	4.58
12-Jan-2026 14:00	6.47
12-Jan-2026 15:00	5.19
12-Jan-2026 16:00	3.88
12-Jan-2026 17:00	3.62
12-Jan-2026 18:00	3.19
12-Jan-2026 19:00	3.69
12-Jan-2026 20:00	5.45
12-Jan-2026 21:00	3.41
12-Jan-2026 22:00	3.05
12-Jan-2026 23:00	3.16
13-Jan-2026 00:00	3.13
13-Jan-2026 01:00	3.39
13-Jan-2026 02:00	3.25
13-Jan-2026 03:00	3.3
13-Jan-2026 04:00	4.11
13-Jan-2026 05:00	3.08
13-Jan-2026 06:00	4.08
13-Jan-2026 07:00	3.96
13-Jan-2026 08:00	6.2
13-Jan-2026 09:00	4.22
13-Jan-2026 10:00	7.05
13-Jan-2026 11:00	7.98
13-Jan-2026 12:00	4.36
13-Jan-2026 13:00	5.91
13-Jan-2026 14:00	5.93
13-Jan-2026 15:00	6.06
13-Jan-2026 16:00	8.3
13-Jan-2026 17:00	4.7
13-Jan-2026 18:00	3.49
13-Jan-2026 19:00	3.56
13-Jan-2026 20:00	4.36
13-Jan-2026 21:00	6.24
13-Jan-2026 22:00	3.98
13-Jan-2026 23:00	4.06
14-Jan-2026 00:00	2.24
14-Jan-2026 01:00	3.21
14-Jan-2026 02:00	3.98
14-Jan-2026 03:00	5.07
14-Jan-2026 04:00	5.39
14-Jan-2026 05:00	6.04
14-Jan-2026 06:00	6.46
14-Jan-2026 07:00	5.24
14-Jan-2026 08:00	3.37
14-Jan-2026 09:00	3.66
14-Jan-2026 10:00	3.93
14-Jan-2026 11:00	6.45

Timestamp	SPM
14-Jan-2026 12:00	4.9
14-Jan-2026 13:00	3.9
14-Jan-2026 14:00	5.79
14-Jan-2026 15:00	7.16
14-Jan-2026 16:00	6.07
14-Jan-2026 17:00	3.62
14-Jan-2026 18:00	4.19
14-Jan-2026 19:00	4.49
14-Jan-2026 20:00	6.12
14-Jan-2026 21:00	4.51
14-Jan-2026 22:00	5.57
14-Jan-2026 23:00	4.05
15-Jan-2026 00:00	4.07
15-Jan-2026 01:00	6.1
15-Jan-2026 02:00	6.22
15-Jan-2026 03:00	5.46
15-Jan-2026 04:00	4.2
15-Jan-2026 05:00	4.52
15-Jan-2026 06:00	4.49
15-Jan-2026 07:00	4.73
15-Jan-2026 08:00	5.06
15-Jan-2026 09:00	3.77
15-Jan-2026 10:00	5.16
15-Jan-2026 11:00	5.72
15-Jan-2026 12:00	4.28
15-Jan-2026 13:00	5.41
15-Jan-2026 14:00	6.86
15-Jan-2026 15:00	4.22
15-Jan-2026 16:00	5.05
15-Jan-2026 17:00	6.38
15-Jan-2026 18:00	6.6
15-Jan-2026 19:00	5.78
15-Jan-2026 20:00	4.1
15-Jan-2026 21:00	7.1
15-Jan-2026 22:00	3.76
15-Jan-2026 23:00	5.23
16-Jan-2026 00:00	5.79
16-Jan-2026 01:00	6.15
16-Jan-2026 02:00	5.28
16-Jan-2026 03:00	3.93
16-Jan-2026 04:00	4.37
16-Jan-2026 05:00	4.36
16-Jan-2026 06:00	6.34
16-Jan-2026 07:00	6.01
16-Jan-2026 08:00	4.62
16-Jan-2026 09:00	6.24
16-Jan-2026 10:00	3.64

Timestamp	SPM
16-Jan-2026 11:00	3.61
16-Jan-2026 12:00	5.6
16-Jan-2026 13:00	4.86
16-Jan-2026 14:00	5.4
16-Jan-2026 15:00	5.49
16-Jan-2026 16:00	6.46
16-Jan-2026 17:00	6.51
16-Jan-2026 18:00	6.61
16-Jan-2026 19:00	6.21
16-Jan-2026 20:00	3.63
16-Jan-2026 21:00	5.03
16-Jan-2026 22:00	5.02
16-Jan-2026 23:00	5.38
17-Jan-2026 00:00	5.2
17-Jan-2026 01:00	4.38
17-Jan-2026 02:00	5.99
17-Jan-2026 03:00	5.6
17-Jan-2026 04:00	6.35
17-Jan-2026 05:00	5.24
17-Jan-2026 06:00	4.23
17-Jan-2026 07:00	3.23
17-Jan-2026 08:00	5.16
17-Jan-2026 09:00	5.26
17-Jan-2026 10:00	4.88
17-Jan-2026 11:00	6.51
17-Jan-2026 12:00	5.28
17-Jan-2026 13:00	5.36
17-Jan-2026 14:00	7.32
17-Jan-2026 15:00	4.18
17-Jan-2026 16:00	5.78
17-Jan-2026 17:00	4.62
17-Jan-2026 18:00	7.36
17-Jan-2026 19:00	6.21
17-Jan-2026 20:00	4.95
17-Jan-2026 21:00	4.97
17-Jan-2026 22:00	4.49
17-Jan-2026 23:00	5.23
18-Jan-2026 00:00	4.3
18-Jan-2026 01:00	3.48
18-Jan-2026 02:00	4.8
18-Jan-2026 03:00	3.86
18-Jan-2026 04:00	3.95
18-Jan-2026 05:00	3.17
18-Jan-2026 06:00	3.95
18-Jan-2026 07:00	6.99
18-Jan-2026 08:00	6.66
18-Jan-2026 09:00	4.46

Timestamp	SPM
18-Jan-2026 10:00	4.86
18-Jan-2026 11:00	5.43
18-Jan-2026 12:00	4.46
18-Jan-2026 13:00	4.08
18-Jan-2026 14:00	5.63
18-Jan-2026 15:00	4.95
18-Jan-2026 16:00	4.16
18-Jan-2026 17:00	5.97
18-Jan-2026 18:00	3.94
18-Jan-2026 19:00	3.63
18-Jan-2026 20:00	5.72
18-Jan-2026 21:00	6.19
18-Jan-2026 22:00	3.62
18-Jan-2026 23:00	3.58
19-Jan-2026 00:00	5.87
19-Jan-2026 01:00	5.72
19-Jan-2026 02:00	3.78
19-Jan-2026 03:00	6.15
19-Jan-2026 04:00	5.79
19-Jan-2026 05:00	5.67
19-Jan-2026 06:00	5.74
19-Jan-2026 07:00	6.14
19-Jan-2026 08:00	6.3
19-Jan-2026 09:00	5.31
19-Jan-2026 10:00	6.52
19-Jan-2026 11:00	5.16
19-Jan-2026 12:00	6.26
19-Jan-2026 13:00	6.95
19-Jan-2026 14:00	4.89
19-Jan-2026 15:00	4.62
19-Jan-2026 16:00	5.27
19-Jan-2026 17:00	5.49
19-Jan-2026 18:00	4.67
19-Jan-2026 19:00	5.04
19-Jan-2026 20:00	3.82
19-Jan-2026 21:00	4.15
19-Jan-2026 22:00	6.47
19-Jan-2026 23:00	5.65
20-Jan-2026 00:00	5.52
20-Jan-2026 01:00	5.3
20-Jan-2026 02:00	4.64
20-Jan-2026 03:00	5.43
20-Jan-2026 04:00	6.34
20-Jan-2026 05:00	3.94
20-Jan-2026 06:00	6.09
20-Jan-2026 07:00	6.51
20-Jan-2026 08:00	7.19

Timestamp	SPM
20-Jan-2026 09:00	6.26
20-Jan-2026 10:00	4.45
20-Jan-2026 11:00	4.12
20-Jan-2026 12:00	4.24
20-Jan-2026 13:00	5.74
20-Jan-2026 14:00	5.01
20-Jan-2026 15:00	5.4
20-Jan-2026 16:00	5.63
20-Jan-2026 17:00	4.67
20-Jan-2026 18:00	4.2
20-Jan-2026 19:00	4.46
20-Jan-2026 20:00	5.8
20-Jan-2026 21:00	7.34
20-Jan-2026 22:00	3.84
20-Jan-2026 23:00	5.4
21-Jan-2026 00:00	5.49
21-Jan-2026 01:00	6.67
21-Jan-2026 02:00	6.05
21-Jan-2026 03:00	6.01
21-Jan-2026 04:00	4.78
21-Jan-2026 05:00	6.84
21-Jan-2026 06:00	5.5
21-Jan-2026 07:00	5.5
21-Jan-2026 08:00	8.82
21-Jan-2026 09:00	5.71
21-Jan-2026 10:00	5.32
21-Jan-2026 11:00	4.6
21-Jan-2026 12:00	4.36
21-Jan-2026 13:00	5.84
21-Jan-2026 14:00	5.16
21-Jan-2026 15:00	5.22
21-Jan-2026 16:00	5.37
21-Jan-2026 17:00	4.75
21-Jan-2026 18:00	4.82
21-Jan-2026 19:00	5.01
21-Jan-2026 20:00	5.12
21-Jan-2026 21:00	4.82
21-Jan-2026 22:00	6.12
21-Jan-2026 23:00	5.02
22-Jan-2026 00:00	3.95
22-Jan-2026 01:00	6.01
22-Jan-2026 02:00	5.57
22-Jan-2026 03:00	4.07
22-Jan-2026 04:00	3.94
22-Jan-2026 05:00	4.52
22-Jan-2026 06:00	6.91
22-Jan-2026 07:00	5.98

Timestamp	SPM
22-Jan-2026 08:00	6.8
22-Jan-2026 09:00	4.11
22-Jan-2026 10:00	5.2
22-Jan-2026 11:00	4.73
22-Jan-2026 12:00	4.44
22-Jan-2026 13:00	5.9
22-Jan-2026 14:00	6.21
22-Jan-2026 15:00	4.61
22-Jan-2026 16:00	4.96
22-Jan-2026 17:00	5.4
22-Jan-2026 18:00	3.7
22-Jan-2026 19:00	3.96
22-Jan-2026 20:00	7.1
22-Jan-2026 21:00	6.95
22-Jan-2026 22:00	6.33
22-Jan-2026 23:00	5.95
23-Jan-2026 00:00	5.87
23-Jan-2026 01:00	4.43
23-Jan-2026 02:00	3.36
23-Jan-2026 03:00	3.87
23-Jan-2026 04:00	3.33
23-Jan-2026 05:00	3.12
23-Jan-2026 06:00	4.83
23-Jan-2026 07:00	4.9
23-Jan-2026 08:00	3.32
23-Jan-2026 09:00	3.14
23-Jan-2026 10:00	2.42
23-Jan-2026 11:00	2.36
23-Jan-2026 12:00	3.71
23-Jan-2026 13:00	3.59
23-Jan-2026 14:00	2.82
23-Jan-2026 15:00	4.36
23-Jan-2026 16:00	5.31
23-Jan-2026 17:00	3.64
23-Jan-2026 18:00	4.91
23-Jan-2026 19:00	4.79
23-Jan-2026 20:00	4.98
23-Jan-2026 21:00	5.87
23-Jan-2026 22:00	6.54
23-Jan-2026 23:00	3.75
24-Jan-2026 00:00	6.4
24-Jan-2026 01:00	6.62
24-Jan-2026 02:00	5.38
24-Jan-2026 03:00	6.19
24-Jan-2026 04:00	6.5
24-Jan-2026 05:00	7.72
24-Jan-2026 06:00	6.82

Timestamp	SPM
24-Jan-2026 07:00	7.56
24-Jan-2026 08:00	1.29
24-Jan-2026 09:00	1.09
24-Jan-2026 10:00	0.9
24-Jan-2026 11:00	0.84
24-Jan-2026 12:00	1.07
24-Jan-2026 13:00	1.11
24-Jan-2026 14:00	1.06
24-Jan-2026 15:00	1.11
24-Jan-2026 16:00	1.07
24-Jan-2026 17:00	0.82
24-Jan-2026 18:00	1.3
24-Jan-2026 19:00	0.84
24-Jan-2026 20:00	0.81
24-Jan-2026 21:00	0.85
24-Jan-2026 22:00	0.79
24-Jan-2026 23:00	0.88
25-Jan-2026 00:00	0.89
25-Jan-2026 01:00	0.86
25-Jan-2026 02:00	0.79
25-Jan-2026 03:00	0.86
25-Jan-2026 04:00	1.62
25-Jan-2026 05:00	4.07
25-Jan-2026 06:00	3.47
25-Jan-2026 07:00	4.66
25-Jan-2026 08:00	8.23
25-Jan-2026 09:00	5.8
25-Jan-2026 10:00	6.56
25-Jan-2026 11:00	6.21
25-Jan-2026 12:00	4.9
25-Jan-2026 13:00	4.99
25-Jan-2026 14:00	5.83
25-Jan-2026 15:00	5.79
25-Jan-2026 16:00	3.69
25-Jan-2026 17:00	6.03
25-Jan-2026 18:00	3.84
25-Jan-2026 19:00	3.98
25-Jan-2026 20:00	4.38
25-Jan-2026 21:00	3.87
25-Jan-2026 22:00	5.29
25-Jan-2026 23:00	5.76
26-Jan-2026 00:00	4.2
26-Jan-2026 01:00	5.81
26-Jan-2026 02:00	5.49
26-Jan-2026 03:00	3.86
26-Jan-2026 04:00	4.52
26-Jan-2026 05:00	4.7

Timestamp	SPM
26-Jan-2026 06:00	6.32
26-Jan-2026 07:00	4.69
26-Jan-2026 08:00	5.74
26-Jan-2026 09:00	5.21
26-Jan-2026 10:00	3.59
26-Jan-2026 11:00	3.54
26-Jan-2026 12:00	4.19
26-Jan-2026 13:00	4.07
26-Jan-2026 14:00	4.18
26-Jan-2026 15:00	4.66
26-Jan-2026 16:00	5.13
26-Jan-2026 17:00	3.71
26-Jan-2026 18:00	4.47
26-Jan-2026 19:00	4.23
26-Jan-2026 20:00	3.1
26-Jan-2026 21:00	5.53
26-Jan-2026 22:00	4.55
26-Jan-2026 23:00	3.57
27-Jan-2026 00:00	5.24
27-Jan-2026 01:00	5.23
27-Jan-2026 02:00	2.77
27-Jan-2026 03:00	4.61
27-Jan-2026 04:00	5.42
27-Jan-2026 05:00	4.62
27-Jan-2026 06:00	5.96
27-Jan-2026 07:00	6.47
27-Jan-2026 08:00	4.26
27-Jan-2026 09:00	4.16
27-Jan-2026 10:00	5.33
27-Jan-2026 11:00	3.82
27-Jan-2026 12:00	3.39
27-Jan-2026 13:00	3.66
27-Jan-2026 14:00	4.1
27-Jan-2026 15:00	3.3
27-Jan-2026 16:00	4.73
27-Jan-2026 17:00	5.22
27-Jan-2026 18:00	3.47
27-Jan-2026 19:00	3.69
27-Jan-2026 20:00	3.04
27-Jan-2026 21:00	5.15
27-Jan-2026 22:00	5.42
27-Jan-2026 23:00	4.03
28-Jan-2026 00:00	5.02
28-Jan-2026 01:00	3.9
28-Jan-2026 02:00	3.24
28-Jan-2026 03:00	4.42
28-Jan-2026 04:00	3.87

Timestamp	SPM
28-Jan-2026 05:00	4.28
28-Jan-2026 06:00	5.76
28-Jan-2026 07:00	5.19
28-Jan-2026 08:00	3.71
28-Jan-2026 09:00	4.07
28-Jan-2026 10:00	3.91
28-Jan-2026 11:00	5.7
28-Jan-2026 12:00	5.29
28-Jan-2026 13:00	3.31
28-Jan-2026 14:00	3.23
28-Jan-2026 15:00	3.5
28-Jan-2026 16:00	3.78
28-Jan-2026 17:00	5.35
28-Jan-2026 18:00	5.65
28-Jan-2026 19:00	3.72
28-Jan-2026 20:00	4.05
28-Jan-2026 21:00	3.88
28-Jan-2026 22:00	4.13
28-Jan-2026 23:00	4.21
29-Jan-2026 00:00	5.58
29-Jan-2026 01:00	4.95
29-Jan-2026 02:00	3.88
29-Jan-2026 03:00	4.06
29-Jan-2026 04:00	3.65
29-Jan-2026 05:00	3.93
29-Jan-2026 06:00	4.18
29-Jan-2026 07:00	5.96
29-Jan-2026 08:00	6.04
29-Jan-2026 09:00	6.27
29-Jan-2026 10:00	5.7
29-Jan-2026 11:00	4.94
29-Jan-2026 12:00	3.29
29-Jan-2026 13:00	5.8
29-Jan-2026 14:00	3.57
29-Jan-2026 15:00	4
29-Jan-2026 16:00	3.92
29-Jan-2026 17:00	4.4
29-Jan-2026 18:00	3.7
29-Jan-2026 19:00	3.45
29-Jan-2026 20:00	3.74
29-Jan-2026 21:00	4.98
29-Jan-2026 22:00	5.79
29-Jan-2026 23:00	4.25
30-Jan-2026 00:00	5.52
30-Jan-2026 01:00	3.2
30-Jan-2026 02:00	4.04
30-Jan-2026 03:00	3.5

Timestamp	SPM
30-Jan-2026 04:00	3.66
30-Jan-2026 05:00	4.59
30-Jan-2026 06:00	5.44
30-Jan-2026 07:00	5.27
30-Jan-2026 08:00	4.88
30-Jan-2026 09:00	5.04
30-Jan-2026 10:00	4.47
30-Jan-2026 11:00	3.93
30-Jan-2026 12:00	4.03
30-Jan-2026 13:00	4.35
30-Jan-2026 14:00	3.92
30-Jan-2026 15:00	1.64
30-Jan-2026 16:00	3.86
30-Jan-2026 17:00	4.73
30-Jan-2026 18:00	4.08
30-Jan-2026 19:00	3.54
30-Jan-2026 20:00	3.46
30-Jan-2026 21:00	3.66
30-Jan-2026 22:00	5.8
30-Jan-2026 23:00	5.55
31-Jan-2026 00:00	5.33
31-Jan-2026 01:00	3.88
31-Jan-2026 02:00	5.26
31-Jan-2026 03:00	3.53
31-Jan-2026 04:00	3.55
31-Jan-2026 05:00	3.78
31-Jan-2026 06:00	3.64
31-Jan-2026 07:00	4.06
31-Jan-2026 08:00	4.36
31-Jan-2026 09:00	4.6
31-Jan-2026 10:00	3.7
31-Jan-2026 11:00	5.42
31-Jan-2026 12:00	4.74
31-Jan-2026 13:00	3.81
31-Jan-2026 14:00	3.94
31-Jan-2026 15:00	4.58
31-Jan-2026 16:00	4.14
31-Jan-2026 17:00	4.66
31-Jan-2026 18:00	5.08
31-Jan-2026 19:00	5.76
31-Jan-2026 20:00	6.3
31-Jan-2026 21:00	4.34
31-Jan-2026 22:00	3.79
31-Jan-2026 23:00	3.73

Madhav KRG HRC Pvt. Ltd.
Stack_Induction Furnace

From: 2026-02-01 00:03:00 To: 2026-02-28 23:58:00

Timestamp	SPM
01-Feb-2026 00:00	4.28
01-Feb-2026 01:00	3.62
01-Feb-2026 02:00	3.12
01-Feb-2026 03:00	3.8
01-Feb-2026 04:00	5.24
01-Feb-2026 05:00	4.8
01-Feb-2026 06:00	3.38
01-Feb-2026 07:00	4.24
01-Feb-2026 08:00	5.41
01-Feb-2026 09:00	5.43
01-Feb-2026 10:00	3.74
01-Feb-2026 11:00	4.39
01-Feb-2026 12:00	7.16
01-Feb-2026 13:00	8.07
01-Feb-2026 14:00	4.99
01-Feb-2026 15:00	4.45
01-Feb-2026 16:00	8.07
01-Feb-2026 17:00	6.72
01-Feb-2026 18:00	6.5
01-Feb-2026 19:00	4.29
01-Feb-2026 20:00	4.82
01-Feb-2026 21:00	5.26
01-Feb-2026 22:00	3.66
01-Feb-2026 23:00	4.67
02-Feb-2026 00:00	3.67
02-Feb-2026 01:00	5.78
02-Feb-2026 02:00	4.47
02-Feb-2026 03:00	6.28
02-Feb-2026 04:00	4.97
02-Feb-2026 05:00	5.38
02-Feb-2026 06:00	3.81
02-Feb-2026 07:00	3.99
02-Feb-2026 08:00	4.28
02-Feb-2026 09:00	4.24
02-Feb-2026 10:00	6.36
02-Feb-2026 11:00	5.96
02-Feb-2026 12:00	4.98
02-Feb-2026 13:00	3.9
02-Feb-2026 14:00	4.41
02-Feb-2026 15:00	5.8
02-Feb-2026 16:00	4.77
02-Feb-2026 17:00	4.28

Reported via: <https://tpro.telsys.in> by user: ehs@madhavkrggroup.com

Timestamp	SPM
02-Feb-2026 18:00	5.87
02-Feb-2026 19:00	5.22
02-Feb-2026 20:00	4.3
02-Feb-2026 21:00	5.45
02-Feb-2026 22:00	4.08
02-Feb-2026 23:00	4.23
03-Feb-2026 00:00	4.05
03-Feb-2026 01:00	4.12
03-Feb-2026 02:00	6.28
03-Feb-2026 03:00	5.63
03-Feb-2026 04:00	4.31
03-Feb-2026 05:00	7.63
03-Feb-2026 06:00	3.81
03-Feb-2026 07:00	3.62
03-Feb-2026 08:00	4.58
03-Feb-2026 09:00	6.01
03-Feb-2026 10:00	4.96
03-Feb-2026 11:00	6.22
03-Feb-2026 12:00	7.03
03-Feb-2026 13:00	6.69
03-Feb-2026 14:00	6.71
03-Feb-2026 15:00	6.45
03-Feb-2026 16:00	6.97
03-Feb-2026 17:00	5.29
03-Feb-2026 18:00	4.49
03-Feb-2026 19:00	3.69
03-Feb-2026 20:00	3.42
03-Feb-2026 21:00	4.01
03-Feb-2026 22:00	5.33
03-Feb-2026 23:00	6.13
04-Feb-2026 00:00	5.78
04-Feb-2026 01:00	6.22
04-Feb-2026 02:00	6.04
04-Feb-2026 03:00	6.08
04-Feb-2026 04:00	6.95
04-Feb-2026 05:00	5.27
04-Feb-2026 06:00	5.78
04-Feb-2026 07:00	5.49
04-Feb-2026 08:00	4.43
04-Feb-2026 09:00	4.72
04-Feb-2026 10:00	4.49
04-Feb-2026 11:00	4.14
04-Feb-2026 12:00	4.24
04-Feb-2026 13:00	4.24
04-Feb-2026 14:00	4.94
04-Feb-2026 15:00	4.69
04-Feb-2026 16:00	4.46

Timestamp	SPM
04-Feb-2026 17:00	3.88
04-Feb-2026 18:00	4.56
04-Feb-2026 19:00	6.22
04-Feb-2026 20:00	4.32
04-Feb-2026 21:00	3.96
04-Feb-2026 22:00	4.15
04-Feb-2026 23:00	4.22
05-Feb-2026 00:00	4.06
05-Feb-2026 01:00	5.08
05-Feb-2026 02:00	6.17
05-Feb-2026 03:00	5.15
05-Feb-2026 04:00	4.05
05-Feb-2026 05:00	4.23
05-Feb-2026 06:00	4.41
05-Feb-2026 07:00	4.28
05-Feb-2026 08:00	4.38
05-Feb-2026 09:00	4.74
05-Feb-2026 10:00	4.32
05-Feb-2026 11:00	4.65
05-Feb-2026 12:00	4.27
05-Feb-2026 13:00	4.22
05-Feb-2026 14:00	4.21
05-Feb-2026 15:00	4.96
05-Feb-2026 16:00	7.15
05-Feb-2026 17:00	5.52
05-Feb-2026 18:00	4.93
05-Feb-2026 19:00	3.75
05-Feb-2026 20:00	3.89
05-Feb-2026 21:00	4.06
05-Feb-2026 22:00	3.84
05-Feb-2026 23:00	3.96
06-Feb-2026 00:00	3.62
06-Feb-2026 01:00	3.8
06-Feb-2026 02:00	3.89
06-Feb-2026 03:00	3.63
06-Feb-2026 04:00	3.66
06-Feb-2026 05:00	4.07
06-Feb-2026 06:00	3.96
06-Feb-2026 07:00	7.05
06-Feb-2026 08:00	7.32
06-Feb-2026 09:00	6.65
06-Feb-2026 10:00	4.33
06-Feb-2026 11:00	4.05
06-Feb-2026 12:00	4.34
06-Feb-2026 13:00	4.16
06-Feb-2026 14:00	4.41
06-Feb-2026 15:00	6.55

Timestamp	SPM
06-Feb-2026 16:00	4.1
06-Feb-2026 17:00	4.73
06-Feb-2026 18:00	4
06-Feb-2026 19:00	4.01
06-Feb-2026 20:00	3.89
06-Feb-2026 21:00	3.93
06-Feb-2026 22:00	4.06
06-Feb-2026 23:00	4.07
07-Feb-2026 00:00	3.85
07-Feb-2026 01:00	4.02
07-Feb-2026 02:00	4.9
07-Feb-2026 03:00	4.65
07-Feb-2026 04:00	4.05
07-Feb-2026 05:00	5.03
07-Feb-2026 06:00	4.32
07-Feb-2026 07:00	6.39
07-Feb-2026 08:00	4.4
07-Feb-2026 09:00	4.29
07-Feb-2026 10:00	3.89
07-Feb-2026 11:00	3.55
07-Feb-2026 12:00	3.81
07-Feb-2026 13:00	4.17
07-Feb-2026 14:00	4.09
07-Feb-2026 15:00	3.87
07-Feb-2026 16:00	4.13
07-Feb-2026 17:00	4.28
07-Feb-2026 18:00	4.1
07-Feb-2026 19:00	3.85
07-Feb-2026 20:00	3.88
07-Feb-2026 21:00	5.92
07-Feb-2026 22:00	6.11
07-Feb-2026 23:00	5.29
08-Feb-2026 00:00	3.64
08-Feb-2026 01:00	3.73
08-Feb-2026 02:00	3.81
08-Feb-2026 03:00	4.14
08-Feb-2026 04:00	3.95
08-Feb-2026 05:00	4.01
08-Feb-2026 06:00	4.77
08-Feb-2026 07:00	4.33
08-Feb-2026 08:00	4.24
08-Feb-2026 09:00	4.26
08-Feb-2026 10:00	6.23
08-Feb-2026 11:00	6.84
08-Feb-2026 12:00	6.29
08-Feb-2026 13:00	6.55
08-Feb-2026 14:00	4.08

Timestamp	SPM
08-Feb-2026 15:00	6.45
08-Feb-2026 16:00	4.47
08-Feb-2026 17:00	3.69
08-Feb-2026 18:00	3.74
08-Feb-2026 19:00	3.44
08-Feb-2026 20:00	5.16
08-Feb-2026 21:00	3.82
08-Feb-2026 22:00	3.63
08-Feb-2026 23:00	3.53
09-Feb-2026 00:00	3.66
09-Feb-2026 01:00	3.75
09-Feb-2026 02:00	3.71
09-Feb-2026 03:00	3.75
09-Feb-2026 04:00	3.63
09-Feb-2026 05:00	4.08
09-Feb-2026 06:00	3.87
09-Feb-2026 07:00	2.72
09-Feb-2026 08:00	1.36
09-Feb-2026 09:00	0.77
09-Feb-2026 10:00	1.05
09-Feb-2026 11:00	1.8
09-Feb-2026 12:00	1.6
09-Feb-2026 13:00	1.67
09-Feb-2026 14:00	1.58
09-Feb-2026 15:00	1.3
09-Feb-2026 16:00	1.16
09-Feb-2026 17:00	1.19
09-Feb-2026 18:00	0.97
09-Feb-2026 19:00	1.18
09-Feb-2026 20:00	1.19
09-Feb-2026 21:00	1.02
09-Feb-2026 22:00	0.78
09-Feb-2026 23:00	0.78
10-Feb-2026 00:00	0.85
10-Feb-2026 01:00	1.05
10-Feb-2026 02:00	1.04
10-Feb-2026 03:00	0.95
10-Feb-2026 04:00	0.96
10-Feb-2026 05:00	2.86
10-Feb-2026 06:00	3.37
10-Feb-2026 07:00	5.12
10-Feb-2026 08:00	3.7
10-Feb-2026 09:00	3.78
10-Feb-2026 10:00	4.08
10-Feb-2026 11:00	4.05
10-Feb-2026 12:00	3.98
10-Feb-2026 13:00	4.31

Timestamp	SPM
10-Feb-2026 14:00	4.75
10-Feb-2026 15:00	5.72
10-Feb-2026 16:00	3.94
10-Feb-2026 17:00	5.46
10-Feb-2026 18:00	4.45
10-Feb-2026 19:00	4.7
10-Feb-2026 20:00	6.02
10-Feb-2026 21:00	6.89
10-Feb-2026 22:00	5.22
10-Feb-2026 23:00	4.32
11-Feb-2026 00:00	4.54
11-Feb-2026 01:00	4.08
11-Feb-2026 02:00	3.61
11-Feb-2026 03:00	3.92
11-Feb-2026 04:00	3.81
11-Feb-2026 05:00	4.45
11-Feb-2026 06:00	4.87
11-Feb-2026 07:00	4.89
11-Feb-2026 08:00	4.61
11-Feb-2026 09:00	6.05
11-Feb-2026 10:00	6.21
11-Feb-2026 11:00	6.31
11-Feb-2026 12:00	7.35
11-Feb-2026 13:00	7.07
11-Feb-2026 14:00	7.17
11-Feb-2026 15:00	4.81
11-Feb-2026 16:00	6.3
11-Feb-2026 17:00	6.24
11-Feb-2026 18:00	4.36
11-Feb-2026 19:00	5.23
11-Feb-2026 20:00	7.39
11-Feb-2026 21:00	6.29
11-Feb-2026 22:00	5.05
11-Feb-2026 23:00	6.49
12-Feb-2026 00:00	4.8
12-Feb-2026 01:00	4.62
12-Feb-2026 02:00	5.17
12-Feb-2026 03:00	5.98
12-Feb-2026 04:00	7.59
12-Feb-2026 05:00	7.37
12-Feb-2026 06:00	5.18
12-Feb-2026 07:00	5.48
12-Feb-2026 08:00	5.17
12-Feb-2026 09:00	4.87
12-Feb-2026 10:00	4.67
12-Feb-2026 11:00	4.74
12-Feb-2026 12:00	4.77

Timestamp	SPM
12-Feb-2026 13:00	4.24
12-Feb-2026 14:00	5.74
12-Feb-2026 15:00	7.63
12-Feb-2026 16:00	7.43
12-Feb-2026 17:00	6.89
12-Feb-2026 18:00	3.56
12-Feb-2026 19:00	2.28
12-Feb-2026 20:00	4.68
12-Feb-2026 21:00	6.43
12-Feb-2026 22:00	7.85
12-Feb-2026 23:00	7.27
13-Feb-2026 00:00	8.49
13-Feb-2026 01:00	7.22
13-Feb-2026 02:00	4.9
13-Feb-2026 03:00	4.94
13-Feb-2026 04:00	5.39
13-Feb-2026 05:00	5.37
13-Feb-2026 06:00	5.82
13-Feb-2026 07:00	6.04
13-Feb-2026 08:00	5.53
13-Feb-2026 09:00	5.45
13-Feb-2026 10:00	5.4
13-Feb-2026 11:00	5.09
13-Feb-2026 12:00	8.42
13-Feb-2026 13:00	5.4
13-Feb-2026 14:00	5.72
13-Feb-2026 15:00	5.21
13-Feb-2026 16:00	5.77
13-Feb-2026 17:00	5.54
13-Feb-2026 18:00	4.48
13-Feb-2026 19:00	4.77
13-Feb-2026 20:00	4.96
13-Feb-2026 21:00	4.77
13-Feb-2026 22:00	4.75
13-Feb-2026 23:00	4.87
14-Feb-2026 00:00	4.75
14-Feb-2026 01:00	4.97
14-Feb-2026 02:00	5
14-Feb-2026 03:00	4.9
14-Feb-2026 04:00	4.62
14-Feb-2026 05:00	5.01
14-Feb-2026 06:00	5.8
14-Feb-2026 07:00	5.9
14-Feb-2026 08:00	5.9
14-Feb-2026 09:00	5.49
14-Feb-2026 10:00	9.36
14-Feb-2026 11:00	9.71

Timestamp	SPM
14-Feb-2026 12:00	10
14-Feb-2026 13:00	9.37
14-Feb-2026 14:00	7.14
14-Feb-2026 15:00	7.87
14-Feb-2026 16:00	7.82
14-Feb-2026 17:00	6.69
14-Feb-2026 18:00	5.62
14-Feb-2026 19:00	5.38
14-Feb-2026 20:00	5.44
14-Feb-2026 21:00	5.39
14-Feb-2026 22:00	5.64
14-Feb-2026 23:00	5.74
15-Feb-2026 00:00	8.05
15-Feb-2026 01:00	8.66
15-Feb-2026 02:00	7.41
15-Feb-2026 03:00	7.55
15-Feb-2026 04:00	5.75
15-Feb-2026 05:00	7.88
15-Feb-2026 06:00	8.46
15-Feb-2026 07:00	5.79
15-Feb-2026 08:00	5.9
15-Feb-2026 09:00	8.9
15-Feb-2026 10:00	6.62
15-Feb-2026 11:00	7.56
15-Feb-2026 12:00	7.58
15-Feb-2026 13:00	8.7
15-Feb-2026 14:00	7.95
15-Feb-2026 15:00	7.08
15-Feb-2026 16:00	6.17
15-Feb-2026 17:00	6.5
15-Feb-2026 18:00	8.36
15-Feb-2026 19:00	9.47
15-Feb-2026 20:00	7.77
15-Feb-2026 21:00	7.58
15-Feb-2026 22:00	6.36
15-Feb-2026 23:00	7.3
16-Feb-2026 00:00	8.99
16-Feb-2026 01:00	9.21
16-Feb-2026 02:00	6.69
16-Feb-2026 03:00	10.36
16-Feb-2026 04:00	8.06
16-Feb-2026 05:00	7.95
16-Feb-2026 06:00	10.7
16-Feb-2026 07:00	9.19
16-Feb-2026 08:00	10.33
16-Feb-2026 09:00	8.89
16-Feb-2026 10:00	6.36

Timestamp	SPM
16-Feb-2026 11:00	9.44
16-Feb-2026 12:00	9.03
16-Feb-2026 13:00	9.54
16-Feb-2026 14:00	7.7
16-Feb-2026 15:00	6.93
16-Feb-2026 16:00	4.62
16-Feb-2026 17:00	4.84
16-Feb-2026 18:00	6.46
16-Feb-2026 19:00	7.44
16-Feb-2026 20:00	10.2
16-Feb-2026 21:00	9.2
16-Feb-2026 22:00	8.27
16-Feb-2026 23:00	7.73
17-Feb-2026 00:00	10.08
17-Feb-2026 01:00	14.43
17-Feb-2026 02:00	17.69
17-Feb-2026 03:00	10.41
17-Feb-2026 04:00	8.54
17-Feb-2026 05:00	9.2
17-Feb-2026 06:00	15.13
17-Feb-2026 07:00	10.31
17-Feb-2026 08:00	10.52
17-Feb-2026 09:00	9.43
17-Feb-2026 10:00	11.4
17-Feb-2026 11:00	9.57
17-Feb-2026 12:00	9.07
17-Feb-2026 13:00	9.57
17-Feb-2026 14:00	5.92
17-Feb-2026 15:00	6.51
17-Feb-2026 16:00	6.42
17-Feb-2026 17:00	6.28
17-Feb-2026 18:00	6.28
17-Feb-2026 19:00	6.07
17-Feb-2026 20:00	6.01
17-Feb-2026 21:00	8.74
17-Feb-2026 22:00	10.94
17-Feb-2026 23:00	10.79
18-Feb-2026 00:00	9.17
18-Feb-2026 01:00	9.34
18-Feb-2026 02:00	6.63
18-Feb-2026 03:00	10.6
18-Feb-2026 04:00	9.7
18-Feb-2026 05:00	7.51
18-Feb-2026 06:00	10.2
18-Feb-2026 07:00	7.88
18-Feb-2026 08:00	6.09
18-Feb-2026 09:00	6.9

Timestamp	SPM
18-Feb-2026 10:00	8.44
18-Feb-2026 11:00	8.12
18-Feb-2026 12:00	9.91
18-Feb-2026 13:00	7.68
18-Feb-2026 14:00	6.25
18-Feb-2026 15:00	4.08
18-Feb-2026 16:00	6.63
18-Feb-2026 17:00	9.01
18-Feb-2026 18:00	11.41
18-Feb-2026 19:00	8.57
18-Feb-2026 20:00	8.78
18-Feb-2026 21:00	12.63
18-Feb-2026 22:00	8.35
18-Feb-2026 23:00	10.79
19-Feb-2026 00:00	11.84
19-Feb-2026 01:00	11.44
19-Feb-2026 02:00	8.93
19-Feb-2026 03:00	10.85
19-Feb-2026 04:00	13.3
19-Feb-2026 05:00	11.33
19-Feb-2026 06:00	8.42
19-Feb-2026 07:00	7.27
19-Feb-2026 08:00	7.65
19-Feb-2026 09:00	7.65
19-Feb-2026 10:00	6.98
19-Feb-2026 11:00	7.04
19-Feb-2026 12:00	6.36
19-Feb-2026 13:00	6.82
19-Feb-2026 14:00	6.98
19-Feb-2026 15:00	6.95
19-Feb-2026 16:00	6.29
19-Feb-2026 17:00	6.7
19-Feb-2026 18:00	6.78
19-Feb-2026 19:00	7.65
19-Feb-2026 20:00	8.13
19-Feb-2026 21:00	10.52
19-Feb-2026 22:00	9.5
19-Feb-2026 23:00	9.62
20-Feb-2026 00:00	13.58
20-Feb-2026 01:00	12.13
20-Feb-2026 02:00	14.58
20-Feb-2026 03:00	17.78
20-Feb-2026 04:00	12.83
20-Feb-2026 05:00	16.02
20-Feb-2026 06:00	13.62
20-Feb-2026 07:00	8.73
20-Feb-2026 08:00	6.35

Timestamp	SPM
20-Feb-2026 09:00	6.44
20-Feb-2026 10:00	10.39
20-Feb-2026 11:00	13.14
20-Feb-2026 12:00	7.42
20-Feb-2026 13:00	8.83
20-Feb-2026 14:00	11.9
20-Feb-2026 15:00	11.13
20-Feb-2026 16:00	12.26
20-Feb-2026 17:00	9.19
20-Feb-2026 18:00	7.24
20-Feb-2026 19:00	7.23
20-Feb-2026 20:00	9.57
20-Feb-2026 21:00	12.07
20-Feb-2026 22:00	12.78
20-Feb-2026 23:00	7.34
21-Feb-2026 00:00	8.43
21-Feb-2026 01:00	8.67
21-Feb-2026 02:00	8.75
21-Feb-2026 03:00	14.69
21-Feb-2026 04:00	20.19
21-Feb-2026 05:00	20.64
21-Feb-2026 06:00	17.47
21-Feb-2026 07:00	12.48
21-Feb-2026 08:00	7.02
21-Feb-2026 09:00	7.07
21-Feb-2026 10:00	6.79
21-Feb-2026 11:00	7.08
21-Feb-2026 12:00	12.76
21-Feb-2026 13:00	9.83
21-Feb-2026 14:00	8.12
21-Feb-2026 15:00	7.63
21-Feb-2026 16:00	9.92
21-Feb-2026 17:00	7.26
21-Feb-2026 18:00	7.1
21-Feb-2026 19:00	7.09
21-Feb-2026 20:00	8.68
21-Feb-2026 21:00	10.66
21-Feb-2026 22:00	7.87
21-Feb-2026 23:00	7.95
22-Feb-2026 00:00	11.66
22-Feb-2026 01:00	14.32
22-Feb-2026 02:00	16.04
22-Feb-2026 03:00	10.1
22-Feb-2026 04:00	15.27
22-Feb-2026 05:00	14.45
22-Feb-2026 06:00	12.01
22-Feb-2026 07:00	19.24

Timestamp	SPM
22-Feb-2026 08:00	8.35
22-Feb-2026 09:00	7.63
22-Feb-2026 10:00	7.07
22-Feb-2026 11:00	8.16
22-Feb-2026 12:00	8.09
22-Feb-2026 13:00	6.86
22-Feb-2026 14:00	8.76
22-Feb-2026 15:00	10.49
22-Feb-2026 16:00	7.45
22-Feb-2026 17:00	7.89
22-Feb-2026 18:00	10.76
22-Feb-2026 19:00	6.94
22-Feb-2026 20:00	9.67
22-Feb-2026 21:00	9.17
22-Feb-2026 22:00	8
22-Feb-2026 23:00	7.99
23-Feb-2026 00:00	8.93
23-Feb-2026 01:00	9.14
23-Feb-2026 02:00	11.21
23-Feb-2026 03:00	14.58
23-Feb-2026 04:00	12.5
23-Feb-2026 05:00	10.82
23-Feb-2026 06:00	10.74
23-Feb-2026 07:00	7.93
23-Feb-2026 08:00	2.14
23-Feb-2026 09:00	1.8
23-Feb-2026 10:00	2
23-Feb-2026 11:00	2.19
23-Feb-2026 12:00	2.05
23-Feb-2026 13:00	1.74
23-Feb-2026 14:00	2.14
23-Feb-2026 15:00	1.75
23-Feb-2026 16:00	2.11
23-Feb-2026 17:00	1.79
23-Feb-2026 18:00	1.66
23-Feb-2026 19:00	2.32
23-Feb-2026 20:00	2.21
23-Feb-2026 21:00	1.35
23-Feb-2026 22:00	1.34
23-Feb-2026 23:00	1.4
24-Feb-2026 00:00	1.34
24-Feb-2026 01:00	2.11
24-Feb-2026 02:00	1.74
24-Feb-2026 03:00	2.46
24-Feb-2026 04:00	3.18
24-Feb-2026 05:00	4.02
24-Feb-2026 06:00	41.26

Timestamp	SPM
24-Feb-2026 07:00	50
24-Feb-2026 08:00	19.65
24-Feb-2026 09:00	8.96
24-Feb-2026 10:00	9.38
24-Feb-2026 11:00	6.79
24-Feb-2026 12:00	6.46
24-Feb-2026 13:00	7.04
24-Feb-2026 14:00	13.22
24-Feb-2026 15:00	14.95
24-Feb-2026 16:00	9.23
24-Feb-2026 17:00	10.19
24-Feb-2026 18:00	13.75
24-Feb-2026 19:00	7.88
24-Feb-2026 20:00	8.28
24-Feb-2026 21:00	9.7
24-Feb-2026 22:00	9.29
24-Feb-2026 23:00	11.84
25-Feb-2026 00:00	8.94
25-Feb-2026 01:00	8.88
25-Feb-2026 02:00	9.84
25-Feb-2026 03:00	9.96
25-Feb-2026 04:00	11.71
25-Feb-2026 05:00	18.9
25-Feb-2026 06:00	19.16
25-Feb-2026 07:00	12.66
25-Feb-2026 08:00	11.62
25-Feb-2026 09:00	9.38
25-Feb-2026 10:00	8.63
25-Feb-2026 11:00	6
25-Feb-2026 12:00	8.5
25-Feb-2026 13:00	8.95
25-Feb-2026 14:00	12.73
25-Feb-2026 15:00	12.97
25-Feb-2026 16:00	8.56
25-Feb-2026 17:00	9.41
25-Feb-2026 18:00	9.61
25-Feb-2026 19:00	13.45
25-Feb-2026 20:00	12.5
25-Feb-2026 21:00	12.96
25-Feb-2026 22:00	9.67
25-Feb-2026 23:00	9.29
26-Feb-2026 00:00	10.38
26-Feb-2026 01:00	9.48
26-Feb-2026 02:00	9.42
26-Feb-2026 03:00	14.36
26-Feb-2026 04:00	10.81
26-Feb-2026 05:00	18.6

Timestamp	SPM
26-Feb-2026 06:00	18.73
26-Feb-2026 07:00	11.65
26-Feb-2026 08:00	9.79
26-Feb-2026 09:00	9.66
26-Feb-2026 10:00	9.92
26-Feb-2026 11:00	8.86
26-Feb-2026 12:00	8.98
26-Feb-2026 13:00	9.73
26-Feb-2026 14:00	12.24
26-Feb-2026 15:00	12.14
26-Feb-2026 16:00	10.3
26-Feb-2026 17:00	10.12
26-Feb-2026 18:00	10.45
26-Feb-2026 19:00	8.49
26-Feb-2026 20:00	10.19
26-Feb-2026 21:00	11.22
26-Feb-2026 22:00	9.51
26-Feb-2026 23:00	8.77
27-Feb-2026 00:00	8.7
27-Feb-2026 01:00	11.78
27-Feb-2026 02:00	13.23
27-Feb-2026 03:00	16.27
27-Feb-2026 04:00	12.08
27-Feb-2026 05:00	11.11
27-Feb-2026 06:00	13.91
27-Feb-2026 07:00	8.74
27-Feb-2026 08:00	8.43
27-Feb-2026 09:00	49.17
27-Feb-2026 10:00	42.03
27-Feb-2026 11:00	46.87
27-Feb-2026 12:00	43.48
27-Feb-2026 13:00	32.04
27-Feb-2026 14:00	49.88
27-Feb-2026 15:00	50
27-Feb-2026 16:00	40.49
27-Feb-2026 17:00	49.84
27-Feb-2026 18:00	48.66
27-Feb-2026 19:00	35.24
27-Feb-2026 20:00	47.65
27-Feb-2026 21:00	50
27-Feb-2026 22:00	47.59
27-Feb-2026 23:00	48.15
28-Feb-2026 00:00	49
28-Feb-2026 01:00	49.06
28-Feb-2026 02:00	50
28-Feb-2026 03:00	45.89
28-Feb-2026 04:00	48.43

Timestamp	SPM
28-Feb-2026 05:00	50
28-Feb-2026 06:00	49.29
28-Feb-2026 07:00	49.96
28-Feb-2026 08:00	49.38
28-Feb-2026 09:00	47.98
28-Feb-2026 10:00	32.68
28-Feb-2026 11:00	43.33
28-Feb-2026 12:00	43.87
28-Feb-2026 13:00	45.99
28-Feb-2026 14:00	48.66
28-Feb-2026 15:00	46.08
28-Feb-2026 16:00	38.65
28-Feb-2026 17:00	44.58
28-Feb-2026 18:00	49.51
28-Feb-2026 19:00	47.57
28-Feb-2026 20:00	44.92
28-Feb-2026 21:00	42.78
28-Feb-2026 22:00	44.96
28-Feb-2026 23:00	6.82

Madhav KRG HRC Pvt. Ltd.
Stack_Induction Furnace

From: 2026-03-01 00:08:00 To: 2026-03-31 23:58:00

Timestamp	SPM
01-Mar-2026 00:00	2.68
01-Mar-2026 01:00	2.34
01-Mar-2026 02:00	2.22
01-Mar-2026 03:00	2.01
01-Mar-2026 04:00	2.22
01-Mar-2026 05:00	2.32
01-Mar-2026 06:00	2.69
01-Mar-2026 07:00	2.74
01-Mar-2026 08:00	3.15
01-Mar-2026 09:00	2.88
01-Mar-2026 10:00	4.4
01-Mar-2026 11:00	4.06
01-Mar-2026 12:00	4.45
01-Mar-2026 13:00	3.98
01-Mar-2026 14:00	4.31
01-Mar-2026 15:00	4.13
01-Mar-2026 16:00	4.07
01-Mar-2026 17:00	3.94
01-Mar-2026 18:00	2.5
01-Mar-2026 19:00	2.95
01-Mar-2026 20:00	1.78
01-Mar-2026 21:00	2.07
01-Mar-2026 22:00	2.43
01-Mar-2026 23:00	2.54
02-Mar-2026 00:00	2.35
02-Mar-2026 01:00	2.04
02-Mar-2026 02:00	3.86
02-Mar-2026 03:00	15.38
02-Mar-2026 04:00	15.95
02-Mar-2026 05:00	11.49
02-Mar-2026 06:00	10.51
02-Mar-2026 07:00	10.59
02-Mar-2026 08:00	11.51
02-Mar-2026 09:00	10.7
02-Mar-2026 10:00	14.11
02-Mar-2026 11:00	9.43
02-Mar-2026 12:00	9.72
02-Mar-2026 13:00	14.93
02-Mar-2026 14:00	13.28
02-Mar-2026 15:00	8.09
02-Mar-2026 16:00	7.61
02-Mar-2026 17:00	10.64

Reported via: <https://tpro.telsys.in> by user: ehs@madhavkrggroup.com

Timestamp	SPM
02-Mar-2026 18:00	10.91
02-Mar-2026 19:00	16.01
02-Mar-2026 20:00	8.52
02-Mar-2026 21:00	8.72
02-Mar-2026 22:00	10.14
02-Mar-2026 23:00	14.79
03-Mar-2026 00:00	18.88
03-Mar-2026 01:00	13.88
03-Mar-2026 02:00	12.73
03-Mar-2026 03:00	10.11
03-Mar-2026 04:00	10.4
03-Mar-2026 05:00	11.92
03-Mar-2026 06:00	20.43
03-Mar-2026 07:00	12.64
03-Mar-2026 08:00	10.72
03-Mar-2026 09:00	8.45
03-Mar-2026 10:00	5.87
03-Mar-2026 11:00	8.74
03-Mar-2026 12:00	12.29
03-Mar-2026 13:00	9.46
03-Mar-2026 14:00	9.68
03-Mar-2026 15:00	9.37
03-Mar-2026 16:00	9.56
03-Mar-2026 17:00	13.92
03-Mar-2026 18:00	12.83
03-Mar-2026 19:00	17.52
03-Mar-2026 20:00	11.86
03-Mar-2026 21:00	11.22
03-Mar-2026 22:00	8.69
03-Mar-2026 23:00	8.49
04-Mar-2026 00:00	13.19
04-Mar-2026 01:00	9.12
04-Mar-2026 02:00	10.09
04-Mar-2026 03:00	10.79
04-Mar-2026 04:00	11.29
04-Mar-2026 05:00	3.28
04-Mar-2026 06:00	3.63
04-Mar-2026 07:00	3.07
04-Mar-2026 08:00	3.94
04-Mar-2026 09:00	2.85
04-Mar-2026 10:00	3.02
04-Mar-2026 11:00	3.09
04-Mar-2026 12:00	3.36
04-Mar-2026 13:00	3.98
04-Mar-2026 14:00	3.11
04-Mar-2026 15:00	2.94
04-Mar-2026 16:00	2.71

Timestamp	SPM
04-Mar-2026 17:00	2.81
04-Mar-2026 18:00	2.92
04-Mar-2026 19:00	2.71
04-Mar-2026 20:00	2.35
04-Mar-2026 21:00	3.88
04-Mar-2026 22:00	4.09
04-Mar-2026 23:00	3.4
05-Mar-2026 00:00	3.02
05-Mar-2026 01:00	3.11
05-Mar-2026 02:00	3.7
05-Mar-2026 03:00	4.18
05-Mar-2026 04:00	3.97
05-Mar-2026 05:00	8.07
05-Mar-2026 06:00	11.66
05-Mar-2026 07:00	14.43
05-Mar-2026 08:00	10.99
05-Mar-2026 09:00	9.42
05-Mar-2026 10:00	14.09
05-Mar-2026 11:00	13.77
05-Mar-2026 12:00	12.67
05-Mar-2026 13:00	11.31
05-Mar-2026 14:00	10.53
05-Mar-2026 15:00	11.18
05-Mar-2026 16:00	10.96
05-Mar-2026 17:00	17.41
05-Mar-2026 18:00	15.26
05-Mar-2026 19:00	17.53
05-Mar-2026 20:00	10.64
05-Mar-2026 21:00	12.43
05-Mar-2026 22:00	17.19
05-Mar-2026 23:00	10.6
06-Mar-2026 00:00	10.58
06-Mar-2026 01:00	11.32
06-Mar-2026 02:00	12.67
06-Mar-2026 03:00	11.84
06-Mar-2026 04:00	11.08
06-Mar-2026 05:00	10.97
06-Mar-2026 06:00	13.23
06-Mar-2026 07:00	19.29
06-Mar-2026 08:00	20.05
06-Mar-2026 09:00	17.68
06-Mar-2026 10:00	17.36
06-Mar-2026 11:00	11.71
06-Mar-2026 12:00	16.43
06-Mar-2026 13:00	16.59
06-Mar-2026 14:00	11.4
06-Mar-2026 15:00	13.9

Timestamp	SPM
06-Mar-2026 16:00	11.59
06-Mar-2026 17:00	10.45
06-Mar-2026 18:00	14.65
06-Mar-2026 19:00	16.65
06-Mar-2026 20:00	10.03
06-Mar-2026 21:00	11.56
06-Mar-2026 22:00	10.78
06-Mar-2026 23:00	14.81
07-Mar-2026 00:00	19.45
07-Mar-2026 01:00	13.62
07-Mar-2026 02:00	14.01
07-Mar-2026 03:00	15.02
07-Mar-2026 04:00	20.04
07-Mar-2026 05:00	22.26
07-Mar-2026 06:00	18.99
07-Mar-2026 07:00	16.86
07-Mar-2026 08:00	18.61
07-Mar-2026 09:00	20.29
07-Mar-2026 10:00	14.46
07-Mar-2026 11:00	13.8
07-Mar-2026 12:00	11.71
07-Mar-2026 13:00	12.74
07-Mar-2026 14:00	17.43
07-Mar-2026 15:00	16.82
07-Mar-2026 16:00	17.26
07-Mar-2026 17:00	16.59
07-Mar-2026 18:00	15.03
07-Mar-2026 19:00	17.98
07-Mar-2026 20:00	19.08
07-Mar-2026 21:00	14.9
07-Mar-2026 22:00	11.05
07-Mar-2026 23:00	11.73
08-Mar-2026 00:00	11.03
08-Mar-2026 01:00	10.94
08-Mar-2026 02:00	12.37
08-Mar-2026 03:00	11.4
08-Mar-2026 04:00	11.98
08-Mar-2026 05:00	17.06
08-Mar-2026 06:00	18.08
08-Mar-2026 07:00	12.42
08-Mar-2026 08:00	9.98
08-Mar-2026 09:00	10.18
08-Mar-2026 10:00	10.23
08-Mar-2026 11:00	9.74
08-Mar-2026 12:00	16.59
08-Mar-2026 13:00	19.52
08-Mar-2026 14:00	10.72

Timestamp	SPM
08-Mar-2026 15:00	14.49
08-Mar-2026 16:00	16.16
08-Mar-2026 17:00	10.51
08-Mar-2026 18:00	16.68
08-Mar-2026 19:00	14.61
08-Mar-2026 20:00	18.36
08-Mar-2026 21:00	19.77
08-Mar-2026 22:00	13.59
08-Mar-2026 23:00	14.05
09-Mar-2026 00:00	15.09
09-Mar-2026 01:00	16.47
09-Mar-2026 02:00	16.12
09-Mar-2026 03:00	14.92
09-Mar-2026 04:00	17.19
09-Mar-2026 05:00	18.15
09-Mar-2026 06:00	17.37
09-Mar-2026 07:00	16.11
09-Mar-2026 08:00	14.37
09-Mar-2026 09:00	12.32
09-Mar-2026 10:00	13.89
09-Mar-2026 11:00	19.89
09-Mar-2026 12:00	15.68
09-Mar-2026 13:00	15.23
09-Mar-2026 14:00	16.77
09-Mar-2026 15:00	20.23
09-Mar-2026 16:00	16.62
09-Mar-2026 17:00	17.92
09-Mar-2026 18:00	17.24
09-Mar-2026 19:00	11.2
09-Mar-2026 20:00	18.38
09-Mar-2026 21:00	19.16
09-Mar-2026 22:00	10.3
09-Mar-2026 23:00	11.66
10-Mar-2026 00:00	12.76
10-Mar-2026 01:00	14.96
10-Mar-2026 02:00	18.86
10-Mar-2026 03:00	13.09
10-Mar-2026 04:00	15.46
10-Mar-2026 05:00	15.43
10-Mar-2026 06:00	17.72
10-Mar-2026 07:00	17
10-Mar-2026 08:00	16.83
10-Mar-2026 09:00	15.84
10-Mar-2026 10:00	15.05
10-Mar-2026 11:00	16.22
10-Mar-2026 12:00	16.58
10-Mar-2026 13:00	15.82

Timestamp	SPM
10-Mar-2026 14:00	13.22
10-Mar-2026 15:00	10.95
10-Mar-2026 16:00	13.98
10-Mar-2026 17:00	14.54
10-Mar-2026 18:00	11.59
10-Mar-2026 19:00	11.74
10-Mar-2026 20:00	15.93
10-Mar-2026 21:00	13.72
10-Mar-2026 22:00	16.96
10-Mar-2026 23:00	12.09
11-Mar-2026 00:00	12.75
11-Mar-2026 01:00	13.8
11-Mar-2026 02:00	13.27
11-Mar-2026 03:00	14.08
11-Mar-2026 04:00	20.38
11-Mar-2026 05:00	17.21
11-Mar-2026 06:00	18.42
11-Mar-2026 07:00	25.53
11-Mar-2026 08:00	23.97
11-Mar-2026 09:00	20.15
11-Mar-2026 10:00	15.74
11-Mar-2026 11:00	17.8
11-Mar-2026 12:00	13.68
11-Mar-2026 13:00	18.91
11-Mar-2026 14:00	17.71
11-Mar-2026 15:00	14.84
11-Mar-2026 16:00	14.22
11-Mar-2026 17:00	22.55
11-Mar-2026 18:00	16.15
11-Mar-2026 19:00	17.19
11-Mar-2026 20:00	15.82
11-Mar-2026 21:00	17.36
11-Mar-2026 22:00	21.23
11-Mar-2026 23:00	22.23
12-Mar-2026 00:00	23.4
12-Mar-2026 01:00	21.2
12-Mar-2026 02:00	17.05
12-Mar-2026 03:00	16.96
12-Mar-2026 04:00	13.37
12-Mar-2026 05:00	22.53
12-Mar-2026 06:00	20.98
12-Mar-2026 07:00	27.5
12-Mar-2026 08:00	22.15
12-Mar-2026 09:00	19.85
12-Mar-2026 10:00	16.98
12-Mar-2026 11:00	14.99
12-Mar-2026 12:00	17.41

Timestamp	SPM
12-Mar-2026 13:00	18.86
12-Mar-2026 14:00	15.86
12-Mar-2026 15:00	20.83
12-Mar-2026 16:00	18.56
12-Mar-2026 17:00	17.23
12-Mar-2026 18:00	13
12-Mar-2026 19:00	10.8
12-Mar-2026 20:00	13.48
12-Mar-2026 21:00	20.39
12-Mar-2026 22:00	15.73
12-Mar-2026 23:00	15.31
13-Mar-2026 00:00	13.12
13-Mar-2026 01:00	14.23
13-Mar-2026 02:00	17.73
13-Mar-2026 03:00	15.23
13-Mar-2026 04:00	26.31
13-Mar-2026 05:00	18.66
13-Mar-2026 06:00	16.43
13-Mar-2026 07:00	25.31
13-Mar-2026 08:00	24.39
13-Mar-2026 09:00	19.56
13-Mar-2026 10:00	15.1
13-Mar-2026 11:00	13.54
13-Mar-2026 12:00	7.65
13-Mar-2026 13:00	5.18
13-Mar-2026 14:00	7.36
13-Mar-2026 15:00	7.01
13-Mar-2026 16:00	6.4
13-Mar-2026 17:00	10.26
13-Mar-2026 18:00	19.25
13-Mar-2026 19:00	13.19
13-Mar-2026 20:00	23.04
13-Mar-2026 21:00	23.96
13-Mar-2026 22:00	21.51
13-Mar-2026 23:00	27.25
14-Mar-2026 00:00	17.83
14-Mar-2026 01:00	27.25
14-Mar-2026 02:00	26.25
14-Mar-2026 03:00	23.17
14-Mar-2026 04:00	22.39
14-Mar-2026 05:00	24.72
14-Mar-2026 06:00	23.82
14-Mar-2026 07:00	25.9
14-Mar-2026 08:00	20.58
14-Mar-2026 09:00	26
14-Mar-2026 10:00	23.53
14-Mar-2026 11:00	25.68

Timestamp	SPM
14-Mar-2026 12:00	16.3
14-Mar-2026 13:00	21.02
14-Mar-2026 14:00	17.23
14-Mar-2026 15:00	16.27
14-Mar-2026 16:00	14.18
14-Mar-2026 17:00	20.74
14-Mar-2026 18:00	19.05
14-Mar-2026 19:00	15.53
14-Mar-2026 20:00	23.74
14-Mar-2026 21:00	25.71
14-Mar-2026 22:00	27.34
14-Mar-2026 23:00	23.31
15-Mar-2026 00:00	17.36
15-Mar-2026 01:00	18.72
15-Mar-2026 02:00	27.26
15-Mar-2026 03:00	26.74
15-Mar-2026 04:00	17.17
15-Mar-2026 05:00	16.41
15-Mar-2026 06:00	13.56
15-Mar-2026 07:00	20.54
15-Mar-2026 08:00	23.94
15-Mar-2026 09:00	15.43
15-Mar-2026 10:00	24.44
15-Mar-2026 11:00	18.32
15-Mar-2026 12:00	30.32
15-Mar-2026 13:00	24.67
15-Mar-2026 14:00	14.55
15-Mar-2026 15:00	16.32
15-Mar-2026 16:00	16.46
15-Mar-2026 17:00	22.49
15-Mar-2026 18:00	24.71
15-Mar-2026 19:00	20.04
15-Mar-2026 20:00	25.3
15-Mar-2026 21:00	15.79
15-Mar-2026 22:00	19.74
15-Mar-2026 23:00	17.17
16-Mar-2026 00:00	18.99
16-Mar-2026 01:00	15.38
16-Mar-2026 02:00	25.75
16-Mar-2026 03:00	25.94
16-Mar-2026 04:00	26.37
16-Mar-2026 05:00	20.21
16-Mar-2026 06:00	36.72
16-Mar-2026 07:00	37.18
16-Mar-2026 08:00	35.57
16-Mar-2026 09:00	34.63
16-Mar-2026 10:00	32.13

Timestamp	SPM
16-Mar-2026 11:00	21.57
16-Mar-2026 12:00	29
16-Mar-2026 13:00	25.69
16-Mar-2026 14:00	23.04
16-Mar-2026 15:00	23.13
16-Mar-2026 16:00	29.42
16-Mar-2026 17:00	21.7
16-Mar-2026 18:00	27.92
16-Mar-2026 19:00	23.67
16-Mar-2026 20:00	24.37
16-Mar-2026 21:00	28.36
16-Mar-2026 22:00	27.87
16-Mar-2026 23:00	27.2
17-Mar-2026 00:00	30.15
17-Mar-2026 01:00	33.83
17-Mar-2026 02:00	28.98
17-Mar-2026 03:00	33.27
17-Mar-2026 04:00	31.83
17-Mar-2026 05:00	36.49
17-Mar-2026 06:00	21.04
17-Mar-2026 07:00	23.75
17-Mar-2026 08:00	30.51
17-Mar-2026 09:00	36.75
17-Mar-2026 10:00	31.07
17-Mar-2026 11:00	33.26
17-Mar-2026 12:00	34.11
17-Mar-2026 13:00	32.69
17-Mar-2026 14:00	29.69
17-Mar-2026 15:00	36.02
17-Mar-2026 16:00	28.76
17-Mar-2026 17:00	21.84
17-Mar-2026 18:00	19.14
17-Mar-2026 19:00	29.52
17-Mar-2026 20:00	30.06
17-Mar-2026 21:00	30.39
17-Mar-2026 22:00	30.87
17-Mar-2026 23:00	25.35
18-Mar-2026 00:00	31.94
18-Mar-2026 01:00	27.74
18-Mar-2026 02:00	33.54
18-Mar-2026 03:00	34.02
18-Mar-2026 04:00	33.19
18-Mar-2026 05:00	39.43
18-Mar-2026 06:00	34.75
18-Mar-2026 07:00	34.06
18-Mar-2026 08:00	34.35
18-Mar-2026 09:00	25.82

Timestamp	SPM
18-Mar-2026 10:00	34.56
18-Mar-2026 11:00	40.17
18-Mar-2026 12:00	19.22
18-Mar-2026 13:00	9.98
18-Mar-2026 14:00	3.66
18-Mar-2026 15:00	12.71
18-Mar-2026 16:00	4.25
18-Mar-2026 17:00	7.34
18-Mar-2026 18:00	7.47
18-Mar-2026 19:00	8.15
18-Mar-2026 20:00	8.43
18-Mar-2026 21:00	5.11
18-Mar-2026 22:00	6.92
18-Mar-2026 23:00	10.05
19-Mar-2026 00:00	7.55
19-Mar-2026 01:00	16.84
19-Mar-2026 02:00	6.31
19-Mar-2026 03:00	7.43
19-Mar-2026 04:00	3.65
19-Mar-2026 05:00	4.01
19-Mar-2026 06:00	7.18
19-Mar-2026 07:00	4.42
19-Mar-2026 08:00	7.47
19-Mar-2026 09:00	5.22
19-Mar-2026 10:00	5.23
19-Mar-2026 11:00	2.96
19-Mar-2026 12:00	2.34
19-Mar-2026 13:00	8.43
19-Mar-2026 14:00	3.17
19-Mar-2026 15:00	5.58
19-Mar-2026 16:00	2.99
19-Mar-2026 17:00	5.96
19-Mar-2026 18:00	5.16
19-Mar-2026 19:00	4.41
19-Mar-2026 20:00	7.79
19-Mar-2026 21:00	3.53
19-Mar-2026 22:00	4.51
19-Mar-2026 23:00	7.31
20-Mar-2026 00:00	2.46
20-Mar-2026 01:00	2.31
20-Mar-2026 02:00	2.57
20-Mar-2026 03:00	8.42
20-Mar-2026 04:00	4.92
20-Mar-2026 05:00	6.29
20-Mar-2026 06:00	7.75
20-Mar-2026 07:00	6.37
20-Mar-2026 08:00	5.74

Timestamp	SPM
20-Mar-2026 09:00	3.24
20-Mar-2026 10:00	17
20-Mar-2026 11:00	4.02
20-Mar-2026 12:00	27.43
20-Mar-2026 13:00	26.18
20-Mar-2026 14:00	37.27
20-Mar-2026 15:00	28.18
20-Mar-2026 16:00	32.64
20-Mar-2026 17:00	23.94
20-Mar-2026 18:00	34.51
20-Mar-2026 19:00	28.8
20-Mar-2026 20:00	28.32
20-Mar-2026 21:00	33.74
20-Mar-2026 22:00	10.25
20-Mar-2026 23:00	6.93
21-Mar-2026 00:00	6.26
21-Mar-2026 01:00	6.42
21-Mar-2026 02:00	4.63
21-Mar-2026 03:00	5.59
21-Mar-2026 04:00	6.76
21-Mar-2026 05:00	4
21-Mar-2026 06:00	6.68
21-Mar-2026 07:00	10.9
21-Mar-2026 08:00	4.67
21-Mar-2026 09:00	6.13
21-Mar-2026 10:00	8.41
21-Mar-2026 11:00	5.24
21-Mar-2026 12:00	11.07
21-Mar-2026 13:00	7.65
21-Mar-2026 14:00	8.91
21-Mar-2026 15:00	4.59
21-Mar-2026 16:00	6.29
21-Mar-2026 17:00	7.35
21-Mar-2026 18:00	9.07
21-Mar-2026 19:00	11.15
21-Mar-2026 20:00	8.9
21-Mar-2026 21:00	8.3
21-Mar-2026 22:00	6.14
21-Mar-2026 23:00	3.81
22-Mar-2026 00:00	6.91
22-Mar-2026 01:00	5.77
22-Mar-2026 02:00	5.3
22-Mar-2026 03:00	6.68
22-Mar-2026 04:00	10.06
22-Mar-2026 05:00	5.49
22-Mar-2026 06:00	5.45
22-Mar-2026 07:00	4.47

Timestamp	SPM
22-Mar-2026 08:00	6.36
22-Mar-2026 09:00	11.56
22-Mar-2026 10:00	15.04
22-Mar-2026 11:00	9.17
22-Mar-2026 12:00	7.08
22-Mar-2026 13:00	6.66
22-Mar-2026 14:00	10.6
22-Mar-2026 15:00	14.15
22-Mar-2026 16:00	8.75
22-Mar-2026 17:00	14.02
22-Mar-2026 18:00	9.46
22-Mar-2026 19:00	7.44
22-Mar-2026 20:00	9.61
22-Mar-2026 21:00	6.62
22-Mar-2026 22:00	5.94
22-Mar-2026 23:00	10.2
23-Mar-2026 00:00	4.5
23-Mar-2026 01:00	7.9
23-Mar-2026 02:00	5.74
23-Mar-2026 03:00	4.04
23-Mar-2026 04:00	5.15
23-Mar-2026 05:00	4.23
23-Mar-2026 06:00	3.16
23-Mar-2026 07:00	3.07
23-Mar-2026 08:00	3.31
23-Mar-2026 09:00	2.36
23-Mar-2026 10:00	2.53
23-Mar-2026 11:00	2.59
23-Mar-2026 12:00	3.01
23-Mar-2026 13:00	3.2
23-Mar-2026 14:00	1.54
23-Mar-2026 15:00	2.68
23-Mar-2026 16:00	3.13
23-Mar-2026 17:00	2.73
23-Mar-2026 18:00	2.41
23-Mar-2026 19:00	3.65
23-Mar-2026 20:00	4.63
23-Mar-2026 21:00	1.8
23-Mar-2026 22:00	1.38
23-Mar-2026 23:00	1.65
24-Mar-2026 00:00	1.56
24-Mar-2026 01:00	1.69
24-Mar-2026 02:00	1.4
24-Mar-2026 03:00	1.32
24-Mar-2026 04:00	1.63
24-Mar-2026 05:00	5.32
24-Mar-2026 06:00	4.99

Timestamp	SPM
24-Mar-2026 07:00	8.51
24-Mar-2026 08:00	8.33
24-Mar-2026 09:00	9
24-Mar-2026 10:00	7.93
24-Mar-2026 11:00	11.53
24-Mar-2026 12:00	6
24-Mar-2026 13:00	12.3
24-Mar-2026 14:00	7.41
24-Mar-2026 15:00	10.47
24-Mar-2026 16:00	9.27
24-Mar-2026 17:00	8.98
24-Mar-2026 18:00	7.53
24-Mar-2026 19:00	7.27
24-Mar-2026 20:00	8.92
24-Mar-2026 21:00	8.4
24-Mar-2026 22:00	8.96
24-Mar-2026 23:00	12.76
25-Mar-2026 00:00	4.58
25-Mar-2026 01:00	5.41
25-Mar-2026 02:00	6.18
25-Mar-2026 03:00	8.82
25-Mar-2026 04:00	9.34
25-Mar-2026 05:00	7.98
25-Mar-2026 06:00	11.4
25-Mar-2026 07:00	9.94
25-Mar-2026 08:00	7.5
25-Mar-2026 09:00	16.79
25-Mar-2026 10:00	7.92
25-Mar-2026 11:00	12.24
25-Mar-2026 12:00	9.98
25-Mar-2026 13:00	8.54
25-Mar-2026 14:00	8.18
25-Mar-2026 15:00	12.2
25-Mar-2026 16:00	11.81
25-Mar-2026 17:00	7.52
25-Mar-2026 18:00	12.49
25-Mar-2026 19:00	9.15
25-Mar-2026 20:00	15.93
25-Mar-2026 21:00	11.3
25-Mar-2026 22:00	9.49
25-Mar-2026 23:00	10.16
26-Mar-2026 00:00	7.02
26-Mar-2026 01:00	9.56
26-Mar-2026 02:00	11.68
26-Mar-2026 03:00	11.04
26-Mar-2026 04:00	13.1
26-Mar-2026 05:00	9.96

Timestamp	SPM
26-Mar-2026 06:00	13.02
26-Mar-2026 07:00	8.03
26-Mar-2026 08:00	12.55
26-Mar-2026 09:00	9.65
26-Mar-2026 10:00	8.84
26-Mar-2026 11:00	12.42
26-Mar-2026 12:00	9.72
26-Mar-2026 13:00	8.93
26-Mar-2026 14:00	5.4
26-Mar-2026 15:00	5.28
26-Mar-2026 16:00	12.45
26-Mar-2026 17:00	7.02
26-Mar-2026 18:00	6.34
26-Mar-2026 19:00	7.27
26-Mar-2026 20:00	6.94
26-Mar-2026 21:00	5.55
26-Mar-2026 22:00	7.25
26-Mar-2026 23:00	11.29
27-Mar-2026 00:00	7.9
27-Mar-2026 01:00	7.44
27-Mar-2026 02:00	9.53
27-Mar-2026 03:00	7.28
27-Mar-2026 04:00	11.76
27-Mar-2026 05:00	9
27-Mar-2026 06:00	12.08
27-Mar-2026 07:00	8.81
27-Mar-2026 08:00	8.82
27-Mar-2026 09:00	8.68
27-Mar-2026 10:00	9.77
27-Mar-2026 11:00	9.46
27-Mar-2026 12:00	12.14
27-Mar-2026 13:00	12.67
27-Mar-2026 14:00	7.22
27-Mar-2026 15:00	11.7
27-Mar-2026 16:00	7.38
27-Mar-2026 17:00	12.54
27-Mar-2026 18:00	12.8
27-Mar-2026 19:00	9.05
27-Mar-2026 20:00	12.69
27-Mar-2026 21:00	8.5
27-Mar-2026 22:00	15.22
27-Mar-2026 23:00	8.41
28-Mar-2026 00:00	11.02
28-Mar-2026 01:00	9.08
28-Mar-2026 02:00	9.92
28-Mar-2026 03:00	10.46
28-Mar-2026 04:00	8.26

Timestamp	SPM
28-Mar-2026 05:00	10.33
28-Mar-2026 06:00	12.88
28-Mar-2026 07:00	11.16
28-Mar-2026 08:00	12.49
28-Mar-2026 09:00	11.33
28-Mar-2026 10:00	13.04
28-Mar-2026 11:00	8.06
28-Mar-2026 12:00	3.31
28-Mar-2026 13:00	2.77
28-Mar-2026 14:00	1.65
28-Mar-2026 15:00	1.67
28-Mar-2026 16:00	1.76
28-Mar-2026 17:00	2.35
28-Mar-2026 18:00	2.27
28-Mar-2026 19:00	1.32
28-Mar-2026 20:00	1.89
28-Mar-2026 21:00	1.65
28-Mar-2026 22:00	1.54
28-Mar-2026 23:00	1.6
29-Mar-2026 00:00	1.4
29-Mar-2026 01:00	1.36
29-Mar-2026 02:00	1.45
29-Mar-2026 03:00	1.59
29-Mar-2026 04:00	1.33
29-Mar-2026 05:00	1.65
29-Mar-2026 06:00	1.41
29-Mar-2026 07:00	1.57
29-Mar-2026 08:00	1.01
29-Mar-2026 09:00	0.64
29-Mar-2026 10:00	0.77
29-Mar-2026 11:00	1.27
29-Mar-2026 12:00	1.63
29-Mar-2026 13:00	1.6
29-Mar-2026 14:00	1.4
29-Mar-2026 15:00	1.98
29-Mar-2026 16:00	1.82
29-Mar-2026 17:00	1.66
29-Mar-2026 18:00	1.54
29-Mar-2026 19:00	1.5
29-Mar-2026 20:00	1.83
29-Mar-2026 21:00	7.72
29-Mar-2026 22:00	7.31
29-Mar-2026 23:00	5.7
30-Mar-2026 00:00	7.94
30-Mar-2026 01:00	7.01
30-Mar-2026 02:00	8.22
30-Mar-2026 03:00	7.7

Timestamp	SPM
30-Mar-2026 04:00	7.7
30-Mar-2026 05:00	10.9
30-Mar-2026 06:00	7.67
30-Mar-2026 07:00	7.08
30-Mar-2026 08:00	6.55
30-Mar-2026 09:00	10.82
30-Mar-2026 10:00	10.49
30-Mar-2026 11:00	6.11
30-Mar-2026 12:00	6.38
30-Mar-2026 13:00	10.91
30-Mar-2026 14:00	10.9
30-Mar-2026 15:00	9.78
30-Mar-2026 16:00	7.72
30-Mar-2026 17:00	9.6
30-Mar-2026 18:00	8.12
30-Mar-2026 19:00	7.58
30-Mar-2026 20:00	8.85
30-Mar-2026 21:00	8.91
30-Mar-2026 22:00	8.15
30-Mar-2026 23:00	10.63
31-Mar-2026 00:00	8.03
31-Mar-2026 01:00	5.68
31-Mar-2026 02:00	4.24
31-Mar-2026 03:00	6.22
31-Mar-2026 04:00	7.52
31-Mar-2026 05:00	6.96
31-Mar-2026 06:00	9.42
31-Mar-2026 07:00	10.83
31-Mar-2026 08:00	9.47
31-Mar-2026 09:00	10.01
31-Mar-2026 10:00	10.36
31-Mar-2026 11:00	13.85
31-Mar-2026 12:00	11.14
31-Mar-2026 13:00	10.95
31-Mar-2026 14:00	11.62
31-Mar-2026 15:00	5.53
31-Mar-2026 16:00	9.04
31-Mar-2026 17:00	10.44
31-Mar-2026 18:00	11
31-Mar-2026 19:00	8.91
31-Mar-2026 20:00	4.24
31-Mar-2026 21:00	7.45
31-Mar-2026 22:00	5.58
31-Mar-2026 23:00	6.89





DOG House







Annexure-13











RB ENVIRO LABORATORIES (OPC) PRIVATE LIMITED

Plot No. 56, First Floor, Shivalik City-Nijjar Road, Sec. 127, Kharar, SAS Nagar, Mohali

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

GSTIN: 03AANCR1768G129, Email: rbenvirosolution@gmail.com

+91 6239447329, 8437473298

Page 1 of 1

To
M/s MADHAV KRG HRC PVT LTD,
VILLAGE AKALGARH, NEAR TOLL PLAZA, AMLOH
BHADSON ROAD, BHADALTHUHA, PATIALA, PUNJAB-147203

Report No.	RBEL/2511/100K	Report Date	18.11.2025
Your Ref. No.	Nil	Type of sample	Ground Water
Sample Code Given by Customer	Piezometer-1	Quantity	05 LITER
Sampling Location	Nil	Date of sampling	10.11.2025
Sample Collected By	Lab Person	Date of sample receipt	11.11.2025
Sampling procedure	As per SOP	Sample I.D.	RBEL/2511/100K
		Date of test	11.11.2025-18.11.2025

S. No.	Parameters	Results	Limits of IS: 10500 – 2012 (Amendment no. 1, June 2015)		Test method
			Requirement (Acceptable Limit)	Permissible limit in absence of alternate source	
1	pH	7.55	6.5 – 8.5	No relaxation	IS 3025 (Part-11) : 2002
2	Total Dissolved Solids mg/l Max	415	500	2000	IS 3025 (Part-16): 2002
3	Alkalinity (as CaCO ₃) mg/l, Max	175	200	600	IS 3025 (Part-23): 2003
4	Chloride (as Cl), mg/l, Max	174	250	1594	IS 3025 (Part-32): 2007
5	Sulphate (as SO ₄) mg/l, Max	58.3	200	400	IS 3025 (Part-24): 2003
6	Calcium (as Ca) mg/l Max	67	75	200	IS 3025 (Part-40): 2002
7	Magnesium (as Mg) mg/l, Max	10	30	100	IS 3025 (Part-46): 2003
8	Total Hardness(as CaCO ₃) mg/l, Max	165	200	600	IS 3025 (Part-21) : 2009
9	Sodium (as Na) mg/l Max	77	-	-	IS 3025 (Part-45): 2003
10	Potassium (as K) mg/l Max	06	-	-	IS 3025 (Part-45): 2003
11	Nitrate (as NO ₃) mg/l, Max	35.4	45	No relaxation	IS 3025 (Part-34): 2003
12	Fluoride (as F) mg/l Max	0.8	1.0	1.5	APHA 4500F (D): 2017
13	Colour, Hazen unit, max	2.5	5	25	IS 3025 (Part-4) : 1983
14	Odour	Agreeable	Agreeable	-----	IS 3025 (Part-5) : 2002
15	Turbidity, NTU max	02	5	10	IS 3025 (Part-10): 2002
16	Taste	Agreeable	Agreeable	-----	IS 3025 (Part -8) : 2002
17	Iron (as Fe) mg/l Max	0.05	1.0	No relaxation	IS 3025 (Part-53): 2003
18	Boron (as B) mg/l Max	ND	0.5	1.0	IS 3025 (Part-57): 2005
19	Manganese (as Mn) mg/l Max	ND	0.1	0.3	IS 3025 (Part-59): 2006
20	Zinc (as Zn) mg/l Max	3.6	5	15	IS 3025 (Part-49): 1994
21	Copper (as Cu) mg/l Max	ND	0.05	1.5	IS 3025 (Part-42): 1992
22	Cadmium (as Cd) mg/l Max	ND	0.003	No relaxation	IS 3025 (Part-41): 1992
23	Lead (as Pb) mg/l Max	ND	0.01	No relaxation	IS 3025 (Part-47): 1994
24	Arsenic (as As) mg/l	ND	0.01	No relaxation	IS 3025 (Part-37): 1988
25	Chromium (as Cr) mg/l Max	ND	0.05	No relaxation	IS 3025 (Part-52): 2003
26	Sulphide (as H ₂ S), mg/l, Max	ND	0.05	No relaxation	APHA 23 rd Edition 2017-4500 D

Bacteriological examination:-

S. NO.	PARAMETERS	TEST RESULTS	LIMIT	TEST METHOD
1	E.coli/100ml	ABSENT	ABSENT	IS 5887 (Part-1): 2005
2	Coliform /100ml	ABSENT	ABSENT	IS 1622: 2003

Note: ND Denotes Not Detectable

- The test report refers only to tested sample and applicable parameters.
- This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
- The sample will be destroyed after fifteen days from the date of issue of test report unless otherwise specified.

Ed of Report



RB ENVIRO LABORATORIES (OPC) PRIVATE LIMITED

Plot No. 56, First Floor, Shivalik City-Nijjer Road, Sec. 127, Kharar, SAS Nagar, Mohali

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

GSTIN: 03AANCR1768G1Z9, Email: rbenvirosolution@gmail.com

+91 6239447329, 8437473298

Page 1 of 1

To
M/s MADHAV KRG HRC PVT LTD,
VILLAGE AKALGARH, NEAR TOLL PLAZA, AMLOH
BHADSON ROAD, BHADALTHUHA, PATIALA. PUNJAB-147203

Report No.	RBEL/2602/149K	Report Date	16.02.2026
Your Ref. No.	Nil	Type of sample	Ground Water
Sample Code Given by Customer	Piezometer-I	Quantity	05 LITER
Sampling Location	Nil	Date of sampling	10.02.2026
Sample Collected By	Lab Person	Date of sample receipt	11.02.2026
Sampling procedure	As per SOP	Sample I.D.	RBEL/2602/149K
		Date of test	11.02.2026-16.02.2026

S. No.	Parameters	Results	Limits of IS: 10500 – 2012 (Amendment no. 1, June 2015)		Test method
			Requirement (Acceptable Limit)	Permissible limit in absence of alternate source	
1	pH	7.49	6.5 – 8.5	No relaxation	IS 3025 (Part-11) : 2002
2	Total Dissolved Solids mg/l Max	442	500	2000	IS 3025 (Part-16) : 2002
3	Alkalinity (as CaCO ₃) mg/l ,Max	178	200	600	IS 3025 (Part-23) : 2003
4	Chloride (as Cl), mg/l, Max	176	250	1594	IS 3025 (Part-32) : 2007
5	Sulphate (as SO ₄) mg/l, Max	59.2	200	400	IS 3025 (Part-24) : 2003
6	Calcium (as Ca) mg/l Max	69	75	200	IS 3025 (Part-40) : 2002
7	Magnesium (as Mg) mg/l, Max	12	30	100	IS 3025 (Part-46) : 2003
8	Total Hardness(as CaCO ₃) mg/l, Max	168	200	600	IS 3025 (Part-21) : 2009
9	Sodium (as Na) mg/l Max	74	-	-	IS 3025 (Part-45) : 2003
10	Potassium (as K) mg/l Max	05	-	-	IS 3025 (Part-45) : 2003
11	Nitrate (as NO ₃) mg/l, Max	34.3	45	No relaxation	IS 3025 (Part-34) : 2003
12	Fluoride (as F) mg/l Max	0.7	1.0	1.5	APHA 4500F (D) : 2017
13	Colour, Hazen unit, max	2.2	5	25	IS 3025 (Part-4) : 1983
14	Odour	Agreeable	Agreeable	-----	IS 3025 (Part-5) : 2002
15	Turbidity, NTU max	02	5	10	IS 3025 (Part-10) : 2002
16	Taste	Agreeable	Agreeable	-----	IS 3025 (Part -8) : 2002
17	Iron (as Fe) mg/l Max	0.06	1.0	No relaxation	IS 3025 (Part-53) : 2003
18	Boron (as B) mg/l Max	ND	0.5	1.0	IS 3025 (Part-57) : 2005
19	Manganese (as Mn) mg/l Max	ND	0.1	0.3	IS 3025 (Part-59) : 2006
20	Zinc (as Zn) mg/l Max	3.9	5	15	IS 3025 (Part-49) : 1994
21	Copper (as Cu) mg/l Max	ND	0.05	1.5	IS 3025 (Part-42) : 1992
22	Cadmium (as Cd) mg/l Max	ND	0.003	No relaxation	IS 3025 (Part-41) : 1992
23	Lead (as Pb) mg/l Max	ND	0.01	No relaxation	IS 3025 (Part-47) : 1994
24	Arsenic (as As) mg/l	ND	0.01	No relaxation	IS 3025 (Part-37) : 1988
25	Chromium (as Cr) mg/l Max	ND	0.05	No relaxation	IS 3025 (Part-52) : 2003
26	Sulphide (as H ₂ S), mg/l, Max	ND	0.05	No relaxation	APHA 23 rd Edition 2017-4500 D

Bacteriological examination:-

S. NO.	PARAMETERS	TEST RESULTS	LIMIT	TEST METHOD
1	E.coli/100ml	ABSENT	ABSENT	IS 5887 (Part-1) : 2005
2	Coliform /100ml	ABSENT	ABSENT	IS 1622 : 2003

Note: ND Denotes Not Detectable

- The test report refers only to tested sample and applicable parameters.
- This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
- The sample will be destroyed after fifteen days from the date of issue of test report unless otherwise specified.

Ed of Report

(Authorized Signatory)



STP



Cooling Tower





RB ENVIRO LABORATORIES (OPC) PRIVATE LIMITED

Plot No. 56, First Floor, Shivalik City-Nijjer Road, Sec. 127, Kharar, SAS Nagar, Mohali

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

GSTIN: 03AANCR1768G1Z9, Email: rbenvirosolution@gmail.com

+91 6239447329, 8437473298

Page 1 of 1

To
M/s MADHAV KRG HRC PVT LTD,
VILLAGE AKALGARH, NEAR TOLL PLAZA, AMLOH
BHADSON ROAD, BHADALTHUHA, PATIALA, PUNJAB-147203

Report No.	RBEL/2511/100F	Report Date	18.11.2025
Your Ref. No	NIL	Type of sample	Ambient Noise
Sample Code Given by Customer	NIL	Date of Monitoring	10.11.2025
Sampling Location	Within Premises	Sample I.D.	RBEL/2511/100F
Sample Monitored By	Lab Person		
Sampling procedure	As per SOP		

Sr. No.	Location	Results Db(A)Leq	Standards Db(A)Leq	Test Method
1	Near Main Gate	63.5	75(DAY) As per Rule 2010	IS 9989 : 2008
2	Near Gate F.G Gate	64.0	75(DAY) As per Rule 2010	IS 9989 : 2008
3	Near Security Post	64.6	75(DAY) As per Rule 2010	IS 9989 : 2008
4	Near Shed No-6	67.3	75(DAY) As per Rule 2010	IS 9989 : 2008

Note:

1. The test report refers only to tested sample and applicable parameters.
2. This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.



****End of Report****

RB ENVIRO LABORATORIES (OPC) PRIVATE LIMITED

Plot No. 56, First Floor, Shivalik City-Nijjer Road, Sec. 127, Kharar, SAS Nagar, Mohali

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

GSTIN: 03AANCR1768G1Z9, Email: rbenvirosolution@gmail.com

+91 6239447329, 8437473298

Page 1 of 1

To

M/s MADHAV KRG HRC PVT LTD.

VILLAGE AKALGARH, NEAR TOLL PLAZA, AMLOH

BHADSON ROAD, BHADALTHUHA, PATIALA, PUNJAB-147203

Report No.	RBEL/2602/149F	Report Date	16.02.2026
Your Ref. No	NIL	Type of sample	Ambient Noise
Sample Code Given by Customer	NIL	Date of Monitoring	10.02.2026
Sampling Location	Within Premises	Sample I.D.	RBEL/2602/149F
Sample Monitored By	Lab Person		
Sampling procedure	As per SOP		

Sr. No.	Location	Results Db(A)Leq	Standards Db(A)Leq	Test Method
1	Near Main Gate	62.8	75(DAY) As per Rule 2010	IS 9989 : 2008
2	Near Gate F.G Gate	64.3	75(DAY) As per Rule 2010	IS 9989 : 2008
3	Near Security Post	64.1	75(DAY) As per Rule 2010	IS 9989 : 2008
4	Near Shed No-6	67.7	75(DAY) As per Rule 2010	IS 9989 : 2008

Note:

1. The test report refers only to tested sample and applicable parameters.
2. This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.

****End of Report****

(Authorized Signatory)

























		Madhav KRG HRC Private Limited														Page No.		CONTROL NO.		MKL/HRC/HIRA /P/02/	
		Hazard Identification and Risk Assessment (HIRA)																REV. NO.		0	
																		DATE OF LAST REVISION		8/6/2021	
																		OWNER DEPTT.		Mech.	
Sr. NO.	Activity	EHS Hazard Identification										EHS Risk Assessment						Action By	Is EHS Risk level acceptable (Yes / No)	EHS Risk control additional measures required	
1	EHS Hazards	Category (Environment, Health and Safety)	Condition		Pre-EHS Risk		Total	Pre-EHS Risk Level	Adequacy of EHS Risk Control Measures		Post-EHS Risk		Total	Residual EHS Risk Level							
			Consequence	N /AN / E	Probability (P)	Severity (S)	P x S		Existing	Gaps #, if any	Probability (P)	Severity (S)	P x S								
	Electrical Shock	S	Burn injury or cardiac arrest, unconsciousness	AN	2	5	10	Moderate	*Skilled workers *Rubber mats are provided *Use of PPE's ensured. *Current control to be checked regularly		1	3	3	Insignificant	Supervisor/Shift-in-Charge	Yes					
	Fall from height	S	Severe injury or fatality	AN	2	5	10	Moderate	*Proper staircase and hand railing provided *Toe guard on the walkway provided *Ensure height pass. *Use of safety Harness ensured.		1	4	4	Insignificant	Supervisor/Shift-in-Charge	Yes					
	Excessive weight	S	Wire will break	N	3	4	12	Moderate	*Crane weight scaler are provided *Regular checking of Wire rope		1	4	4	Insignificant	Supervisor/Shift-in-Charge	Yes					
	Wire Break	S	Equipment & Material will fall on ground/Major Injury to person	AN	3	5	15	Significant	Regular inspection & Maintenance / Equipment life Monitoring		1	4	4	Insignificant	Supervisor/Shift-in-Charge	Yes	Checklist, TC, Training				
	Hook Break	S	Equipment & Material will fall on ground/Major Injury to person	AN	2	5	10	Moderate	*Regular inspection		1	4	4	Insignificant	Supervisor/Shift-in-Charge	Yes					
	Lubrication Oil leakage	E/S	Floor Slipping & Spillage of oil	N	2	3	6	Tolerable	*Regular Maintenance & Inspection		1	3	3	Insignificant	Supervisor/Shift-in-Charge	Yes					
	Emergency Switch Malfunctioning	S	Major loss to the equipments and person	AN	2	5	10	Moderate	*SOP on operator cabin *Operator Checklist for all Crane Controls.		1	4	4	Insignificant	Supervisor/Shift-in-Charge	Yes					
	Gear Box Air Breather Choke	E	Oil temp. rise or leakage, Slipage at platform	N	3	3	9	Moderate	*Regular Maintenance & Inspection		1	3	3	Insignificant	Supervisor/Shift-in-Charge	Yes					
	CT Rail line stopper Broken	S	Loaded Material Uncontrolled or may hit person	AN	1	3	3	Insignificant	*Regular Maintenance & Inspection		1	2	2	Insignificant	Supervisor/Shift-in-Charge	Yes					
Revision History																					
Rev. no.	Detail										Incharge		Approved by								
2	Addition of legal concern																				
3	Review																				
Prepared by																		Verified by	Approved by		




	Madhav KRG HRC Private Limited													Page No.	CONTROL NO.		MKL/HRC/HIRA/P/02/	
															REV. NO.		0	
	Hazard Identification and Risk Assessment (HIRA)														DATE OF LAST REVISION		8/6/2021	
															OWNER DEPTT.		Mech.	
Sr. NO.	Activity	EHS Hazard Identification								EHS Risk Assessment					Action By	Is EHS Risk level acceptable (Yes / No)	EHS Risk control additional measures required	
4		EHS Hazards	Category (Environment, Health and Safety)	Condition		Pre-EHS Risk		Total	Pre-EHS Risk Level	Adequacy of EHS Risk Control Measures		Post-EHS Risk		Total				Residual EHS Risk Level
				Consequence	N /AN / E	Probability	Severity	P x S		Existing	Gaps #, if any	Probability	Severity	P x S				
	Scrap Melting in induction furnace	Splashing of Liquid Metal During Transfer of Ladle	S	Serious Injury and Fatality	AN	3	5	15	Significant	*Proper Liquid level in ladle *On time equipment testing *Visual Caution in transfer areas. Restricted area for workers under ladle movement area.		1	4	4	Tolerable	Supervisor /Shift-in-Charge	Yes	
		Boiling Out	S	Liquid Metal Splash on Person	AN	3	4	12	Moderate	*Temp.& Chemistry should be as per S.O.P. *Use of PPE's		1	3	3	Insignificant	Supervisor /Shift-in-Charge	Yes	
		Unwanted material	S/E	Explosion in Furnace & Metal Splashing	N	2	5	10	Tolerable	*Proper Segregation of material and feeding to furnace *Use of PPE's		1	4	4	Insignificant	Supervisor /Shift-in-Charge	Yes	
		Fumes of Molten metal	E/S	Breathing Problem / Chronic disease	N	5	3	15	Significant	*Use of Fume Extraction system *Use of PPE's		1	3	3	Insignificant	Supervisor /Shift-in-Charge	Yes	
		Noise	E/H	Person may feel Discomfort & Chronic Disease	N	3	1	3	Insignificant	Use of ear plugs		1	1	1	Insignificant	Supervisor /Shift-in-Charge	Yes	
		Contact with Capacitor Rack & DC Choke	S	Electric Shock	AN	3	5	15	Significant	*Safety guards/ Railings /insulation Mats etc. *Use of PPE's		1	4	4	Insignificant	Supervisor /Shift-in-Charge	Yes	
	Ladle Cleaning	Ladle Deslagging	S	Liquid metal Splasing/ Heat Stroke	N	3	4	12	Moderate	*Safety Guards or walls as a barrier on deslagging area *No Personnel movement *slag will be poured in Slag pots.		1	3	3	Insignificant	Supervisor /Shift-in-Charge	Yes	
Revision History																		
Rev. no.	Detail										Incharge		Approved by					
2	Addition of legal concern																	
3	Review																	
															Prepared by	Verified by	Approved by	




	Madhav KRG HRC Private Limited														Page No.	CONTROL NO. MKL/HRC/HIRA/P/02/		
	Hazard Identification and Risk Assessment (HIRA)															REV. NO. 0		
																DATE OF LAST REVISION 8/6/2021		
																OWNER DEPTT. Mech.		
Sr. NO.	Activity	EHS Hazard Identification										EHS Risk Assessment				Action By	Is EHS Risk level acceptable (Yes / No)	EHS Risk control additional measures required
6		EHS Hazards	Category (Environment, Health and Safety)	Consequence	N / AN / E	Pre-EHS Risk		Total P x S	Pre-EHS Risk Level	Adequacy of EHS Risk Control Measures		Post-EHS Risk		Total P x S	Residual EHS Risk Level			
						Probability (P)	Severity (S)			Existing	Gaps #, if any	Probability (P)	Severity (S)					
	Pump Operation	Excessive Heat of mechanical seal	S	Person hand Skin Bruise Etc.	N	1	1	1	Insignificant	*Water Circulation for Cooling *Use of PPE's		1	1	1	Insignificant	Supervisor/Shift-in-Charge	Yes	
		Hand may struck in coupling	S	Minor injury/Hospitalization	AN	1	4	4	Insignificant	*Coupling Guards *Use of PPE's		1	1	1	Insignificant	Supervisor/Shift-in-Charge	Yes	
	Pump Over hauling	Pump may rotate	S	Deep cut or finger Fracture	AN	3	2	6	Tolerable	*Electrical Lock out *Use of PPE's		1	1	1	Insignificant	Supervisor/Shift-in-Charge	Yes	
Revision History																		
Rev. no.	Detail										Incharge		Approved by					
2	Addition of legal concern																	
3	Review																	
															Prepared by	Verified by	Approved by	

	Madhav KRG HRC Private Limited														Page No.	CONTROL NO.		MKL/HRC/HIRA/	
																REV. NO.		0	
	Hazard Identification and Risk Assessment (HIRA)															DATE OF LAST REVISION		8/6/2021	
																OWNER DEPTT.		Mech.	
Sr. NO.	Activity	EHS Hazard Identification										EHS Risk Assessment				Action By	Is EHS Risk level acceptable (Yes / No)	EHS Risk control additional measures required	
7		EHS Hazards	Category (Environment, Health and Safety)	Consequence	Condition	Pre-EHS Risk		Total	Pre-EHS Risk Level	Adequacy of EHS Risk Control Measures		Post-EHS Risk		Total	Residual EHS Risk Level				
						Probability	Severity			P x S	Existing	Gaps #, if any	Probability						Severity
	Gear Box Maintenance	Hand may stuck between mechanical parts	S	Hand or Fingers broken	N	1	4	4	Insignificant	*Skilled manpower will be deployed *Use of PPE's		1	3	3	Insignificant	Supervisor /Shift-in-Charge	Yes		
		Tools slippage	S	Tool may hit person body	N	1	3	3	Insignificant	*Regular tool inspection *Use of PPE's		1	2	2	Insignificant	Supervisor /Shift-in-Charge	Yes		
		Oil spillage	S	Slippery Floor person may Fall	N	1	5	5	Tolerable	Regular Maintenance, inspection Etc. *Use of PPE's		1	4	4	Insignificant	Supervisor /Shift-in-Charge	Yes		
Revision History																			
Rev. no.	Detail										Incharge		Approved by						
2	Addition of legal concern																		
3	Review																		
															Prepared by	Verified by	Approved by		



	Madhav KRG HRC Private Limited														Page No.	CONTROL NO.		MKL/HRC/HIRA/ P/02/		
	Hazard Identification and Risk Assessment (HIRA)															REV. NO.		0		
																DATE OF LAST REVISION		8/6/2021		
																OWNER DEPTT.		Elec.		
Sr. NO.	Activity	EHS Hazard Identification										EHS Risk Assessment						Action By	Is EHS Risk level acceptable (Yes / No)	EHS Risk control additional measures required
9		EHS Hazards	Category (Environment, Health and Safety)	Consequence	N / AN / E	Pre-EHS Risk		Total	Pre-EHS Risk Level	Adequacy of EHS Risk Control Measures		Post-EHS Risk		Total	Residual EHS Risk Level					
						Probability	Severity			P x S	Existing	Gaps #, if any	Probability			Severity	P x S			
		Tools slippage	S	Tool may hit person body	N	1	3	3	Insignificant	*Regular inspection Tool life . *Use of PPE's		1	2	2	Insignificant	Supervisor /Shift-in-Charge	Yes			
	Air Circuit Breaker Maintenance	S	Person may fall on the Trench	N	1	3	3	Insignificant	Regular inspection		1	2	2	Insignificant	Supervisor /Shift-in-Charge	Yes				
	Current leakage in trench cover	S	Electric Shock to person	N	1	4	4	Insignificant	Proper earthing of trench cover *Proper setting of Earth		1	3	3	Insignificant	Supervisor /Shift-in-Charge	Yes				
Revision History																				
Rev. no.	Detail										Incharge		Approved by		Prepared by	Verified by	Approved by			
2	Addition of legal concern																			
3	Review																			

	Madhav KRG HRC Private Limited													Page No.	CONTROL NO.		MKL/HRC/HIRA/			
	Hazard Identification and Risk Assessment (HIRA)														REV. NO.		0			
															DATE OF LAST REVISION		8/6/2021			
															OWNER DEPTT.		Elec.			
Sr. NO.	Activity	EHS Hazard Identification										EHS Risk Assessment					Action By	Is EHS Risk level acceptable (Yes / No)	EHS Risk control additional measures required	
EHS Hazards		Category (Environment, Health and Safety)	Condition		Pre-EHS Risk		Total P x S	Pre-EHS Risk Level	Adequacy of EHS Risk Control Measures		Post-EHS Risk		Total P x S	Residual EHS Risk Level						
					Probability (P)	Severity (S)			Existing	Gaps if any	Probability (P)	Severity (S)								
11	Cleaning and Tightening of bolts of battery Terminals	Short Circuit of Battery	S	Eyes and Skin Burn and Loss of Vision	AN	3	3	9	Moderate	*Proper Isolation and proper tagging *Awareness, Improving Technical Skill and proper use of PPE's		1	2	2	Insignificant	Supervisor /Shift-in-Charge	Yes			
	Replacement of battery	Mis handling of Battery	E/H	Eyes and Skin Burn and Loss of Vision	AN	1	3	3	Insignificant	*Proper Isolation *Awareness, Improving Technical Skill		1	2	2	Insignificant	Supervisor /Shift-in-Charge	Yes			
	Filteration of Transformer Oil	Leakage in pipe	E	Oil Spillage	N	1	4	4	Insignificant	*Skilled Labour *Awareness, Improving Technical Skill		1	2	2	Insignificant	Supervisor /Shift-in-Charge	Yes			
	Maintenance of Transformer	Getting Electrocuted	S	Skin and Whole Body burns and Death	AN	1	5	5	Tolerable	*Proper Isolation *Following of SOP, Awareness, Improving Technical Skill		1	3	3	Insignificant	Supervisor /Shift-in-Charge	Yes			
	LT Motor Tightness of Connections	Getting Electrocuted	S	Skin and Whole Body burns and Death	AN	1	5	5	Tolerable	*Proper Isolation *Awareness, Improving Technical Skill		1	3	3	Insignificant	Supervisor /Shift-in-Charge	Yes			
	LT Panels Tightness of connections	Getting Electrocuted	S	Skin and Whole Body burns and Death	N	3	5	15	Significant	*Proper Isolation *Awareness, Improving Technical Skill		1	4	4	Insignificant	Supervisor /Shift-in-Charge	Yes			
	LT Panels Cleaning of Panels	Getting Electrocuted, Dust inhalation	S/H	Skin, Lungs, Throat and , Whole body burns and Death	N	5	5	25	Intolerable	*Proper Isolation *Awareness, Improving Technical Skill		1	4	4	Insignificant	Supervisor /Shift-in-Charge	Yes			
	Drive Panels Tightness of connections	Getting Electrocuted	H	Skin and Whole Body burns and death	N	3	5	15	Significant	*Proper Isolation, Insulation mats, Anti-static flooring, Skilled technician *Awareness, Improving Technical Skill		1	4	4	Insignificant	Supervisor /Shift-in-Charge	Yes			
	Drive Panels Cleaning of Panels	Getting Electrocuted, Dust inhalation	S/H	Skin, Lungs, Throat and , Whole body burns and Death	N	3	5	15	Significant	*Proper Isolation *Awareness, Improving Technical Skill		1	4	4	Insignificant	Supervisor /Shift-in-Charge	Yes			
	MCC Panel Tightness of connections	Getting Electrocuted	H	Skin and Whole Body burns and Death	N	3	5	15	Significant	*Proper Isolation *Awareness, Improving Technical Skill		1	4	4	Insignificant	Supervisor /Shift-in-Charge	Yes			
	MCC Panels Cleaning of Panels/ Feeders	Getting Electrocuted, Dust inhalation	S/H	Skin, Lungs, Throat and , Whole body burns and Death	N	3	5	15	Significant	*Proper Isolation *Awareness, Improving Technical Skill		1	4	4	Insignificant	Supervisor /Shift-in-Charge	Yes			
	Temporary Supply to Machine	Getting Electrocuted	S/H	Skin and Whole Body burns and Death	N	3	5	15	Significant	*Skilled Labour *Awareness, Improving Technical Skill		1	4	4	Insignificant	Supervisor /Shift-in-Charge	Yes			
Revision History																				
Rev. no.	Detail										Incharge		Approved by							
2	Addition of legal concern																			
3	Review																			
															Prepared by		Verified by		Approved by	



Rev. no.	Detail	Incharge	Approved by			
2	Addition of legal concern					
3	Review					
				Prepared by	Verified by	Approved by

	Madhav KRG HRC Private Limited														Page No.		CONTROL NO.		MKL/HRC/HIRA/P/02/	
	Hazard Identification and Risk Assessment (HIRA)																REV. NO.		0	
															DATE OF LAST REVISION		8/6/2021			
															OWNER DEPTT.		Elec.			
Sr. NO.	EHS Hazard Identification														EHS Risk Assessment					
12	Activity	EHS Hazards	Category (Environment, Health and Safety)	Condition	Consequence	N / AN / E	Pre-EHS Risk		Total	Pre-EHS Risk Level	Adequacy of EHS Risk Control Measures		Post-EHS Risk		Total	Residual EHS Risk Level	Action By	Is EHS Risk level acceptable (Yes / No)	EHS Risk control additional measures required	
							Probability (P)	Severity (S)			P x S	Existing	Gaps #, if any	Probability (P)						Severity (S)
		Electric Shock	S	Fatality or muscle spasms or cardiac arrest or unconsciousness or severe burn injury	E		1	5	5	Tolerable	*Ensure the proper earthing of welding equipments *Skilled Workers *Use of PPE's ensured		1	4	4	Insignificant	Supervisor/Shift-in-Charge	Yes		
		Contact with holder/job in hot condition /welding	S	Burn Injury	AN		1	4	4	Insignificant	*Use of PPE's ensured *Safe clothing ensured *Current control to be checked regularly.		1	3	3	Insignificant	Supervisor/Shift-in-Charge	Yes		
	Electric Arc Welding	Exposure to welding arc	S	arc eye or Cataract	AN		2	4	8	Tolerable	*Use of face shield with appropriate shade is ensured *Current control to be checked regularly.		1	3	3	Insignificant	Supervisor/Shift-in-Charge	Yes		
		Contact with flying sparks	S	Burn Injury	AN		3	3	9	Moderate	*Use of face shield is ensured. *Current control to be checked regularly.		1	2	2	Insignificant	Supervisor/Shift-in-Charge	Yes		
		Exposure to the welding fumes	H/E	Breathing Problems	AN		2	3	6	Tolerable	*Mechanical ventilation ensured in enclosed areas *In case of confined space/closed workplace, provision of exhaust ventilation is to be provided * Use of face mask is ensured		1	2	2	Insignificant	Supervisor/Shift-in-Charge	Yes		
		Fall at floor level	S	Blunt injury by tripping in the cable	AN		2	3	6	Tolerable	*Proper housekeeping is ensured	Administrative Controls	1	2	2	Insignificant	Supervisor/Shift-in-Charge	Yes		
Revision History																				
Rev. no.	Detail														Incharge		Approved by			
2	Addition of legal concern																			
3	Review																			
Prepared by																Verified by		Approved by		

	Madhav KRG HRC Private Limited												Page No.	CONTROL NO.		MKLHRC/HRA/P/02/		
	Hazard Identification and Risk Assessment (HIRA)													REV. NO.		0		
														DATE OF LAST REVISION		8/6/2021		
														OWNER DEPTT.		Elec.		
Sr. NO.	Activity	EHS Hazard Identification								EHS Risk Assessment				Action By	Is EHS Risk level acceptable (Yes / No)	EHS Risk control additional measures required		
12		EHS Hazards	Category (Environment, Health and Safety)	Condition	Pre-EHS Risk		Total	Pre-EHS Risk Level	Adequacy of EHS Risk Control Measures		Post-EHS Risk		Total				Residual EHS Risk Level	
					Consequence	N / AN / E			Probability (P)	Severity (S)	P x S	Existing						Gaps #, if any
		Current leakage	S	Electrocution/Fatality	AN	1	5	5	Tolerable	*Use of hand gloves ensured (Leather or rubber) *Only experienced persons are allowed to perform grinding jobs . *Safe working practices ensured, *Use of PPE's. *Current control to be checked regularly		1	4	4	Insignificant	Supervisor /Shift-in-Charge	Yes	
	Grinding Operation	Contact with flying sparks	S	Burn Injury	AN	3	4	12	Moderate	*Use of face shield or safety goggles is ensured. *Safety guards ensured. *Use of PPE ensured *Current control to be checked regularly.		1	3	3	Insignificant	Supervisor /Shift-in-Charge	Yes	
		Wheel breakage	S	Deep cut or major injury	AN	2	4	8	Tolerable	*Only experienced workers are engaged in grinding operation *Ensure that the expired wheels are not used *Safety guards ensured *Wheels crossed the expiry date should be disposed off immediately		1	3	3	Insignificant	Supervisor /Shift-in-Charge	Yes	
		High Noise	E	Hearing loss	AN	2	1	2	Insignificant	*Use of ear plug is ensured *skilled person are engaged in work and aware of safety precaution.		1	1	1	Insignificant	Supervisor /Shift-in-Charge	Yes	
Revision History																		
Rev. no.	Detail										Incharge	Approved by						
2	Addition of legal concern																	
3	Review																	
															Prepared by	Verified by	Approved by	

	<u>Madhav KRG HRC Private Limited</u>														Page No.		CONTROL NO.		MKL/HRC/HIRA/002	
	Hazard Identification and Risk Assessment (HIRA)																REV. NO.		0	
Sr. NO.															EHS Hazard Identification					
13	Activity	EHS Hazards	Category (Environment, Health and Safety)	Consequence	N /AN / E	Pre-EHS Risk		Total P x S	Pre-EHS Risk Level	Adequacy of EHS Risk Control Measures		Post-EHS Risk		Total P x S	Residual EHS Risk Level					
						Probability (P)	Severity (S)			Existing	Gap #, if any	Probability (P)	Severity (S)							
	Contact with hydraulic oil under pressure	S	Amputation of limbs or fatality	E	1	5	5	Tolerable	*Only skilled worker are engaged. *Conduction of training about safe work *Use of PPE's	1	4	4	Insignificant	Supervisor /Shift-in-Charge	Yes					
	Repair/Maintenance of Hydraulic systems	Fire in Hydraulic oil	S/E	Burn Injury	E	1	4	4	Insignificant	*Fire extinguisher provided *NO combustible material is allowed to store near hydraulic system *Skilled manpower *Use of PPE's	1	3	3	Insignificant	Supervisor /Shift-in-Charge	Yes				
		Oil leakage	S/E	Slip and fall	AN	3	3	9	Moderate	*Oil trays are provided to collect the oil *Proper house keeping is ensured. *skilled manpower *Use of PPE's	1	2	2	Insignificant	Supervisor /Shift-in-Charge	Yes				
		Suddenly hose burst	S/E	Injury	AN	1	3	3	Insignificant	*Proper house keeping is ensured. *Skilled manpower *Use of PPE's	1	2	2	Insignificant	Supervisor /Shift-in-Charge	Yes				
Revision History																	Prepared by	Verified by	Approved by	
Rev. no.		Detail								Incharge		Approved by								
2		Addition of legal concern																		
3		Revision																		

	Madhav KRG HRC Private Limited														Page No.	CONTROL NO.		MKL/HRC/HRA/P02/
	Hazard Identification and Risk Assessment (HIRA)															REV. NO.		0
																DATE OF LAST REVISION		8/6/2021
																OWNER DEPTT.		Elec.
Sr. NO.	Activity	EHS Hazards	Category (Environment, Health and Safety)	Condition	EHS Hazard Identification				EHS Risk Assessment						Action By	Is EHS Risk level acceptable (Yes / No)	EHS Risk control additional measures required	
13					Pre-EHS Risk	Total	Pre-EHS Risk Level	Adequacy of EHS Risk Control Measures		Post-EHS Risk		Total	Residual EHS Risk Level					
								Probability (P)	Severity (S)	P x S	Existing			Gaps #, if any				Probability (P)
		Contact with high pressure water	S	Amputation of limbs or fatality	E	1	5	5	Tolerable	*Only skilled worker are engaged. *Safety instructions developed and isplayed. *Engineering Controls * Use of PPE's		1	4	4	Insignificant	Supervisor /Shift-in-Charge	Yes	
	Descaling system repair and Maintenance	Contact during spraying	S	Major injury of fatality	E	2	5	10	Moderate	*closing of manual shut off valve *Proper training for handling spraying nozzle valves * Use of PPE's		1	4	4	Insignificant	Supervisor /Shift-in-Charge	Yes	
		Suddenly hose burst	S	Injury	E	1	4	4	Insignificant	*check hose condition during every roll change. *Inspection of hose as per schedule * Use of PPE's		1	3	3	Insignificant	Supervisor /Shift-in-Charge	Yes	
Revision History																		
Rev. no.	Detail										Incharge		Approved by					
2	Addition of legal concern																	
3	Review																	
														Prepared by	Verified by	Approved by		

		Madhav KRG HRC Private Limited												Page No.		CONTROL NO.		MKL-HRC/HIRA/PI02/							
		Hazard Identification and Risk Assessment (HIRA)														REV. NO.		0							
																DATE OF LAST REVISION		8/6/2021							
																OWNER DEPTT.		Elec.							
Sr. NO.		EHS Hazard Identification												EHS Risk Assessment						Action By		Is EHS Risk level acceptable (Yes / No)		EHS Risk control additional measures required	
12	Activity	EHS Hazards	Category (Environment, Health and Safety)	Condition	N / AN / E	Pre-EHS Risk		Total	Pre-EHS Risk Level	Adequacy of EHS Risk Control Measures		Post-EHS Risk		Total	Residual EHS Risk Level										
						Consequence	Probability (P)			Severity (S)	Existing	Gaps #, if any	Probability (P)			Severity (S)									
Painting	Fall from height	S	fractures, impact injury or fatality	AN	1	5	5	Tolerable	*Use of safety belt * Strict supervision * Safe Working practices *Skilled worker with height pass are allowed to work at height. *Proper Safeguarding	1	4	4	Insignificant	Supervisor /Shift-in-Charge	Yes										
Structure Painting	Fall from height	S	fractures, impact injury or fatality	AN	1	5	5	Tolerable	*Use of safety belt * Strict supervision * Safe Working practices *Skilled worker with height pass are allowed to work at height. *Proper Safeguarding	1	4	4	Insignificant	Supervisor /Shift-in-Charge	Yes										
	Respiratory disease	H/S	Breathing Problem	AN	2	4	8	Moderate	* Use of nose mask	1	2	2	Insignificant	Supervisor /Shift-in-Charge	Yes										
	Civil Maintenance work of Plant Building	Fall from height	S	fractures, impact injury or fatality	AN	1	5	5	Tolerable	*Use of safety belt * Strict supervision * Safe Working practices *Skilled worker with height pass are allowed to work at height. *Proper Safeguarding	1	4	4	Insignificant	Supervisor /Shift-in-Charge	Yes									
	Cooling Tower fill Pack Replacement	Chances of fall into water Chances of dust inhalation	S	Drowning in the water, Breathing Problem	AN	2	4	8	Tolerable	* Platform below the cell covering entire cell is made to avoid chances of fall. *Nose mask to be provided to the workman to avoid Chances of dust inhalation	1	3	3	Insignificant	Supervisor /Shift-in-Charge	Yes									
Revision History																									
Rev. no.	Detail										Incharge		Approved by												
2	Addition of legal concern																								
3	Review																								
Prepared by																		Verified by		Approved by					

Madhav KRG HRC Private Limited

Page No.

CONTROL NO.

MKL/HRC/HIRA/F

REV. NO.

0

E OF LAST REVISION

8/6/2021

OWNER DEPTT

Ele

Sr. NO.		EHS Hazard Identification										EHS Risk Assessment						Action By	Is EHS Risk level acceptable (Yes / No)	EHS Risk control additional measures required
12	Activity	EHS Hazards	Category (Environment, Health and Safety)	Condition		Pre-EHS Risk		Total P x S	Pre-EHS Risk Level	Adequacy of EHS Risk Control Measures			Post-EHS Risk		Total P x S	Residual EHS Risk Level				
				Consequence	N / AN / E	Probability (P)	Severity (S)			Existing	Gaps #, if any	Probability (P)	Severity (S)							
	Gas Cutting	LPG Gas leakage	E/S	Fire resulting into burn injury	AN	3	5	15	Significant	*Prior inspection or gas cutting set by site supervisor. *Quarterly training to be imparted on the "Hazards in the confined space and Safety precautions". *Fire Extinguishers provided in Fire prone areas			1	4	4	Insignificant	Supervisor /Shift-in-Charge	Yes		
		Gas Cutter Misfunctioning	S/E	Fire Hazard	N	3	4	12	Moderate	*Regular Inspection of cutter and Nozzles *Flashback arrestors to be installed in Gas cutters *Use of PPE's *Fire Extinguishers provided in Fire prone areas			1	3	3	Insignificant	Supervisor /Shift-in-Charge	YES		
Revision History																		Prepared by	Verified by	Approved by
Rev. no.	Detail										Incharge		Approved by							
2	Addition of legal concern																			
3	Review																			

	Madhav KRG HRC Private Limited														Page No.	CONTROL NO.		MKL/HRC/HIRA/P/02/
	Hazard Identification and Risk Assessment (HIRA)															REV. NO.		0
																DATE OF LAST REVISION		8/6/2021
																OWNER DEPTT.		Elec.
Sr. NO.	Activity	EHS Hazard Identification								EHS Risk Assessment						Action By	Is EHS Risk level acceptable (Yes / No)	EHS Risk control additional measures required
12		EHS Hazards	Category (Environment, Health and Safety)	Consequence	N / AN / E	Pre-EHS Risk		Total	Pre-EHS Risk Level	Adequacy of EHS Risk Control Measures		Post-EHS Risk		Total	Residual EHS Risk Level			
						Probability (P)	Severity (S)			P x S	Existing	Gaps #, if any	Probability (P)					
	Psychosocial hazards	H	Chronic Disease/ Mental stress	AN	2	2	4	Insignificant	Behavioral Training/ Interaction with employee during meeting / Yoga Classes		1	1	1	Insignificant		Yes		
	Workload of the worker	H	Chronic Disease/ Mental stress	AN	2	2	4	Insignificant	Interaction with employee during meeting / Yoga Classes		1	1	1	Insignificant		Yes		
	Working hours of the worker	H	Fatigue/ Mental stress	AN	2	2	4	Insignificant	6 day 8 hr working / Yoga Classes		1	1	1	Insignificant		Yes		
	Depression	H	Insomnia/ Stress-related health disorders	AN	1	4	4	Insignificant	Behavioral Training/ Interaction with employee during meeting / Yoga Classes		1	1	1	Insignificant		Yes		
	Sleep disorders and other	H	Stress-related health disorders	AN	2	2	4	Insignificant	Behavioral Training/ Interaction with employee during meeting / Yoga Classes		1	1	1	Insignificant		Yes		
Revision History																		
Rev. no.	Detail										Incharge		Approved by					
2	Addition of legal concern																	
3	Review																	
															Prepared by	Verified by	Approved by	



Hazard Identification and Risk Assessment (HIRA)

Page No.

CONTROL NO.

MKL/HRC/HIRA/P/

REV. NO.

0

DATE OF LAST REVISION

8/6/2021

OWNER DEPTT.

Mech.


Sr. NO.	Activity	EHS Hazard Identification										EHS Risk Assessment				Action By	Is EHS Risk level acceptable (Yes / No)	EHS Risk control additional measures required
4		EHS Hazards	Category (Environment, Health and Safety)	Condition		Pre-EHS Risk		Total	Pre-EHS Risk Level	Adequacy of EHS Risk Control Measures		Post-EHS Risk		Total	Residual EHS Risk Level			
				Consequence	N /AN / E	Probability	Severity	P x S		Existing	Gaps #, if any	Probability	Severity	P x S				
						(P)	(S)		(P)			(S)						
	Coal Gasifire	Loading Unloading of raw material	S	Injury occurred	AN	2	6	12	Moderate	01. Proper arrangements are provided for unloading of raw material. 02. Awareness & training provided on regular basis.		1	4	4	Tolerable	Supervisor/S hift-in-Charge	Yes	
		Over Stacking of raw material	S	Chance of Fire	AN	3	4	12	Moderate	Proper arrangements are provided for stacking of raw material.		1	3	3	Insignificant	Supervisor/S hift-in-Charge	Yes	
		Unwanted material	S/E	Splashing	N	2	5	10	Tolerable	*Proper Segregation of material and feeding to Coal Gasifire *Use of PPE's		1	4	4	Insignificant	Supervisor/S hift-in-Charge	Yes	
		Fumes of Carbon Monoxide	E/S	Breathing Problem / Chronic disease	N	4	3	12	Moderate	*Use of blower system for proper extraction of Fumes *Use of PPE's *Awareness & Training provided by concerned area in charge. * Leakage analyser installed to control fumes.		1	3	3	Insignificant	Supervisor/S hift-in-Charge	Yes	
		Noise	E/H	Person may feel Discomfort & Chronic Disease	N	3	1	3	Insignificant	Use of ear plugs		1	1	1	Insignificant	Supervisor/S hift-in-Charge	Yes	
	LT Panels	Contact with Capacitor Rack & DC Choke	S	Electric Shock	AN	2	6	12	Moderate	*Safety guards/ Railings /insulation Mats etc. *Use of PPE's		1	4	4	Insignificant	Supervisor/S hift-in-Charge	Yes	
	Cleaning of Panels	Getting Electrocuted, Dust inhalation	S/H	Skin, Lungs, Throatand , Whole body burns and Death	AN	2	6	12	Moderate	*Proper Isolation *Awareness, Improving Technical Skill		1	4	4	Insignificant	Supervisor/S hift-in-Charge	Yes	
	Earth pit all Area	Getting Electrocuted, Machine Damage	S/H	Electric Shock	N	2	6	12	Moderate	*Proper Isolation *Awareness, Improving Technical Skill		1	4	4	Insignificant	Supervisor/S hift-in-Charge	Yes	
Revision History																Prepared by	Verified by	Approved by
Rev. no.	Detail										Incharge		Approved by					
2	Addition of legal concern																	
3	Review																	

CERTIFICATE OF FITNESS

8.	Whether certificate granted. <u>Yes</u> Advised following treatment. <u>NIL</u>	Fit to do duty
9.	Whether declared unfit and certificate refused. <u>No</u> Number of previous certificate is. <u>NA</u>	
10.	Reference number of previous certificate granted or refused. <u>NA</u>	
11.	Heat stress 1. Fever 2. Vomiting 3. Rapid Breathing 4. Flushed skin	



Signature of person examined



Examining Doctor's Signature

(stamp, Signature, Name and address of the Physician)


Date : 6/10/2025

CERTIFICATE OF FITNESS

8	Whether certificate granted. <u>Yes</u> Advised following treatment. <u>no</u>	fit to do duty
9	Whether declared unfit and certificate refused. <u>no</u> Number of previous certificate is. <u>no</u>	
10	Reference number of previous certificate granted or refused. <u>no</u>	
11	Heat stress 1. Fever 2. Vomiting 3. Rapid Breathing <u>no</u> 4. Flushed skin	

Ashish Pal

L.T.I. of person examined


Examining Doctor's Signature
(stamp, Signature, Name and address of the Physician)

Date: 31/8/2026

CERTIFICATE OF FITNESS

Periodical Employment Medical Examination

Sr. No.	Details	Necessary Comments
1.	Serial No. <u>1804</u> E.Code. <u>30415</u>	
2.	Name of person examined <u>Vishal Kumar</u> Sex <u>35 M</u>	
3.	S/O, D/O, W/O <u>Sanjay Mehta</u> Residing at. <u>Chetani</u>	
4.	Employed as. <u>fitte</u> Department. <u>R. mill</u>	B. P.: <u>120/80</u> Pulse: <u>78</u> SPO2: <u>98%</u> Chest: Breathing: <u>NFB</u> <u>No Rhinorrhea / crept</u>
5.	Examined is fit/unfit for employment at the factory <u>Madhav KRG HRC Pvt Ltd</u> be employed and may be employed on.	CVS: <u>S1 S2 (N) TWT (N) No M1 R</u> ABD: <u>Soft + mm tendile</u> LIVER: <u>(N)</u> SPLEEN: <u>(N)</u>
6.	M/s MADHAV KRG HRC PVT. LTD. In which employed/in which hazardous operation such as <u>Steel Rolls</u> wishes to be employed. <u>fitte</u> produced for further examination after of <u>Six months</u>	Vision: <u>(N)</u> R/E: <u>6/6</u> L/E: <u>6/6</u> Ears: <u>WAVE 1 E</u> Teeth: <u>Cavities</u>
7.	Process or department employed/wishes to be advised following examination <u>Gen</u> Employed <u>Yes</u>	RBS: <u>110mg/dl</u> Wt: <u>70kg</u> Other Remarks:

CERTIFICATE OF FITNESS

Periodical Employment Medical Examination

Sr. No.	Details	Necessary Comments
1.	Serial No. <u>186</u> E. Code. <u>30804</u>	
2.	Name of person examined. <u>Saroj Rai</u> Sex. <u>M</u>	
3.	S/O, D/O, W/O <u>Daroga Rai</u> Residing at. <u>Amlah</u>	
4.	Employed as. <u>Cr operator</u> Department. <u>S. yard</u>	B. P.: <u>110/70</u> Pulse: <u>90</u> SPO2: <u>99%</u> Chest: Breathing: <u>N.B.</u> <u>No Rhonchi / wheezes</u>
5.	Examined is fit/unfit for employment at the factory <u>Madhav KRG HRC Pvt. Ltd.</u> be employed and may be employed on.	CVS: <u>S1S2 @ JVP @ no m/r</u> ABD: <u>Soft + non tender</u> LIVER: <u>SPLEEN</u>
6.	M/s MADHAV KRG HRC PVT. LTD. In which employed/in which hazardous operation such as <u>Steel Scrap</u> wishes to be employed. <u>Cr operator</u> produced for further examination after of <u>Six months</u>	Vision: <u>@</u> R/E: <u>6/6</u> L/E: <u>6/6</u> Adv Ref for R.V. & D.V. Ears: <u>Eu. Cath</u> Teeth: <u>Stain due to Tobacco chom</u>
7.	Process or department employed/wishes to be advised following examination <u>Gen.</u> Employed <u>Yes</u>	RBS: <u>99%</u> Wt: <u>61kg</u> Other Remarks:

CERTIFICATE OF FITNESS

8.	Whether certificate granted. <u>Yes</u> Advised following treatment <u>NIL</u>	fit to do duty
9.	Whether declared unfit and certificate refused. <u>NO</u> Number of previous certificate is <u>NA</u>	
10.	Reference number of previous certificate granted or refused. <u>NO</u>	
11.	Heat stress 1. Fever 2. Vomiting <u>NO</u> 3. Rapid Breathing 4. Flushed skin	

हरी जय

L.T.I. of person examined

[Signature]

Examining Doctor's Signature
 (stamp, Signature, Name and address of the Physician)

Date: 24/10/2015


CERTIFICATE OF FITNESS

Periodical Employment Medical Examination

Sr No.	Details	Necessary Comments
1	Serial No. <u>211</u> E. Code <u>30805</u>	
2	Name of person examined. <u>Atina Khan</u> Sex <u>20M</u>	
3	S/O, D/O, W/O <u>Azad Ali</u> Residing at <u>Makgaich</u>	
4	Employed as <u>Welder</u> Department <u>Utility</u>	B. P. : <u>120/70</u> Pulse : <u>78/</u> SPO2 : <u>98%</u> Chest : Breathing <u>NR</u> <u>No Rhonchi / crackles R/L clear</u>
5	Examined is fit/unfit for employment at the factory. <u>Madhav K HRC Pvt. Ltd.</u> be employed and may be employed on.	CVS : <u>S, S₂ (M) TYP (M) N W R</u> ABD : <u>Soft + non tender</u> LIVER : <u>⊖</u> SPLEEN : <u>⊖</u>
6	<u>M/s MADHAV KRG HRC PVT. LTD.</u> In which employed/in which hazardous operation such as <u>Combustible metal</u> wishes to be employed. <u>Welder</u> produced for further examination after of <u>Six months</u>	Vision : <u>(M)</u> R/E <u>6/6</u> L/E <u>6/6</u> Ears : <u>+ wave OIE</u> Teeth : <u>+ MOD</u>
7	Process or department employed/wishes to be advised following examination <u>Gen</u> Employed <u>for</u>	RBS : <u>99ug/l</u> Wt : <u>59kg</u> Other Remarks :

CERTIFICATE OF FITNESS

8.	Whether certificate granted. <u>Yes</u> Advised following treatment. <u>Nil</u>	<i>fit to do duty</i>
9.	Whether declared unfit and certificate refused. <u>No</u> Number of previous certificate is <u>MD</u>	
10.	Reference number of previous certificate granted or refused. <u>MD</u>	
11.	Heat stress 1. Fever 2. Vomiting 3. Rapid Breathing <u>MD</u> 4. Flushed skin	


 L.T.I. of person examined


 Examining Doctor's Signature
 (stamp, Signature, Name and address of the Physician)

Date : 10/31/2026

CERTIFICATE OF FITNESS

Periodical Employment Medical Examination

Sr. No.	Details	Necessary Comments
1.	Serial No. <u>197</u> E. Code. <u>30641</u>	
2.	Name of person examined <u>Ibrahim</u> Sex. <u>28 M</u>	
3.	S/O, D/O, W/O <u>Balbir Khan</u> Residing at. <u>Chana Thal</u>	
4.	Employed as. <u>Electrician</u> Department. <u>Insurance</u>	B. P.: 120/70 - Pulse: 65/l - SPO2: 98% Chest: Breathing: <u>NRB</u> No Rhonchi / crackles
5.	Examined is fit/unfit for employment at the factory. <u>M/s MADHAV KRG HRC Pvt. Ltd.</u> employed and may be employed on.	CVS: S1 S2 @ JVD @ No murmur ABD: Soft + non tender LIVER: <u>⊖</u> SPLEEN: <u>⊖</u>
6.	M/s MADHAV KRG HRC PVT. LTD. In which employed/in which hazardous operation such as <u>Electr. Atch.</u> wishes to be employed. <u>Electrician</u> produced for further examination after of <u>Six months</u>	Vision: <u>⊖</u> R/E: 6/6 L/E: 6/6 Ears: <u>Wax DIE</u> Teeth: <u>CAME D/L</u>
7.	Process or department employed/wishes to be advised following examination <u>Gen.</u> Employed <u>Yr.</u>	RBS: <u>110mg%.</u> Wt: <u>57kg</u> Other Remarks:

CERTIFICATE OF FITNESS

Periodical Employment Medical Examination

Sr. No.	Details	Necessary Comments
1.	Serial No. <u>922</u> E. Code <u>NJ</u>	
2.	Name of person examined. <u>Gurdeep Singh</u> Sex. <u>22/M</u>	
3.	S/O, D/O, W/O <u>Babur Ram</u> Residing at. <u>Bhagwanpur</u>	
4.	Employed as. <u>Helper</u> Department. <u>R. mill</u>	B. P. : <u>120/80</u> Pulse : <u>92/p</u> SPO2 : <u>98%</u> Chest : Breathing : <u>Nrs.</u>
5.	Examined is fit/unfit for employment at the factory <u>Madhav KRG HRC Pvt. Ltd.</u> employed and may be employed on.	No Rhonchi/Wheezes All clear CVS: <u>S, S2 @ M mid JVD @</u> ABD <u>soft + nontender</u> LIVER : <u>⊖</u> SPLEEN : <u>⊖</u>
6.	M/s MADHAV KRG HRC PVT. LTD. in which employed/in which hazardous operation such as <u>Steel products</u> wishes to be employed. <u>Helper</u> produced for further examination after of <u>Six months</u>	Vision : <u>⊖</u> R/E : <u>6/6</u> L/E : <u>6/6</u> Ears : <u>fman</u> Teeth :
7.	Process or department employed/wishes to be advised following examination <u>Gen.</u> Employed <u>Yes.</u>	RBS : <u>100% gy.</u> Wt : <u>75kg</u> Other Remarks :

CERTIFICATE OF FITNESS

8.	Whether certificate granted <u>Yes</u> Advised following treatment <u>Nil</u>	fit to do duty
9.	Whether declared unfit and certificate refused. <u>No</u> Number of previous certificate is <u>Nil</u>	
10.	Reference number of previous certificate granted or refused <u>Nil</u>	
11.	Heat stress 1. Fever 2. Vomiting 3. Rapid Breathing 4. Flushed skin <u>No</u>	

Harpreet Singh
L.T.I. of person examined

[Signature]
Examining Doctor's Signature
(stamp, Signature, Name and address of the Physician)

Date : 5/12/2025

CERTIFICATE OF FITNESS

Periodical Employment Medical Examination

Sr. No.	Details	Necessary Comments
1.	Serial No. <u>230</u> E. Code. <u>30740</u>	
2.	Name of person examined. <u>Sonu Yadav</u> Sex. <u>20/M</u>	
3.	S/O, D/O, W/O <u>Sita Ram Yadav</u> Residing at. <u>Chehal</u>	
4.	Employed as. <u>Helper</u> Department. <u>CCM</u>	B. P. : 110/70 Pulse : 65/ SPO2 : 99% Chest : Breathing : <u>NVB</u>
5.	Examined is fit/unfit for employment at the factory. <u>Madhav KRG HRC Pvt Ltd</u> be employed and may be employed on.	No Rhinorrhea / wheezes / clear CVS : S.S. (M) JTB (M) No MIA ABD : Soft + mm tenderness LIVER : (M) SPLEEN : (M)
6.	M/s MADHAV KRG HRC PVT. LTD. In which employed/in which hazardous operation such as <u>Steel Rolls</u> wishes to be employed. <u>Helper</u> produced for further examination after of <u>Six months</u>	Vision : (M) R/E : 6/6 L/E : 6/6 Ears : fmm Teeth :
7.	Process or department employed/wishes to be advised following examination <u>Gen.</u> Employed <u>Yes</u>	RBS : 100mg Wt : 49kg Other Remarks :

CERTIFICATE OF FITNESS

Periodical Employment Medical Examination

Sr. No.	Details	Necessary Comments
1.	Serial No. <u>208</u> E. Code <u>30883.</u>	
2.	Name of person examined <u>Rajinder Singh</u> Sex <u>45m</u>	
3.	S/O, D/O, W/O <u>Baljeet Singh</u> Residing at <u>Tarhwa</u>	
4.	Employed as <u>S. guard</u> Department <u>Security</u>	B. P.: 120/80 Pulse: 80 / min SPO2: 99% Chest: Breathing: <u>normal</u> No Rhonchi / wheezes. MLC clear
5.	Examined is fit/unfit for employment at the factory <u>M/s MADHAV KRG HRC PVT. LTD.</u> employed and may be employed on.	CVS: S1 S2 @ T8 @ M mtr ABD: Soft + non tender LIVER: <u>+</u> SPLEEN: <u>+</u>
6.	M/s MADHAV KRG HRC PVT. LTD. In which employed/in which hazardous operation such as <u>Security purpose</u> wishes to be employed. <u>S guard</u> produced for further examination after of <u>51st month</u>	Vision: 6/9 R/E: <u>Adm Refo.</u> L/E: <u>for R.V + D.V</u> Ears: <u>MPD</u> Teeth: <u>Carious (Tobacco chewing)</u>
7.	Process or department employed/wishes to be advised following examination <u>Gen.</u> Employed <u>Yes</u>	RBS: 100 mg/l. Wt: 72kg Other Remarks:

CERTIFICATE OF FITNESS

Periodical Employment Medical Examination

Sr. No.	Details	Necessary Comments
1.	Serial No. <u>218</u> E. Code <u>30746</u>	
2.	Name of person examined <u>Ashish Dal</u> Sex <u>19M</u> <u>DOB</u>	
3.	S/O, D/O, W/O <u>Hire Dal</u> Residing at <u>Chahal</u>	
4.	Employed as <u>Helper</u> Department <u>Utility</u>	B. P.: <u>110/70</u> Pulse: <u>75</u> SPO2: <u>98%</u> Chest: Breathing: <u>MM</u>
5.	Examined is fit/unfit for employment at the factory <u>Madhav KRG HRC Pvt. Ltd.</u> be employed and may be employed on.	<u>No Runchi / weph</u> CVS: <u>SI 1/2 M 1/2 M 1/2 M 1/2 M 1/2 M</u> ABD: <u>Soft + MM tender</u> LIVER: <u>2</u> SPLEEN: <u>2</u>
6.	M/s MADHAV KRG HRC PVT. LTD. In which employed/in which hazardous operation such as <u>Steel producer</u> wishes to be employed. <u>Helper</u> produced for further examination after of <u>5 x mm ltr</u>	Vision: <u>(M)</u> R/E <u>6/6</u> L/E: <u>6/6</u> Ears: <u>fmm</u> Teeth:
7.	Process or department employed/wishes to be advised following examination <u>Cem.</u> Employed <u>Yes</u>	RBS: <u>happy</u> Wt: <u>68kg</u> Other Remarks:

CERTIFICATE OF FITNESS


Periodical Employment Medical Examination

Sr No.	Details	Necessary Comments
1.	Serial No. <u>190</u> E. Code. <u>30572</u>	
2.	Name of person examined. <u>Om Nath</u> Sex. <u>32/M</u>	
3.	S/O, D/O, W/O <u>Paematma</u> Residing at. <u>Chehal</u>	
4.	Employed as. <u>S-operator</u> Department. <u>S-yard</u>	B. P. : <u>120/80mm</u> Pulse : <u>81/m</u> SPO2 : <u>99%</u> Chest : Breathing : <u>NVS</u>
5.	Examined is fit/unfit for employment at the factory. <u>Madhav KRG HRC Pvt Ltd</u> employed and may be employed on.	<u>No Rhonchi / wheezes</u> <u>B/L clear</u> CVS : <u>S1S2 @ T10 @ M w/d</u> ABD : <u>Soft + M tenderness</u> LIVER : <u>e</u> SPLEEN : <u>e</u>
6.	M/s MADHAV KRG HRC PVT. LTD. In which employed/in which hazardous operation such as <u>Steel Scraps</u> wishes to be employed. <u>C. operator</u> produced for further examination after of <u>5/6 months</u>	Vision : <u>@</u> R/E : <u>6/6</u> L/E : <u>6/6</u> Ears : <u>MAN</u> Teeth : <u>MAN</u>
7.	Process or department employed/wishes to be advised following examination <u>Gen.</u> Employed <u>Yes</u>	RBS : <u>100mg</u> Wt : <u>64kg</u> Other Remarks :

CERTIFICATE OF FITNESS

8.	Whether certificate granted. <u>Yes</u> Advised following treatment <u>No</u>	fit to do duty
9.	Whether declared unfit and certificate refused <u>No</u> Number of previous certificate is. <u>No</u>	
10.	Reference number of previous certificate granted or refused <u>No</u>	
11.	Heat stress 1. Fever 2. Vomiting 3. Rapid Breathing <u>No</u> 4. Flushed skin	


L.T.I. of person examined


Examining Doctor's Signature
(stamp, Signature, Name and address of the Physician)

Date : 21/01/2025

CERTIFICATE OF FITNESS

Periodical Employment Medical Examination

Sr No	Details	Necessary Comments
1	Serial No <u>1804</u> E Code <u>30415</u>	
2	Name of person examined <u>Vishal Kumar</u> Sex <u>M</u>	
3	S/O, D/O, W/O <u>Sanjay Mehta</u> Residing at <u>Chetani</u>	
4	Employed as <u>fitte</u> Department <u>Roll mill</u>	B.P. <u>120/80</u> Pulse <u>78/</u> SPO2 <u>98.7</u> Chest Breathing <u>N</u> <u>VR</u> <u>No Runchi / crept</u>
5	Examined is fit/unfit for employment at the factory <u>Madhav KRG HRC Pvt Ltd</u> and be employed and may be employed on	CVS <u>SI/2 (not IV) (no) No heart</u> ABD. <u>Soft - Non tender</u> LIVER <u>(C)</u> SPLEEN <u>(C)</u>
6	M/s MADHAV KRG HRC PVT. LTD. in which employed/in which hazardous operation such as <u>Steel Rolls</u> wishes to be employed <u>fitte</u> produced for further examination after of <u>Six months</u>	Vision <u>(N)</u> R/E <u>6/6</u> L/E <u>6/6</u> Ears <u>Wax/E</u> Teeth <u>Cavities</u>
7	Process or department employed/wishes to be advised following examination <u>Green</u> Employed <u>Yes</u>	RBS <u>11mg</u> Wt <u>70kg</u> Other Remarks

CERTIFICATE OF FITNESS

8.	Whether certificate granted. <u>Yes</u> Advised following treatment. <u>NIL</u>	fit to do duty
9.	Whether declared unfit and certificate refused. <u>No</u> Number of previous certificate is. <u>NA</u>	
10.	Reference number of previous certificate granted or refused. <u>NA</u>	
11.	Heat stress 1. Fever 2. Vomiting 3. Rapid Breathing 4. Flushed skin <u>No</u>	

Rajinder Singh

L.T.I. of person examined

[Signature]

Examining Doctor's Signature

(stamp, Signature, Name and address of the Physician)

Date: 12/12/2025

CERTIFICATE OF FITNESS

8.	Whether certificate granted <u>Yes</u> Advised following treatment. <u>Nil</u>	fit to do duty
9.	Whether declared unfit and certificate refused. <u>No</u> Number of previous certificate is. <u>Nil</u>	
10.	Reference number of previous certificate granted or refused. <u>Nil</u>	
11.	Heat stress 1. Fever 2. Vomiting 3. Rapid Breathing <u>No</u> 4. Flushed skin	

L.T.I. of person examined

Pengalala

May

Examining Doctor's Signature

(stamp, Signature, Name and address of the Physician)

Date: 24/3/2016

CERTIFICATE OF FITNESS

8.	Whether certificate granted. <u>Yes</u> Advised following treatment. <u>NIL</u>	fit to do duty
9.	Whether declared unfit and certificate refused. <u>No</u> Number of previous certificate is. <u>NA</u>	
10.	Reference number of previous certificate granted or refused. <u>NA</u>	
11.	Heat stress 1. Fever 2. Vomiting 3. Rapid Breathing 4. Flushed skin <u>No</u>	

Wistal

L.T.I. of person examined

P. K. Dey

Examining Doctor's Signature

(stamp, Signature, Name and address of the Physician)

Date: 14/10/2025

CERTIFICATE OF FITNESS

Periodical Employment Medical Examination

Sr. No.	Details	Necessary Comments
1.	Serial No. <u>232</u> E. Code. <u>30909</u>	
2.	Name of person examined <u>Parveen Pal</u> Sex <u>32/M</u>	
3.	S/O, D/O, W/O <u>Bhopal</u> Residing at <u>Chehal</u>	
4.	Employed as <u>Sr. fitter</u> Department <u>CCM</u>	B. P.: <u>110/70</u> Pulse: <u>84/w</u> SPO2: <u>99%</u> Chest: Breathing: <u>normal</u>
5.	Examined is fit/unfit for employment at the factory <u>M/s MADHAV KRG HRC PVT. LTD.</u> employed and may be employed on.	No Rhonchi/wheezes R/L clear CVS: <u>S1, S2 @ JVP @ normal</u> ABD: <u>Soft + non tender</u> LIVER: <u>⊖</u> SPLEEN: <u>⊖</u>
6.	M/s MADHAV KRG HRC PVT. LTD. In which employed/in which hazardous operation such as <u>Steel Rolls</u> wishes to be employed. <u>Sr. fitter</u> produced for further examination after of <u>Six months</u>	Vision: <u>⊖</u> R/E: <u>6/6</u> L/E: <u>6/6</u> Ears: <u>+</u> Teeth: <u>normal</u>
7.	Process or department employed/wishes to be advised following examination <u>Gen.</u> Employed <u>Yes</u>	RBS: <u>110mg/dl</u> WL: <u>77kg</u> Other Remarks:

CERTIFICATE OF FITNESS

Periodical Employment Medical Examination

Sr No	Details	Necessary Comments
1	Serial No <u>182</u> E Code <u>30267</u>	
2	Name of person examined <u>Chandan Kumar</u> Sex <u>28M</u>	
3	S/O, D/O, W/O <u>Dyal Yadav</u> Residing at <u>Amloh</u>	
4	Employed as <u>fitter</u> Department <u>CCM</u>	B. P. <u>110/70</u> Pulse: <u>72</u> SPO2: <u>99%</u> Chest: Breathing <u>NLRS</u> <u>No Rhonchi / wheezes</u> R/L clear
5	Examined is fit/unfit for employment at the factory <u>M/s MADHAV KRG HRC PVT. LTD.</u> to be employed and may be employed on	CVS <u>SI 12</u> <u>(M)</u> <u>TR</u> <u>(M)</u> <u>NO</u> <u>MI</u> <u>R</u> ABD: <u>Soft</u> + <u>non-tender</u> LIVER: <u>(C)</u> SPLEEN <u>(C)</u>
6	M/s MADHAV KRG HRC PVT. LTD. In which employed/in which hazardous operation such as <u>Steel Scraps</u> wishes to be employed. <u>fitter</u> produced for further examination after of <u>Six months</u>	Vision: <u>(M)</u> R/E <u>6/6</u> L/E <u>6/6</u> Ears - <u>Wax</u> <u>OLE</u> Teeth: <u>PM</u>
7	Process or department employed/wishes to be advised following examination <u>Gen</u> Employed <u>Yes</u>	RBS <u>100mg</u> Wt: <u>63kg</u> Other Remarks:

CERTIFICATE OF FITNESS

Periodical Employment Medical Examination

Sr. No.	Details	Necessary Comments
1.	Serial No. <u>174</u> E.Code. <u>30338</u>	
2.	Name of person examined. <u>Syad Sakib</u> Sex. <u>25M</u>	
3.	S/O, D/O, W/O <u>Syedde Sheikh</u> Residing at <u>Amloh</u>	
4.	Employed as. <u>Engineer</u> Department. <u>SMS</u>	B. P.: <u>140/90</u> Pulse: <u>100</u> SPO2: <u>99%</u> Chest: Breathing: <u>Normal</u> <u>No Rhonchi / wheezes</u>
5.	Examined is fit/unfit for employment at the factory. <u>He is fit to be employed and may be employed on.</u>	CVS: <u>S, S₂ (N) JVP (N) No murmur</u> ABD: <u>Soft + normal tenderness</u> LIVER: <u>e</u> SPLEEN <u>e</u>
6.	M/s <u>MADHAV KRG HRC PVT. LTD.</u> In which employed/in which hazardous operation such as <u>Steel products</u> wishes to be employed. <u>Engineer</u> produced for further examination after of <u>Six months</u>	Vision: <u>(N)</u> R/E: <u>6/6</u> L/E: <u>6/6</u> Ears: <u>mm</u> Teeth: <u>mm</u>
7.	Process or department employed/wishes to be advised following examination <u>Gen.</u> Employed <u>Yes</u>	RBS: <u>117mg%</u> Wt: <u>59kg</u> Other Remarks: <u>Adv Salt & fat ↓</u>

CERTIFICATE OF FITNESS

Periodical Employment Medical Examination


Sr. No.	Details	Necessary Comments
1.	Serial No. <u>205</u> E Code <u>30801</u>	
2.	Name of person examined. <u>Harpreet Singh</u> Sex. <u>29M</u>	
3.	S/O, D/O, W/O <u>Guemail Singh</u> Residing at. <u>Ludhiana Tehsil</u>	
4.	Employed as <u>Supervisor</u> Department <u>Dispatch</u>	B. P. : 110/70 mm Pulse : 76 /min SPO2 : 98% Chest : Breathing : <u>NVB.</u> <u>No Rhonchi / wheezes</u> <u>DL clear</u>
5.	Examined is fit/unfit for employment at the factory <u>M/s Madhav KRG HRC Pvt. Ltd.</u> be employed and may be employed on.	CVS : <u>S1 S2 @ TAP @ Norm</u> ABD : <u>Soft + non tender</u> LIVER : <u>⊖</u> SPLEEN : <u>⊖</u>
6.	M/s MADHAV KRG HRC PVT. LTD. In which employed/in which hazardous operation such as <u>sitting job</u> wishes to be employed. <u>Supervisor</u> produced for further examination after of <u>3 months</u>	Vision : <u>⊖</u> R/E : 6/6 L/E : 6/6 Ears : <u>7 max N/E</u> Teeth : <u>Carb. DL</u>
7.	Process or department employed/wishes to be advised following examination <u>Carb.</u> Employed <u>Yes</u>	RBS : <u>100mg/dl</u> Wt : <u>74 kg</u> Other Remarks :

CERTIFICATE OF FITNESS

8.	Whether certificate granted. <u>Yes</u> Advised following treatment. <u>NIL</u>	fit to do duty
9.	Whether declared unfit and certificate refused. <u>No</u> Number of previous certificate is <u>NA</u>	
10.	Reference number of previous certificate granted or refused. <u>NA</u>	
11.	Heat stress 1. Fever 2. Vomiting 3. Rapid Breathing 4. Flushed skin <u>No</u>	

ओमनाथ

L.T.I. of person examined



Examining Doctor's Signature

(stamp, Signature, Name and address of the Physician)

Date : 7/11/2025

CERTIFICATE OF FITNESS

8.	Whether certificate granted <u>Yes</u> Advised following treatment <u>Am</u>	<u>fit to do duty</u>
9.	Whether declared unfit and certificate refused <u>Am</u> Number of previous certificate is <u>MA</u>	
10.	Reference number of previous certificate granted or refused <u>NA</u>	
11.	Heat stress 1. Fever 2. Vomiting 3. Rapid Breathing 4. Flushed skin <u>no</u>	


30/11/2026
L.T.I. of person examined

[Signature]
Examining Doctor's Signature
(stamp, Signature, Name and address of the Physician)

Date: 20/11/2026

CERTIFICATE OF FITNESS

8.	Whether certificate granted. <u>Yes</u> Advised following treatment. <u>Nil</u> _____	fit to do duty
9.	Whether declared unfit and certificate refused. <u>No</u> Number of previous certificate is. <u>Nil</u>	
10.	Reference number of previous certificate granted or refused. <u>Mr</u>	
11.	Heat stress 1. Fever 2. Vomiting 3. Rapid Breathing 4. Flushed skin <u>Mr</u>	


 L.T.I. of person examined


 Examining Doctor's Signature
 (stamp, Signature, Name and address of the Physician)

Date: 21/2/2025

CERTIFICATE OF FITNESS

8.	Whether certificate granted <u>Yes</u> Advised following treatment <u>NIL</u>	<u>Fit to do duty</u>
9.	Whether declared unfit and certificate refused <u>No</u> Number of previous certificate is <u>NA</u>	
10.	Reference number of previous certificate granted or refused <u>NA</u>	
11.	Heat stress 1. Fever 2. Vomiting 3. Rapid Breathing 4. Flushed skin <u>No</u>	

Madan Kumar

L.T.I. of person examined

[Signature]

Examining Doctor's Signature

(stamp, Signature, Name and address of the Physician)

Date : 10/10/2016

CERTIFICATE OF FITNESS

8.	Whether certificate granted. <u>Yes</u> Advised following treatment. <u>Nil</u>	<i>fit to do duty</i>
9.	Whether declared unfit and certificate refused. <u> No </u> Number of previous certificate is. <u>Nil</u>	
10.	Reference number of previous certificate granted or refused. <u> Nil </u>	
11.	Heat stress 1. Fever 2. Vomiting 3. Rapid Breathing <u> No </u> 4. Flushed skin	

प्रवीन पाल

L.T.I. of person examined

[Signature]

Examining Doctor's Signature
 (stamp, Signature, Name and address of the Physician)

Date : 20/3/2018

ENVIRONMENT, HEALTH & SAFETY



INTRODUCTION

The Organization takes all such steps as prescribed by the Regulations made under the employment laws, in order to ensure the health, safety and welfare of all the employees in the employment. We comply with all applicable laws and regulations regarding working conditions, including, without limitation, worker safety, health, sanitation, fire safety, worker protection & electrical, mechanical & structural safety.

OBJECTIVE

The purpose of the policy is to establish general standards for health and safety at work:

- **Promote & maintain** the highest possible degree of mental and social well-being of all employees;
- **Prevent** all downgrading incidents, which could result in personal injuries, fire, property damage and waste, and to create and maintain a safe & healthy working environment for all employees;
- **Promote & Maintain** good working conditions so as to safeguard our employees against injuries and occupational health and safety hazards, and to conduct our operations with due consideration to the protection of the environment;
- **Train Employees** at the workplace so that they are well equipped to participate fully in the identification, reporting and management of unsafe acts and conditions;
- **Strive for** maximum employee participation in creating healthy and safe working environment at all hierarchical levels, through effective communication.

Each employee is expected to obey Health and Safety rules and exercise caution & common sense in all activities.

ORGANIZATIONAL SETUP AND DELEGATION OF AUTHORITY

- Safety related matters would be reviewed with concerned Head of Departments in general meeting chaired by Unit Head.
- Shift operation Engineers will have liberty to stop any operation considered unsafe. In case of doubt immediate consultations would be carried out with superiors. In case consultation cannot be done due to non availability the discretion would be used on conservative side.
- Accidents, Incidents and near misses would be communicated to Safety Department along with concerned department will investigate the cause of accidents and suggest remedial measures to prevent its recurrence.

PARTICIPATION OF EMPLOYEES IN SAFETY

EHS Committee is being constituted for the division by the Management to consider and redress complaints of Environment, Health and Safety.

- All Employees will have right to give information on Health and Safety aspects of the process/product in operation. It would be the responsibility of concerned Head of Department to provide such information.
- The company would always look for suggestions in respect of Environment, Health and Safety from any person associated with us.

EVALUATION OF HEALTH AND SAFETY PERFORMANCE

- Health and Safety performance of each employee would be evaluated in annual appraisals for considering their career advancement/placement

ASSESSMENT OF STATUS OF HEALTH AND SAFETY OF EMPLOYEES

As per law, we shall get medical checkup of employees from time to time.

ENVIRONMENT PROTECTION POLICY

Madhav KRG HRC Private Limited is committed to the cause of conservation of the environment and has made environmental protection a priority through by:

- Strictly complying with the applicable environmental legislations and standards.
- Ensuring effective use of resources in the areas of energy, fuels, oils, chemicals, water, etc.
- Encouraging the usage of environment-friendly technologies to aid elimination of hazardous materials.
- Promoting the cause of environmental preservation amongst employees by inculcating sensitivity to the environmental concerns.

Fire Control

The Organization ensures that the staff receives adequate fire training:

- Report and advice on the standard of fire safety in the organization's premises and the standard of fire training of its staff.
- Assist in the investigation of all fires in the organization's premises and to submit reports of such incidents.

Weather related and Emergency Closings

At times, emergencies such as severe weather or power failures can disrupt organization operations. In such instances, Management will decide on the closure and HCD will provide the official notification to the employees.

HEALTH AND SAFETY POLICY

The Organization expects all employees to abide with the following health & safety rules:

- Organization believes in creating a drug/ alcohol free work place and does not permit consumption of alcohol or un-prescribed drugs within the premises.
- A fully equipped FIRST AID BOX is available within the organization premises. It contains medicines and other consumables for attending to any minor injury, cuts and bruises occurring to the employees at the workplace. Employees diagnosed with contagious disease should not report to duty till fully recovered.
- Employees should report all work-related injuries and accidents/incidents immediately to their supervisor. The concern supervisor should report immediate to HCD, so that proper action should be taken to save the life and organization's property.

RESPONSIBILITY OF CONTRACTORS, TRANSPORTERS AND VISITORS

- All contractors deploying their workforce for various norms and will ensure safe execution of jobs by their workforce.
- Every employee of the unit, contractor and their workers, Apprentices, transport workers and suppliers observe all safety related guidelines.

SAFETY RULES (Equipment, Chemicals & General)

The staff can help avoid serious accidents and/ or injury to self and others by following certain general safety rules. Violation of the safety regulations of the organization may subject to disciplinary action, up to and including termination of employment.

- Emergency exits shall be kept free of debris at all times.
- Fire extinguishers shall not be blocked or obstructed at any time.
- Safety devices and guards shall not be removed, before operating any machine.
- All unsafe work conditions shall be reported to a supervisor or the safety coordinator.
- Proper hygiene shall be used when leaving or returning to work areas for break and meal periods (i.e. washing hands).

- Head Protection: Employees exposed to flying/ heavy/ falling objects and/or electrical shock and burns shall be safeguarded by means of approved head protection (safety helmets). Where there is risk of hair entanglements in moving parts of machinery, combustibles or toxic contaminants, employees shall confine their hair.

DISPLAY AND CIRCULATION OF POLICY

Health and safety policy in Hindi, English & Punjabi shall be distributed widely so as to reach each Employee, Contractor, Apprentice, Transporter and suppliers. Copy of policy shall be displayed at conspicuous places.

REVIEW OF POLICY

Health and safety policy shall be revised and updated whenever need arises due to any process expansion or modification of plant.



Madhav KRG HRC Private Limited,

Vill- Akalgarh, Amlah Bhadson Road,

District – Patiala.



BUILDING A SUSTAINABLE
TOMORROW

Environment Management Committee

Cat.	Sr. No.	Position	Represented	Role
EXECUTIVE COUNCIL	1	Managing Director	Mr. Sudhir Goyal	Chairman
	2	Director	Mr. Sanjeev Goyal	Director
MEMBERS	3	HOD Regulatory	Mr. Swaranjeet Singh	Coordinator
	4	Incharge - EHS	Mr. Jagdeep Kumar	Coordinator
	5	HOD - HCD	Mr. Vijay Mohan	Members
	6	Plant Head	Mr. Shaikh Sabiruddin	Members
	7	AGM RM Domestic Purchase	Mr. Dixit Gupta	Members
	8	AGM Logistic & Transportations	Mr. Jarnail Singh	Members
	9	AGM Maintenance	Mr. Bala Kumar	Members
	10	Security Incharge	Mr. Brijesh Kumar	Members
ADVISORS	11	Advisor - Public Relations	Mr. Dilbagh Singh	Advisor
	12	Advisor - CSR Activities	Mr. Sumit Kumar	Advisor

For Madhav KRG HRC Pvt. Ltd.


Authorized Signatory



Madhav KRG HRC Private Limited

Regd. Office: 1002, 10th Floor, Aggarwal Millenium, Tower-1,
Netaji Subhash Place, Pitampura, North West, Delhi-110058

Works: Vill. Akalgarh, Amloh-Bhadson Road,
Near Toll Plaza, Dist. Patiala-147203

Phone: +91- 1765-500075 E-mail: info@madhavkrggroup.com

MADHAV KRG HRC PVT. LIMITED											
Date of Issue EC - 03/07/2022			EC no. EC228008P6110661								
Sr. No.	Activities	Annual Expenditure	Timeline (5 years from the start of the project)	Total Expenditure	2022-23	2023-24	2024-25		2025-26		Total
	Rainwater Harvesting					01.04.2023 to 31.03.2024	01.04.2024 to 30.09.2024	01.10.2024 to 31.03.2025	01.04.2025 to 30.09.2025	01.10.2025 to 31.03.2026	
1	Rainwater Harvesting Adoption of four (4) ponds; out of which 2 ponds are located in Village Bhadalthuwa and Badecha of Nabha Block and the other 2 ponds are located in Village Akalgarh & Sakrali of Block Amloh for rainwater harvesting and maintenance of ponds as per measures given below: i) Nano-Bubble technology to treat wastewater discharge into the pond ii) Tree plantation of 6 ft. size around the pond iii) Removal of solid waste, sludge, and silt from the pond iv) Landscaping around the pond	Rs. 36 lakhs (i.e. Rs. 9 lakhs per pond)	5 years	Rs. 180 lakhs		₹ 21,70,000.00	₹ 9,30,000.00	₹ 6,75,000.00	₹ 7,51,334.00	₹ 1,78,616.00	₹ 47,04,950.00
2	Rainwater Harvesting Adoption of the pond located in the Village Bhamarsi Jher of Sirhind Block based on Seechewal model for rainwater harvesting and pond maintenance through measures given below: i) Nano-Bubble technology to treat wastewater discharge into the pond ii) Tree plantation of 6 ft. size around the pond iii) Removal of solid waste, sludge, and silt from the pond iv) Landscaping around the pond	Rs. 6 lakhs	5 years	Rs. 30 lakhs		₹ 6,80,020.00				₹ 1,50,000.00	₹ 8,30,020.00
3	Plantation drives in nearby villages	Rs. 2 lakhs	5 years	Rs. 10 lakhs		₹ 33,114.00			₹ 6,373.00	₹ 1,02,600.00	₹ 1,42,087.00
4	Education i) Providing uniforms, books, etc. to needy students and repairing of Primary School building located in Village Chehal ii) Providing uniforms, books, etc. to needy students of the nearby villages	Rs. 4 lakhs Rs. 2 lakhs	5 years 5 years	Rs. 20 lakhs Rs. 10 lakhs						₹ 1,92,740.00	₹ 1,92,740.00
	Total	Rs. 50 Lakhs		Rs. 250 lakhs		₹ 28,83,134.00	₹ 9,30,000.00	₹ 6,75,000.00	₹ 7,57,707.00	₹ 6,23,956.00	₹ 58,69,797.00

For Madhav KRG HRC Private Limited


 Auth. Signatory

Madhav KRG HRC Pvt Ltd.

Expenditure to be Incurred				Actual Expenditure						
Sr.No.	Environmental Protection Measures	Capital Cost(Rs.in lakhs)	Recurring Cost(Rs.in LPA)	2022-23	2023-24	Expenditure from 01.04.24 to 30.09.24	01.10.24 to 31.03.25	01.04.25 to 30.09.25	01.10.2025 to 31.03.2026	Total
1	Air pollution control(Installation Of APCD and continuous emission monitoring system)	853	2.5	₹ 2,76,28,721.00	₹ 4,92,43,310.00	₹ 15,13,000.00	₹ 6,79,99,585.00			₹ 14,63,84,616.00
2	Water pollution control (STP of capacity 90 KLD)	150	2		₹ 96,41,946.00	₹ 8,27,121.00	₹ 2,46,845.00	₹ 10,97,842.00	₹ 17,86,415.00	₹ 1,36,00,169.00
3	Noise pollution control (Provision of acoustic enclose for DG sets)	5	2			₹ 15,00,000.00	₹ 5,850.00	₹ 5,850.00	₹ 5,850.00	₹ 15,17,550.00
4	Green Belt development by planting of 5950 tall plants of indigenous tree species.	55	55(for 3 years)		₹ 66,400.00	₹ 22,33,881.00	₹ 1,37,682.00	₹ 1,50,161.00		₹ 25,88,124.00
5	Solid waste management	3	0.5			₹ 1,46,000.00	₹ 26,000.00	₹ 1,61,522.00	₹ 46,000.00	₹ 3,79,522.00
6	Environment monitoring & management	3	5		₹ 7,25,000.00	₹ 56,130.00	₹ 1,66,260.00	₹ 1,50,000.00	₹ 1,97,983.00	₹ 12,95,373.00
7	Health, Safety & Risk Assessment (PPE kit for workers)	5	1		₹ 12,14,668.00	₹ 10,36,637.00	₹ 9,82,000.00	₹ 11,65,000.00	₹ 9,81,523.09	₹ 53,79,828.09
8	Rain Water harvesting system	8	0.5	₹ 1,34,36,965.00	₹ 66,42,226.00		₹ 6,75,000.00	₹ 1,50,000.00	₹ 16,300.00	₹ 2,09,20,491.00
9	CER activities	250								₹ -
10	Miscellaneous	5	0.5							₹ -
	Total	RS.1337 lakhs	Rs.69 lakhs	₹ 4,10,65,686.00	₹ 6,75,33,550.00	₹ 73,12,769.00	₹ 7,02,39,222.00	₹ 28,80,375.00	₹ 30,34,071.09	₹ 19,20,65,673.09

For Madhav KRG HRC Private Limited


Auth. Signatory



BUILDING A SUSTAINABLE
TOMORROW

ENVIRONMENTAL AUDIT REPORT

M/s MADHAV KRG HRC PVT. LTD.

Financial Year 2025-26

Village-Akalgarh & Bhagwanpura, Tehsil Nabha & Amloh, District Patiala
& Fatehgarh Sahib, Punjab.

INTRODUCTION


Environment audit is defined as a management tool comprising a systematic, documented, periodic and objective evaluation of how well environmental organization, management systems and equipment are performing with the aim of (i) facilitating management control of environmental practices and (ii) compliance with company policies, including company requirements.

In India, the requirements for environmental auditing are formalized in Rule 14 of the Environment (Protection) Rules, 1986 since 1992, mandating industries with consents under Water/Air Acts or Hazardous Waste Rules to submit Form V annually to the State Pollution Control Board by September 30. This attachment is Madhav KRG HRC Private Limited Form V Environmental Statement for FY 2025-26 (ending March 31, 2026).

Submission of environmental Statement

Every person carrying on an industry, operation or process requiring consent under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 (6 of 1974) or under section 21 of the Air (Prevention and Control of Pollution) Act, 1981 (14 of 1981) and authorization under the Hazardous Wastes (Management and Handling) Rules, 1989 issued under the Environment (Protection) Act, 1986 (29 of 1986) shall submit an environmental audit report for the financial year ending the 31st March in Form V to the concerned State Pollution Control Board on or before the thirtieth day of September every year, beginning 1993.


For Madhav KRG HRC Private Limited


Auth. Signatory

FORM -V**Environmental Statement for the Financial Year Ending 31st March, 2026
(2025-26)****Part-A**

i.	Name and address of the Owner/occupier of the industry, operation or process	Madhav KRG HRC Private Limited. Address: Villages Akalgarh, Tehsil Nabha and Amloh, District Patiala and Fatehgarh Sahib, Punjab.
ii.	Industry Category	Large
iii.	Production capacity	5,00,000 MT of HOT ROLLED COIL (HRC)
iv.	Year of establishment:	2012
v.	Date of last environmental statement submitted	-

For Madhav KRG HRC Private Limited


Auth. Signatory

Part-B

(i) WATER CONSUMPTION

Water consumption (KLD)	Previous Year (2024-25) (In kl)	Current Year (2025-26) (In Kl)
Process	30	51
Cooling	73	125
Domestic	22	35
Total	125	211

The water is used for process, industrial cooling and domestic purposes. The water requirement is met through own tube well. The ground water analysis report is attached as **Annexure-01**.

The process water consumption per unit of product is given below:


(ii) RAW MATERIAL CONSUMPTION

Name of Raw Material	Unit	Consumption of raw material	
		During the previous Financial Year (In MT) (2024-25)	During the Current Financial Year (In MT) (2025-26)
Scrap	MT	1,34,891	2,59,388

(iii) PRODUCTS DETAILS

Products	Quantity Manufactured (Year 2024-25) (In MT)	Quantity Manufactured (Year 2025-26) (In MT)
Slab	41,635	23,384
HR Coil	76,923	2,10,370
Total	1,18,558	2,33,754

For Madhav KRG HRC Private Limited


Auth. Signatory


Part – C

**POLLUTION DISCHARGE TO ENVIRONMENT/UNIT OF OUT PUT
(PARAMETER AS SPECIFIED IN THE CONSENT ISSUED)**

- i. **Waste Water (Output of STP) : Test Report is attached in Annexure –02**

Location of Sampling Point		STP (outlet) water
Date of Sample Collection		10.02.2026
Sr. no	Parameters	Test Results
1	PH	7.87
2	TSS (Total Suspended Solids)	09
3	TDS (Total Dissolved Solids)	350
4	BOD (Biochemical Oxygen Demand)	07
5	COD (Chemical Oxygen Demand)	37.4
6	Oil & Grease	3.7
7	Total Hardness	234
8	Alkalinity	32
9	Iron	0.14
10	Conductivity	750
11	Phosphate	0.12
12	Chloride	161.8
13	Turbidity	05

For Madhav KRG HRC Private Limited



Auth. Signatory

ii. **Stack Emission Analysis : Test Report is attached in Annexure –03**


Sr.no	Date of sample collection	Location of Sampling Point	Particulate Matter (mg/Nm ³)
1	12.03.2026	Process stack of Induction Furnace	13.2

iii. **Ambient Air Analysis: Test Report is attached in Annexure –04**

Location of Sampling Point		Near Main Gate
Date of Sample Collection		10.02.2026
Sr. no.	Parameters	
1	PM ₁₀ (µg/m ³)	60
2	PM _{2.5} (µg/m ³)	22
3	SO ₂ (µg/m ³)	19
4	NO ₂ (µg/m ³)	18

Location of Sampling Point		Near FG Gate
Date of Sample Collection		10.02.2026
S.No.	Parameters	
1	PM ₁₀ (µg/m ³)	59
2	PM _{2.5} (µg/m ³)	23
3	SO ₂ (µg/m ³)	18
4	NO ₂ (µg/m ³)	21


For Madhav KRG HRC Private Limited


Auth. Signatory

Location of Sampling Point		Near Scrap yard security post
Date of Sample Collection		10.02.2026
S.No.	Parameters	
1	PM ₁₀ (µg/m ³)	60
2	PM _{2.5} (µg/m ³)	29
3	SO ₂ (µg/m ³)	19
4	NO ₂ (µg/m ³)	27

Location of Sampling Point		Near Shed no. 06
Date of Sample Collection		10.02.2026
S.No.	Parameters	
1	PM ₁₀ (µg/m ³)	58
2	PM _{2.5} (µg/m ³)	26
3	SO ₂ (µg/m ³)	17
4	NO ₂ (µg/m ³)	21

For Madhav KRG HRC Private Limited



Auth. Signatory

Part- D

HAZARDOUS WASTE

(As Specified Under Hazardous Waste (Management and Handling) Rules, 2016)

Sr. No	Hazardous wastes	Total Quantity	
		During the Previous Financial Year (In MT) (2024-25)	During the Current Financial Year (In MT) (2025-26)
(a)	APCD Dust (MT)	471.43	693.36

Annual return (form IV) as prescribed in the Hazardous Waste (Management, Handling & trans-Boundary Movements) Rules, 2016 has been submitted; copy of Form-IV is attached as **Annexure-05**.

Part – E


SOLID WASTES

S. No.	SOLID WASTES	During the previous financial year (2024-25)	During the current financial year (2025-26)
(a)	From process (Mill-Scale/Slag (MT))	6,102	13,048

Part-F

Please specify the characteristics (in terms of composition of quantum) of hazardous as well as solid waste and indicate disposal practice adopted for both these categories of waste.

For Madhav KRG HRC Private Limited


Auth. Signatory

Hazardous Waste Disposal

The hazardous waste generated i.e. APCD dust is being recycled in sister concern "Madhav KRG Environmental Solutions Limited" and other waste is disposed to the authorized vendor/TSDF.

Solid Waste Disposal

The sludge from STP is used as manure in green area. Domestic solid waste is segregated and the recyclable part is sold to local vendors. The biodegradable waste is converted into compost and used in green area.

Part - G


Impact of the pollution abatement taken on conservation of natural resources and on the cost of production:-

Management is highly conscious in conserving environment and controlling pollution. Implementation and monitoring of Environment Management Plan is under the direction of top management.

- I. The use of treated effluent for irrigation has resulted in reduced fresh water demand.
- II. The green belt and landscape has helped in improving the land use within the project site.

Part - H

For Madhav KRG HRC Private Limited



Auth. Signatory


Additional measure/investment proposal for environmental protection including abatement of pollution, prevention of pollution

There is a pro-active approach towards improvement. The Management of M/s Madhav KRG HRC Private Limited is quiet conscious for the issues related to environmental management and pollution control. A number of measures have been taken by the industry for this purpose; few of which are as below:-

- a. Tree plantation drive, planting popular trees.
- b. Installation of State-of-Art APCD for air pollution control.
- c. Provision of STP for wastewater treatment.
- d. Rain water harvesting ponds.
- e. Provide education stationery to nearby schools.

Any other particulars for improving the quality of the environment


The industry undertakes various environmental awareness Rs. 19,51,363/- Lakhs has been spent on activities for FY 2025-26. Photographs of some activities are shown below:-



Rain Harvesting Project

For Madhav KRG HRC Private Limited



Darshan Singh
Auth. Signatory



Health & Hygiene Initiative



No use of SUP Awareness



Water Saving Program

For Madhav KRG HRC Private Limited

Pravinder Singh
Auth. Signatory

RB ENVIRO LABORATORIES (OPC) PRIVATE LIMITED

Plot No. 56, First Floor, Shivalik City-Nijjer Road, Sec. 127, Kharar, SAS Nagar, Mohali

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

GSTIN: 03AANCR1768G1Z9, Email: rbenvirosolution@gmail.com

+91 6239447329, 8437473298

Page 1 of 1

To
M/s MADHAV KRG HRC PVT LTD.
VILLAGE AKALGARH, NEAR TOLL PLAZA, AMLOH
BHADSON ROAD, BHADALTHUHA, PATIALA, PUNJAB-147203

Report No.	RBEL/2602/149H	Report Date	16.02.2026
Your Ref. No.	Nil	Type of sample	Borewell Water
Sample Code Given by Customer	Borewell-1	Quantity	05 LITER
Sampling Location	Nil	Date of sampling	10.02.2026
Sample Collected By	Lab Person	Date of sample receipt	11.02.2026
Sampling procedure	As per SOP	Sample I.D.	RBEL/2602/149H
		Date of test	11.02.2026-16.02.2026

S. No.	Parameters	Results	Limits of IS: 10500 – 2012 (Amendment no. 1, June 2015)		Test method
			Requirement (Acceptable Limit)	Permissible limit in absence of alternate source	
1	pH	7.80	6.5 – 8.5	No relaxation	IS 3025 (Part-11) : 2002
2	Total Dissolved Solids mg/l Max	293	500	2000	IS 3025 (Part-16): 2002
3	Alkalinity (as CaCO ₃) mg/l ,Max	35	200	600	IS 3025 (Part-23): 2003
4	Chloride (as Cl), mg/l, Max	56	250	1594	IS 3025 (Part-32): 2007
5	Sulphate (as SO ₄) mg/l, Max	18.9	200	400	IS 3025 (Part-24): 2003
6	Calcium (as Ca) mg/l Max	36	75	200	IS 3025 (Part-40): 2002
7	Magnesium (as Mg) mg/l, Max	15	30	100	IS 3025 (Part-46): 2003
8	Total Hardness(as CaCO ₃) mg/l, Max	148	200	600	IS 3025 (Part-21) : 2009
9	Sodium (as Na) mg/l Max	45	-	-	IS 3025 (Part-45): 2003
10	Potassium (as K) mg/l Max	06	-	-	IS 3025 (Part-45): 2003
11	Nitrate (as NO ₃) mg/l, Max	22	45	No relaxation	IS 3025 (Part-34): 2003
12	Fluoride (as F) mg/l Max	0.41	1.0	1.5	APHA 4500F (D): 2017
13	Colour, Hazen unit, max	<1	5	25	IS 3025 (Part-4) : 1983
14	Odour	Agreeable	Agreeable	-----	IS 3025 (Part-5) : 2002
15	Turbidity, NTU max	<1	5	10	IS 3025 (Part-10) : 2002
16	Taste	Agreeable	Agreeable	-----	IS 3025 (Part-8) : 2002
17	Iron (as Fe) mg/l Max	0.44	1.0	No relaxation	IS 3025 (Part-53): 2003
18	Boron (as B) mg/l Max	ND	0.5	1.0	IS 3025 (Part-57): 2005
19	Manganese (as Mn) mg/l Max	ND	0.1	0.3	IS 3025 (Part-59): 2006
20	Zinc (as Zn) mg/l Max	2.3	5	15	IS 3025 (Part-49): 1994
21	Copper (as Cu) mg/l Max	ND	0.05	1.5	IS 3025 (Part-42): 1992
22	Cadmium (as Cd) mg/l Max	ND	0.003	No relaxation	IS 3025 (Part-41): 1992
23	Lead (as Pb) mg/l Max	ND	0.01	No relaxation	IS 3025 (Part-47): 1994
24	Arsenic (as As) mg/l	ND	0.01	No relaxation	IS 3025 (Part-37): 1988
25	Chromium (as Cr) mg/l Max	ND	0.05	No relaxation	IS 3025 (Part-52): 2003
26	Sulphide (as H ₂ S), mg/l, Max	ND	0.05	No relaxation	APHA 23 rd Edition 2017-4500 D

Bacteriological examination:-

S. NO.	PARAMETERS	TEST RESULTS	LIMIT	TEST METHOD
1	E.coli/100ml	ABSENT	ABSENT	IS 5887 (Part-1): 2005
2	Coliform /100ml	ABSENT	ABSENT	IS 1622: 2003

Note: ND Denotes Not Detectable


- The test report refers only to tested sample and applicable parameters.
- This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
- The sample will be destroyed after fifteen days from the date of issue of test report unless otherwise specified.

For Madhav KRG HRC Private Limited

[Signature]
Auth. Signatory

Ed of Report

(Authorized Signatory)



RB ENVIRO LABORATORIES (OPC) PRIVATE LIMITED

Plot No. 56, First Floor, Shivalik City-Nijjer Road, Sec. 127, Kharar, SAS Nagar, Mohali

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

GSTIN: 03AANC1768G129, Email: rbenvirosolution@gmail.com

+91 6239447329, 8437473298

Page 1 of 1

To
M/s MADHAV KRG HRC PVT LTD.
VILLAGE AKALGARH, NEAR TOLL PLAZA, AMLOH
BHADSON ROAD, BHADALTHUHA, PATIALA, PUNJAB-147203

Report No.	RBEL/2602/149G	Report Date	16.02.2026
Your Ref. No.	Nil	Type of sample	Borewell Water
Sample Code Given by Customer	Borewell-2	Quantity	05 LITER
Sampling Location	Nil	Date of sampling	10.02.2026
Sample Collected By	Lab Person	Date of sample receipt	11.02.2026
Sampling procedure	As per SOP	Sample I.D.	RBEL/2602/149G
		Date of test	11.02.2026-16.02.2026

S. No.	Parameters	Results	Limits of IS: 10500 – 2012 (Amendment no. 1, June 2015)		Test method
			Requirement (Acceptable Limit)	Permissible limit in absence of alternate source	
1	pH	8.04	6.5 – 8.5	No relaxation	IS 3025 (Part-11): 2002
2	Total Dissolved Solids mg/l Max	282	500	2000	IS 3025 (Part-16): 2002
3	Alkalinity (as CaCO ₃) mg/l, Max	34	200	600	IS 3025 (Part-23): 2003
4	Chloride (as Cl), mg/l, Max	31	250	1594	IS 3025 (Part-32): 2007
5	Sulphate (as SO ₄) mg/l, Max	21.3	200	400	IS 3025 (Part-24): 2003
6	Calcium (as Ca) mg/l Max	41	75	200	IS 3025 (Part-40): 2002
7	Magnesium (as Mg) mg/l, Max	20.4	30	100	IS 3025 (Part-46): 2003
8	Total Hardness(as CaCO ₃) mg/l, Max	187	200	600	IS 3025 (Part-21): 2009
9	Sodium (as Na) mg/l Max	42	-	-	IS 3025 (Part-45): 2003
10	Potassium (as K) mg/l Max	03	-	-	IS 3025 (Part-45): 2003
11	Nitrate (as NO ₃) mg/l, Max	20.1	45	No relaxation	IS 3025 (Part-34): 2003
12	Fluoride (as F) mg/l Max	0.54	1.0	1.5	APHA 4500F (D): 2017
13	Color, Hazen unit, max	<1	5	25	IS 3025 (Part-4): 1983
14	Odor	Agreeable	Agreeable	-----	IS 3025 (Part-5): 2002
15	Turbidity, NTU max	<1	5	10	IS 3025 (Part-10): 2002
16	Taste	Agreeable	Agreeable	-----	IS 3025 (Part-8): 2002
17	Iron (as Fe) mg/l Max	0.19	1.0	No relaxation	IS 3025 (Part-53): 2003
18	Boron (as B) mg/l Max	ND	0.5	1.0	IS 3025 (Part-57): 2005
19	Manganese (as Mn) mg/l Max	ND	0.1	0.3	IS 3025 (Part-59): 2006
20	Zinc (as Zn) mg/l Max	02	5	15	IS 3025 (Part-49): 1994
21	Copper (as Cu) mg/l Max	ND	0.05	1.5	IS 3025 (Part-42): 1992
22	Cadmium (as Cd) mg/l Max	ND	0.003	No relaxation	IS 3025 (Part-41): 1992
23	Lead (as Pb) mg/l Max	ND	0.01	No relaxation	IS 3025 (Part-47): 1994
24	Arsenic (as As) mg/l	ND	0.01	No relaxation	IS 3025 (Part-37): 1988
25	Chromium (as Cr) mg/l Max	ND	0.05	No relaxation	IS 3025 (Part-52): 2003
26	Sulphide (as H ₂ S), mg/l, Max	ND	0.05	No relaxation	APHA 23 rd Edition 2017-4500 D

Bacteriological examination:-

S. NO.	PARAMETERS	TEST RESULTS	LIMIT	TEST METHOD
1	E.coli/100ml	ABSENT	ABSENT	IS 5887 (Part-1): 2005
2	Coliform /100ml	ABSENT	ABSENT	IS 1622: 2003

Note: ND Denotes Not Detectable

1. The test report refers only to tested sample and applicable parameters.
2. This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
3. The sample will be destroyed after fifteen days from the date of issue of test report unless otherwise notified.

For Madhav KRG HRC Private Limited

[Signature]

Auth. Signatory

Ed of Report

(Authorized Signatory)
R.B.E.

Testing of Ambient Air, Noise, Dg Set, Water and Soil Testing

RB ENVIRO LABORATORIES (OPC) PRIVATE LIMITED

Plot No. 56, First Floor, Shivalik City-Nijjer Road, Sec. 127, Kharar, SAS Nagar, Mohali

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

GSTIN: 03AANCR1768G129, Email: rbenvirosolution@gmail.com

+91 6239447329, 8437473298

Page 1 of 1

To
M/s MADHAV KRG HRC PVT LTD,
VILLAGE AKALGARH, NEAR TOLL PLAZA, AMLOH
BHADSON ROAD, BHADALTHUHA, PATIALA, PUNJAB-147203

Report No.	RBEL/2602/1491	Report Date	16.02.2026
Your Ref. No.	Nil	Type of sample	Borewell Water
Sample Code Given by Customer	Borewell-3	Quantity	05 LITER
Sampling Location	Nil	Date of sampling	10.02.2026
Sample Collected By	Lab Person	Date of sample receipt	11.02.2026
Sampling procedure	As per SOP	Sample I.D.	RBEL/2602/1491
		Date of test	11.02.2026-16.02.2026

S. No.	Parameters	Results	Limits of IS: 10500 – 2012 (Amendment no. 1, June 2015)		Test method
			Requirement (Acceptable Limit)	Permissible limit in absence of alternate source	
1	pH	7.56	6.5 – 8.5	No relaxation	IS 3025 (Part-11): 2002
2	Total Dissolved Solids mg/l Max	440	500	2000	IS 3025 (Part-16): 2002
3	Alkalinity (as CaCO ₃) mg/l, Max	41	200	600	IS 3025 (Part-23): 2003
4	Chloride (as Cl), mg/l, Max	46.9	250	1594	IS 3025 (Part-32): 2007
5	Sulphate (as SO ₄) mg/l, Max	30.2	200	400	IS 3025 (Part-24): 2003
6	Calcium (as Ca) mg/l Max	45	75	200	IS 3025 (Part-40): 2002
7	Magnesium (as Mg) mg/l, Max	22.1	30	100	IS 3025 (Part-46): 2003
8	Total Hardness(as CaCO ₃) mg/l, Max	194	200	600	IS 3025 (Part-21): 2009
9	Sodium (as Na) mg/l Max	57	-	-	IS 3025 (Part-45): 2003
10	Potassium (as K) mg/l Max	08	-	-	IS 3025 (Part-45): 2003
11	Nitrate (as NO ₃) mg/l, Max	21.6	45	No relaxation	IS 3025 (Part-34): 2003
12	Fluoride (as F) mg/l Max	0.60	1.0	1.5	APHA 4500F (D): 2017
13	Colour, Hazen unit, max	<1	5	25	IS 3025 (Part-4): 1983
14	Odour	Agreeable	Agreeable	-----	IS 3025 (Part-5): 2002
15	Turbidity, NTU max	<1	5	10	IS 3025 (Part-10): 2002
16	Taste	Agreeable	Agreeable	-----	IS 3025 (Part -8): 2002
17	Iron (as Fe) mg/l Max	0.41	1.0	No relaxation	IS 3025 (Part-53): 2003
18	Boron (as B) mg/l Max	ND	0.5	1.0	IS 3025 (Part-57): 2005
19	Manganese (as Mn) mg/l Max	ND	0.1	0.3	IS 3025 (Part-59): 2006
20	Zinc (as Zn) mg/l Max	2.6	5	15	IS 3025 (Part-49): 1994
21	Copper (as Cu) mg/l Max	ND	0.05	1.5	IS 3025 (Part-42): 1992
22	Cadmium (as Cd) mg/l Max	ND	0.003	No relaxation	IS 3025 (Part-41): 1992
23	Lead (as Pb) mg/l Max	ND	0.01	No relaxation	IS 3025 (Part-47): 1994
24	Arsenic (as As) mg/l	ND	0.01	No relaxation	IS 3025 (Part-37): 1988
25	Chromium (as Cr) mg/l Max	ND	0.05	No relaxation	IS 3025 (Part-52): 2003
26	Sulphide (as H ₂ S), mg/l, Max	ND	0.05	No relaxation	APHA 23 rd Edition 2017-4500 D

Bacteriological examination:-

S. NO.	PARAMETERS	TEST RESULTS	LIMIT	TEST METHOD
1	E.coli/100ml	ABSENT	ABSENT	IS 5887 (Part-1): 2005
2	Coliform /100ml	ABSENT	ABSENT	IS 1622: 2003

Note: ND Denotes Not Detectable


1. The test report refers only to tested sample and applicable parameters.
2. This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
3. The sample will be destroyed after fifteen days from the date of issue of test report unless otherwise specified.

For Madhav KRG HRC Private Limited

Pravink Singh

Auth. Signatory

Ed of Report



Testing of Ambient Air, Noise, Dg Set, Water and Soil Testing

RB ENVIRO LABORATORIES (OPC) PRIVATE LIMITED

Plot No. 56, First Floor, Shivalik City-Nijjer Road, Sec. 127, Kharar, SAS Nagar, Mohali

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

GSTIN: 03AANCR1768G129, Email: rbenvirosolution@gmail.com

+91 6239447329, 8437473298

Page 1 of 1

To
M/s MADHAV KRG HRC PVT LTD,
VILLAGE AKALGARH, NEAR TOLL PLAZA, AMLOH
BHADSON ROAD, BHADALTHUHA, PATIALA, PUNJAB-147203

Report No.	RBEL/2602/149J	Report Date	16.02.2026
Your Ref. No.	Nil	Type of sample	Borewell Water
Sample Code Given by Customer	Borewell-4	Quantity	05 LITER
Sampling Location	Nil	Date of sampling	10.02.2026
Sample Collected By	Lab Person	Date of sample receipt	11.02.2026
Sampling procedure	As per SOP	Sample I.D.	RBEL/2602/149J
		Date of test	11.02.2026-16.02.2026

S. No.	Parameters	Results	Limits of IS: 10500 – 2012 (Amendment no. 1, June 2015)		Test method
			Requirement (Acceptable Limit)	Permissible limit in absence of alternate source	
1	pH	7.43	6.5 – 8.5	No relaxation	IS 3025 (Part-11): 2002
2	Total Dissolved Solids mg/l Max	439	500	2000	IS 3025 (Part-16): 2002
3	Alkalinity (as CaCO ₃) mg/l ,Max	42	200	600	IS 3025 (Part-23): 2003
4	Chloride (as Cl), mg/l, Max	59	250	1594	IS 3025 (Part-32): 2007
5	Sulphate (as SO ₄) mg/l, Max	44	200	400	IS 3025 (Part-24): 2003
6	Calcium (as Ca) mg/l Max	52.1	75	200	IS 3025 (Part-40): 2002
7	Magnesium (as Mg) mg/l, Max	11	30	100	IS 3025 (Part-46): 2003
8	Total Hardness(as CaCO ₃) mg/l, Max	187	200	600	IS 3025 (Part-21): 2009
9	Sodium (as Na) mg/l Max	51	-	-	IS 3025 (Part-45): 2003
10	Potassium (as K) mg/l Max	16	-	-	IS 3025 (Part-45): 2003
11	Nitrate (as NO ₃) mg/l, Max	27.2	45	No relaxation	IS 3025 (Part-34): 2003
12	Fluoride (as F) mg/l Max	0.72	1.0	1.5	APHA 4500F (D): 2017
13	Colour, Hazen unit, max	<1	5	25	IS 3025 (Part-4): 1983
14	Odour	Agreeable	Agreeable	-----	IS 3025 (Part-5): 2002
15	Turbidity, NTU max	<1	5	10	IS 3025 (Part-10): 2002
16	Taste	Agreeable	Agreeable	-----	IS 3025 (Part-8): 2002
17	Iron (as Fe) mg/l Max	0.60	1.0	No relaxation	IS 3025 (Part-53): 2003
18	Boron (as B) mg/l Max	ND	0.5	1.0	IS 3025 (Part-57): 2005
19	Manganese (as Mn) mg/l Max	ND	0.1	0.3	IS 3025 (Part-59): 2006
20	Zinc (as Zn) mg/l Max	2.9	5	15	IS 3025 (Part-49): 1994
21	Copper (as Cu) mg/l Max	ND	0.05	1.5	IS 3025 (Part-42): 1992
22	Cadmium (as Cd) mg/l Max	ND	0.003	No relaxation	IS 3025 (Part-41): 1992
23	Lead (as Pb) mg/l Max	ND	0.01	No relaxation	IS 3025 (Part-47): 1994
24	Arsenic (as As) mg/l	ND	0.01	No relaxation	IS 3025 (Part-37): 1988
25	Chromium (as Cr) mg/l Max	ND	0.05	No relaxation	IS 3025 (Part-52): 2003
26	Sulphide (as H ₂ S), mg/l, Max	ND	0.05	No relaxation	APHA 23 rd Edition 2017-4500 D

Bacteriological examination:-

S. NO.	PARAMETERS	TEST RESULTS	LIMIT	TEST METHOD
1	E.coli/100ml	ABSENT	ABSENT	IS 5887 (Part-1): 2005
2	Coliform /100ml	ABSENT	ABSENT	IS 1622: 2003

Note: ND Denotes Not Detectable

1. The test report refers only to tested sample and applicable parameters.
2. This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
3. The sample will be destroyed after fifteen days from the date of issue of test report unless otherwise specified.


For Madhav KRG HRC Private Limited

Dr. Anil Singh

Auth. Signatory

Ed of Report

(Authorized Signatory)



Testing of Ambient Air, Noise, Dg Set, Water and Soil Testing.

RB ENVIRO LABORATORIES (OPC) PRIVATE LIMITED

Plot No. 56, First Floor, Shivalik City-Nijjer Road, Sec. 127, Kharar, SAS Nagar, Mohali

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

GSTIN: 03AANC1768G1Z9, Email: rbenvirosolution@gmail.com

+91 6239447329, 8437473298

Page 1 of 1

To
M/s MADHAV KRG HRC PVT LTD.
VILLAGE AKALGARH, NEAR TOLL PLAZA, AMLOH
BHADSON ROAD, BHADALTHUHA, PATIALA, PUNJAB-147203

Report No.	RBEL/2602/149X	Report Date	16.02.2026
Your Ref. No.	Nil	Type of sample	STP Outlet
Sample Code given by customer	Nil	Quantity	2 Liter HDPE Bottle + 1 Liter Glass Bottle
Sampling Location	Within Premises	Date of sampling	10.02.2026
Sample Collected By	Lab Person	Date of sample receipt	11.02.2026
Sampling procedure	As per SOP	Sample I.D.	RBEL/2602/149X
		Date of test	11.02.2026-16.02.2026

S. NO.	PARAMETERS	TEST RESULTS	Limits	TEST METHODS
1.	pH	7.87	5.5 - 9.0	IS 3025 (Part-11): 2002
2.	Total Suspended Solids, mg/L	09	100	IS 3025 (Part-17): 1984
3.	Total Dissolved Solid, mg/L	350	2100	IS 3025 (Part-16): 1984
4.	Bio-chemical Oxygen Demand at 27°C 3 days, mg/L	07	10	IS 3025 (Part-44): 2003
5.	Chemical Oxygen Demand, mg/L	37.4	50	IS 3025 (part-58): 2006
6.	Oil and Grease, mg/L	3.7	10	IS 3025 (Part-39): 2003
7.	Total Hardness (as CaCO ₃) mg/l,	234	...	IS 3025 (Part-21): 2009
8.	Alkalinity (as CaCO ₃) mg/l	32	...	IS 3025 (Part-23): 2003
9.	Iron (as Fe) mg/l	0.14	03	IS 3025 (Part-53): 2003
10.	Conductivity, micro mhos/cm at 25°C	750	...	IS 3025 (Part-14): 1984
11.	Total Phosphate as PO ₄	0.12	05	IS 3025 (Part-31): 2003
12.	Chloride (as Cl), mg/l,	161.8	...	IS 3025 (Part-32): 2007
13.	Turbidity, NTU max	05	...	IS 3025 (Part-10): 2002

Note: ND Denotes Not Detectable

1. The test report refers only to tested sample and applicable parameters.
2. This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
3. The sample will be destroyed after fifteen days from the date of issue of test report unless otherwise specified.

End of Report



For Madhav KRG HRC Private Limited

David Singh
Auth. Signatory



RB ENVIRO LABORATORIES (OPC) PRIVATE LIMITED

Plot No. 56, First Floor, Shivalik City-Nijjer Road, Sec. 127, Kharar, SAS Nagar, Mohali

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

GSTIN: 03AANC1768G129, Email: rbenvirosolution@gmail.com

+91 6239447329, 8437473298

Page 1 of 1

To
M/s MADHAV KRG HRC PVT LTD.
VILLAGE AKALGARH, NEAR TOLL PLAZA, AMLOH
BHADSON ROAD, BHADALTHUHA, PATIALA, PUNJAB-147203


Report No.	RBEL/2602/149A	Report Date	16.02.2026
Your Ref. No	Nil	Type of sample	Process Stack
Sample Code given by Customer	OLD	Date of sampling	10.02.2026
Sampling Location	Within Premises	Date of Sample Receipt	11.02.2026
Sample Collected By	Lab Person	Sample I.D.	RBEL/2602/149A
Sampling procedure	As per SOP	Date of test	11.02.2026-16.02.2026
TECHNICAL DATA			
1	Instrument Used for Sampling	VSSI	
2	Source of Emission	Process Stack of Induction Furnace	
3	Fuel used in source	Electricity	
4	Type of stack	Circular of Metal	
5	Velocity of fuel gases	7.9 m/s	
6	Sampling Duration	62 min.	
7	Ambient air temperature	18 °C	
8	Stack temperature	74 °C	
9	Stack height from ground level	45 meter (GL)	
10	Diameter of stack	3.8 meter	
11	No. of traverse point selected	01	
12	Type of APCD Installed	Bag house Filter	

S. NO	PARAMETER	RESULT (mg/nm ³)	Limits (mg/nm ³) CPCB-2010	TEST METHOD
1.	Particulate Matter, mg/Nm ³	13.2	50	IS:11255(Pt-I): 1985

Note:

1. The test report refers only to tested sample and applicable parameters.
2. This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
3. The sample will be destroyed after Fifteen days from the date of issue of test report unless otherwise specified.

** End of Report **



For Madhav KRG HRC Private Limited

[Signature]

Auth. Signatory

RB ENVIRO LABORATORIES (OPC) PRIVATE LIMITED

Plot No. 56, First Floor, Shivalik City-Nijjer Road, Sec. 127, Kharar, SAS Nagar, Mohali

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

GSTIN: 03AANCR1768G1Z9, Email: rbenvirosolution@gmail.com

+91 6239447329, 8437473298

Page 1 of 1

To
M/s MADHAV KRG HRC PVT LTD.
VILLAGE AKALGARH, NEAR TOLL PLAZA, AMLOH
BHADSON ROAD, BHADALTHUHA, PATIALA, PUNJAB-147203

Report No.	RBEL/2602/149B	Report Date	16.02.2026
Your Ref. No	Nil	Type of sample	Ambient Air Sample
Sample Code Given by Customer	Nil	Date of sampling	10.02.2026
Sampling Location	Within Premises	Date of Sample Receipt	11.02.2026
Sample Collected By	Lab Person	Sample I.D.	RBEL/2602/149B
Sampling procedure	As per SOP	Date of test	11.02.2026-16.02.2026

TECHNICAL DATA	
1	Location of Sampling Station
2	Instrument Used for Sampling
3	Source of Sampling
4	Temperature of Sampling Location
5	Environmental Condition
6	Time Period for Sampling

Sr.N.	PARAMETERS	RESULTS	STANDARD	TEST METHOD
1.	Respirable suspended particulate matter (PM ₁₀)	60	100.0 µg/m ³	IS 5182: 2006
2.	Sulphur dioxide (SO ₂)	19	80.0 µg/m ³	IS 5182 (Part-2): 2006
3.	Nitrogen dioxide (NO ₂)	18	80.0 µg/m ³	IS 5182 (Part-6): 2006
4.	Fine particulate matter (PM _{2.5})	22	60.0 µg/m ³	IS 5182: 2006
5.	CO (One Hours)	ND	2.0 mg/m ³	NIOSH to 6604: 1996
6.	Nickel (Ni)	ND	20.0 ng/m ³	IS 5182 (Part-22): 2004
7.	Arsenic (As)	ND	6.0 ng/m ³	IS 5182 (Part-22): 2004
8.	Lead (Pb)	ND	1.0 µg/m ³	IS 5182 (Part-22): 2004
9.	Benzene (C ₆ H ₆)	ND	5.0 µg/m ³	IS 5182 (Part-11): 2006
10.	Benzo(a)pyrene (BaP)	ND	1.0 ng/m ³	IS 5182 (Part-12): 2006
11.	Ammonia (NH ₃)	ND	400.0 µg/m ³	NIOSH to 6015: 1994
12.	Ozone (O ₃)	ND	100.0 µg/m ³	IS 5182 (Part-9): 1974


Note: ND denotes NOT Detectable

- The test report refers only to tested sample and applicable parameters.
- This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
- The sample will be destroyed after fifteen days from the date of issue of test report unless otherwise specified.

End of Report

For Madhav KRG HRC Private Limited

David Singh
Auth. Signatory



RB ENVIRO LABORATORIES (OPC) PRIVATE LIMITED

Plot No. 56, First Floor, Shivalik City-Nijjer Road, Sec. 127, Kharar, SAS Nagar, Mohali

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

GSTIN: 03AANC1768G1Z9, Email: rbenvirosolution@gmail.com

+91 6239447329, 8437473298

Page 1 of 1

To
M/s MADHAV KRG HRC PVT LTD,
VILLAGE AKALGARH, NEAR TOLL PLAZA, AMLOH
BHADSON ROAD, BHADALTHUHA, PATIALA, PUNJAB-147203

Report No.	RBEL/2602/149C	Report Date	16.02.2026
Your Ref. No	Nil	Type of sample	Ambient Air Sample
Sample Code Given by Customer	Nil	Date of sampling	10.02.2026
Sampling Location	Within Premises	Date of Sample Receipt	11.02.2026
Sample Collected By	Lab Person	Sample I.D.	RBEL/2602/149C
Sampling procedure	As per SOP	Date of test	11.02.2026-16.02.2026

TECHNICAL DATA	
1	Location of Sampling Station
2	Instrument Used for Sampling
3	Source of Sampling
4	Temperature of Sampling Location
5	Environmental Condition
6	Time Period for Sampling

Sr.N.	PARAMETERS	RESULTS	STANDARD	TEST METHOD
1.	Respirable suspended particulate matter(PM ₁₀)	59	100.0 µg/m ³	IS 5182: 2006
2.	Sulphur dioxide (SO ₂)	18	80.0 µg/m ³	IS 5182 (Part-2): 2006
3.	Nitrogen dioxide (NO ₂)	21	80.0 µg/m ³	IS 5182 (Part-6): 2006
4.	Fine particulate matter (PM _{2.5})	23	60.0 µg/m ³	IS 5182: 2006
5.	CO (One Hours)	ND	2.0 mg/m ³	NIOSH to 6604: 1996
6.	Nickel (Ni)	ND	20.0 ng/m ³	IS 5182 (Part-22): 2004
7.	Arsenic (As)	ND	6.0 ng/m ³	IS 5182 (Part-22): 2004
8.	Lead (Pb)	ND	1.0 µg/m ³	IS 5182 (Part-22): 2004
9.	Benzene (C ₆ H ₆)	ND	5.0 µg/m ³	IS 5182 (Part-11): 2006
10.	Benzo(a)pyrene (BaP)	ND	1.0 ng/m ³	IS 5182 (Part-12): 2006
11.	Ammonia (NH ₃)	ND	400.0 µg/m ³	NIOSH to 6015: 1994
12.	Ozone (O ₃)	ND	100.0 µg/m ³	IS 5182 (Part-9): 1974

Note: ND denotes NOT Detectable


1. The test report refers only to tested sample and applicable parameters.
2. This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
3. The sample will be destroyed after fifteen days from the date of issue of test report unless otherwise specified.

End of Report

For Madhav KRG HRC Private Limited

David Singh

Auth. Signatory



RB ENVIRO LABORATORIES (OPC) PRIVATE LIMITED

Plot No. 56, First Floor, Shivalik City-Nijjer Road, Sec. 127, Kharar, SAS Nagar, Mohali

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

GSTIN: 03AANCR1768G1Z9, Email: rbenvirosolution@gmail.com

+91 6239447329, 8437473298

Page 1 of 1

To
M/s MADHAV KRG HRC PVT LTD,
VILLAGE AKALGARH, NEAR TOLL PLAZA, AMLOH
BHADSON ROAD, BHADALTHUHA, PATIALA, PUNJAB-147203

Report No.	RBEL/2602/149D	Report Date	16.02.2026
Your Ref. No	Nil	Type of sample	Ambient Air Sample
Sample Code Given by Customer	Nil	Date of sampling	10.02.2026
Sampling Location	Within Premises	Date of Sample Receipt	11.02.2026
Sample Collected By	Lab Person	Sample I.D.	RBEL/2602/149D
Sampling procedure	As per SOP	Date of test	11.02.2026-16.02.2026

TECHNICAL DATA	
1	Location of Sampling Station
2	Instrument Used for Sampling
3	Source of Sampling
4	Temperature of Sampling Location
5	Environmental Condition
6	Time Period for Sampling

Near Scrap Yard security post
Respirable Dust Sampler
Ambient Air Sample
18°C
Max temp. 23°C
Min temp. 14°C
Clear sky and wind direction west to east
480Minutes

Sr.N.	PARAMETERS	RESULTS	STANDARD	TEST METHOD
1.	Respirable suspended particulate matter(PM ₁₀)	60	100.0 µg/m ³	IS 5182: 2006
2.	Sulphur dioxide (SO ₂)	19	80.0 µg/m ³	IS 5182 (Part-2): 2006
3.	Nitrogen dioxide (NO ₂)	27	80.0 µg/m ³	IS 5182 (Part-6): 2006
4.	Fine particulate matter (PM _{2.5})	29	60.0 µg/m ³	IS 5182: 2006
5.	CO (One Hours)	ND	2.0 mg/m ³	NIOSH to 6604: 1996
6.	Nickel (Ni)	ND	20.0 ng/m ³	IS 5182 (Part-22): 2004
7.	Arsenic (As)	ND	6.0 ng/m ³	IS 5182 (Part-22): 2004
8.	Lead (Pb)	ND	1.0 µg/m ³	IS 5182 (Part-22): 2004
9.	Benzene (C ₆ H ₆)	ND	5.0 µg/m ³	IS 5182 (Part-11): 2006
10.	Benzo(a)pyrene (BaP)	ND	1.0 ng/m ³	IS 5182 (Part-12): 2006
11.	Ammonia (NH ₃)	ND	400.0 µg/m ³	NIOSH to 6015: 1994
12.	Ozone (O ₃)	ND	100.0 µg/m ³	IS 5182 (Part-9): 1974


Note: ND denotes NOT Detectable

1. The test report refers only to tested sample and applicable parameters.
2. This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
3. The sample will be destroyed after fifteen days from the date of issue of test report unless otherwise specified.

End of Report

For Madhav KRG HRC Private Limited

Navinder Singh
Auth. Signatory



RB ENVIRO LABORATORIES (OPC) PRIVATE LIMITED

Plot No. 56, First Floor, Shivalik City-Nijjer Road, Sec. 127, Kharar, SAS Nagar, Mohali

ISO 9001:2015, ISO 14001:2015, ISO 45001:2018

GSTIN: 03AANCR1768G129, Email: rbenvirosolution@gmail.com

+91 6239447329, 8437473298

Page 1 of 1

To
M/s MADHAV KRG HRC PVT LTD.
VILLAGE AKALGARH, NEAR TOLL PLAZA, AMLOH
BHADSON ROAD, BHADALTHUHA, PATIALA, PUNJAB-147203

Report No.	RBEL/2602/149E	Report Date	16.02.2026
Your Ref. No	Nil	Type of sample	Ambient Air Sample
Sample Code Given by Customer	Nil	Date of sampling	10.02.2026
Sampling Location	Within Premises	Date of Sample Receipt	11.02.2026
Sample Collected By	Lab Person	Sample I.D.	RBEL/2602/149E
Sampling procedure	As per SOP	Date of test	11.02.2026-16.02.2026

TECHNICAL DATA	
1	Location of Sampling Station
2	Instrument Used for Sampling
3	Source of Sampling
4	Temperature of Sampling Location
5	Environmental Condition
6	Time Period for Sampling


Near Shed No-6
Respirable Dust Sampler
Ambient Air Sample
18°C
Max temp. 23°C
Min temp. 14°C
Clear sky and wind direction west to east
480Minutes

Sr.N.	PARAMETERS	RESULTS	STANDARD	TEST METHOD
1.	Respirable suspended particulate matter (PM ₁₀)	58	100.0 µg/m ³	IS 5182: 2006
2.	Sulphur dioxide (SO ₂)	17	80.0 µg/m ³	IS 5182 (Part-2): 2006
3.	Nitrogen dioxide (NO ₂)	21	80.0 µg/m ³	IS 5182 (Part-6): 2006
4.	Fine particulate matter (PM _{2.5})	26	60.0 µg/m ³	IS 5182: 2006
5.	CO (One Hours)	ND	2.0 mg/m ³	NIOSH to 6604: 1996
6.	Nickel (Ni)	ND	20.0 ng/m ³	IS 5182 (Part-22): 2004
7.	Arsenic (As)	ND	6.0 ng/m ³	IS 5182 (Part-22): 2004
8.	Lead (Pb)	ND	1.0 µg/m ³	IS 5182 (Part-22): 2004
9.	Benzene (C ₆ H ₆)	ND	5.0 µg/m ³	IS 5182 (Part-11): 2006
10.	Benzo(a)pyrene (BaP)	ND	1.0 ng/m ³	IS 5182 (Part-12): 2006
11.	Ammonia (NH ₃)	ND	400.0 µg/m ³	NIOSH to 6015: 1994
12.	Ozone (O ₃)	ND	100.0 µg/m ³	IS 5182 (Part-9): 1974

Note: ND denotes NOT Detectable

1. The test report refers only to tested sample and applicable parameters.
2. This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
3. The sample will be destroyed after fifteen days from the date of issue of test report unless otherwise specified.

End of Report



For Madhav KRG HRC Private Limited

Navinder Singh
Auth. Signatory



Madhav KRG HRC Pvt Ltd

[QUALITY](#) ▾
 [CSR](#) ▾
 [MEDIA](#) ▾
 [CAREER](#)
[END CUSTOMER](#)

[ABOUT US](#) ▾
 [PRODUCTS](#) ▾
 [SERVICES](#) ▾
 [CONTACT](#)



HRC-HALF YEARLY-Compliance-30-09-25



HRC Six Monthly Compliance



HRC Six Monthly Compliance



MKRG HRC 31.03.24



MKRG HRC EC Compliance-30.09.23



MKRG HRC Compliance 30.09.22



UPCOMING EVENTS

ENQUIRY



QUICK LINKS

[Home](#)

CORPORATE OFFICE

Level 4, Celebration Estate, GT Road

REGISTERED OFFICE

4002-3, Anand Vilas, Tughlakpur

WORK OFFICE

VII, Akash, Anand Vilas, Tughlakpur

Activate Windows
 Go to Settings to activate Windows.





Madhav KRG HRC Pvt Ltd

- QUALITY
- CSR
- MEDIA
- CAREER
- END CUSTOMER
- ABOUT US
- PRODUCTS
- SERVICES
- CONTACT



HRC-HALF YEARLY-Compliance-30-09-25	↓	HRC Six Monthly Compliance	↓
HRC Six Monthly Compliance	↓	MKRG HRC 31.03.24	↓
MKRG HRC EC Compliance-30.09.23	↓	MKRG HRC Compliance 30.09.22	↓



QUICK LINKS	CORPORATE OFFICE	REGISTERED OFFICE	WORK OFFICE
Home	Level 4, Saketapuri, Bhopal, CT Road	400/2, Anand Vilas, Bhopal	Vill. Akalakh, Amli, Bhopal Road

UPCOMING EVENTS

ENQUIRY

Activate Windows
Go to Settings to activate Windows













SEWAGE TREATMENT PLANT

PH	7.7
TSS	21
TDS	696
BOD	8
COD	35

नियम
NO SMOKING
धूम्रपान के अवसर
यहाँ, निषिद्ध है,
किसी भी प्रकार के धूम्रपान
करना वर्जित है।

FORM 4
[See rules 6(5), 13(8), 16(6) and 20 (2)]
Annual Return
under

Hazardous & Other Wastes(Management & Transboundary Movement) Rules, 2016

To be submitted to State Pollution Control Board by 30th day of June of every year for the preceding period April to March

Return No : 28954708

Period : 2024-2025

1. Name of facility/Industry Industry Address of facility/Industry	Madhav KRG HRC Pvt. Ltd. Village Akalgarh & Bhagwanpura, Amloh-Bhadson Road, Near Toll Plaza			
2. UID	R22PTA821818			
3. Authorisation No Date of issue: Date of Expiry	HWM/renew/FGS/2025/28187347 05/05/2025 31/03/2026			
4. (i) Name of the authorised person & Designation	Swarn Jeet Singh AGM			
(ii) Correspondence Address	Village Akalgarh & Bhagwanpura, Amloh-Bhadson Road, Near Toll Plaza			
(iii) Mobile No	9115101607			
(iv) Land Line No (with area code)				
(iv) Fax number (with area code)				
(vi) e-mail	regulatory@madhavkrsgroup.com			
5. Production during the year (product wise), wherever applicable	Sr.no	Product Name	Quantity	Unit
	1	SLAB	41630	Metric Ton
	2	HOT ROLLED COIL	76923	Metric Ton

Part A. To be filled by hazardous waste generators									
Sr.no	Category	Unit	Quantity in stock at the beginning of the year	Total quantity of waste generated	Quantity dispatched to disposal facility	Quantity dispatched to recycler or co-processors or pre-processor	Quantity dispatched to others	Quantity utilised in house	Quantity in storage at the end of the year
1	Schedule I - 5. Industrial operations using mineral or synthetic oil as lubricant in hydraulic systems or other applications - 5.2- Wastes or residues containing oil	Metric Ton	0	0.109	0.07	0	0	0	0.039

2	Schedule I - 33. Handling of hazardous chemicals and wastes - 33.2-Contaminated cotton rags or other cleaning materials	Metric Ton	0	0	0	0	0	0	0
3	Schedule I - 5. Industrial operations using mineral or synthetic oil as lubricant in hydraulic systems or other applications - 5.1-Used or spent oil	Metric Ton	0	200	200	0	0	0	200
4	Schedule I - 35. Purification and treatment of exhaust air/gases, water and waste water from the processes in this schedule and common industrial effluent treatment plants (CETP's) - 35.1-Exhaust Air or Gas cleaning residue	Metric Ton	0	481.270	0	477.950	0	0	3.320

Part B. To be filled by Treatment, storage and disposal facility operators

Sr.no	Category	Unit	Quantity in stock at the beginning of the year	Total quantity received	Quantity treated	Quantity disposed in landfills as such and after treatment	Quantity incinerated (If applicable)	Quantity processed other than specified above	Quantity in storage at the end of the year
-------	----------	------	--	-------------------------	------------------	--	--------------------------------------	---	--

Part C. To be filled by recyclers or co-processors or other users

Sr.no	Category	Unit	Quantity in stock at the beginning of the year	Quantity of waste received during the year from Domestic sources	Quantity of waste received during the year Imported	Quantity recycled or co-processed or used	Quantity of waste generated	Quantity of waste disposed	Quantity re-exported (wherever applicable)	Quantity in storage at the end of the year
-------	----------	------	--	--	---	---	-----------------------------	----------------------------	--	--

Quantity of products dispatched (wherever applicable)

Sr.no	Product dispatched	Quantity	Unit
1	SLAB	39544	Metric Ton
2	HOT ROLLED COIL	73973	Metric Ton


Date : 23/06/2025

Place : FATEHGARH SAHIB

Sudhir Goyal

Name of the Occupier or Operator of the disposal facility

SCALE:- 1"=40'




1	MRSS Area	13	COM Pit
2	Container Shear	14	Settling Tank
3	Box Shear	15	Pressure Filter
4	Baller	16	HSM Scale Pit
5	FES	17	Sludge Thickener
6	Furnace 1	18	RM Weight Bridge
7	Furnace 2	19	FM Weight Bridge
8	Furnace 3	20	Cooling Tower
9	FES		
10	Caster		
11	LRF		
12	Rolling Mill		

PROJECT: M/S MADHAV KR
HRC PVT. LTD.,
AMLOH-BHADSON ROAD,
VILLAGE AKALGARH, TEHSIL
NABHA, DISTRICT PATIALA,
PUNJAB

AREA OCCUPIED BY MACHINERY

LEGEND

SEWER LINE
DRINKING WATER



SKETCH PLANS

DATE: 24/11/2022
DRAWN BY: [Signature]
CHECKED BY: [Signature]
SHEET NO.-1 (SITE PLAN)

ARCHITECTURAL CONSULTANTS:
GUPTA ARCHITECTS
& ASSOCIATES
S.C.O. 36, SURYA COMPLEX, LEELA BHAYAN
PATIALA - 147001,
OLD TEHSIL ROAD, OPP. NAGAR COUNCIL
PATRAN DISTT. PATIALA - 147405
PHONE: 98150-92187, 9023672118
E-MAIL: guptadashvir@gmail.com

File No.: 201224233 Date: 24/11/2022

I/60730/2023



भारत सरकार
GOVERNMENT OF INDIA
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय
MINISTRY OF ENVIRONMENT, FOREST AND CLIMATE CHANGE
क्षेत्रीय कार्यालय, चंडीगढ़ / Regional Office, Chandigarh



मिसिल संख्या :- 9-PBB419/2023-CHA

दिनांक: .12.2023

सेवा में,

अतिरिक्त मुख्य सचिव (वन),
पंजाब सरकार, लघु सचिवालय,
सेक्टर-9, चण्डीगढ़ ।
(fcf@punjab.gov.in)

विषय:- Diversion of 0.0212 ha of forest land permission for construction of approach access to Madhav KRG HRC Pvt. Ltd., on Nabha-Bhawanigarh-Gobindgarh road KM 41-42 R/side, at village Bhagwanpura Tehsil Amloh District Fatehgarh Sahib village Akalgarh Tehsil Nabha, District Patiala, Punjab. (Online proposal no. FPPB/Approach/153259/2022)

संदर्भ (i) State Government online proposal received on dated 21.07.2023.

(ii) अतिरिक्त प्रधान मुख्य वन संरक्षक, पंजाब सरकार के पत्र संख्या FOREST-FCA0FC2P/79/2022-FCA दिनांक 19.12.2023.

महोदय,

मुझे आपका ध्यान उपर्युक्त प्रस्ताव की और दिलाने का निर्देश हुआ है, जिसमें वन (संरक्षण) अधिनियम, 1980 की धारा- 2 के अधीन केन्द्रीय सरकार की अनुमति मांगी गई है। इस प्रस्ताव में इस कार्यालय के समसंख्यक पत्र दिनांक 28.10.2023 द्वारा सैद्धांतिक स्वीकृति प्रदान की गई थी, जिसकी अनुपालना रिपोर्ट अतिरिक्त प्रधान मुख्य वन संरक्षक व नोडल अधिकारी के पत्र संख्या FOREST-FCA0FC2P/79/2022-FCA दिनांक 19.12.2023 (ऑनलाइन पोर्टल) द्वारा प्राप्त होने के उपरान्त केन्द्र सरकार द्वारा उपर्युक्त उद्देश्य हेतु 0.0212 हेक्टेयर वन भूमि के उपयोग हेतु विधिवत स्वीकृति निम्नलिखित शर्तें पूरी करने पर प्रदान की जाती है:-

- वन भूमि की विधिक स्थिति बदली नहीं जाएगी।
- काटे जाने वाले बाधक वृक्षों/पौधों की संख्या किसी भी रूप में प्रस्ताव में दर्शायी गई संख्या से अधिक नहीं होगी और वृक्षों की कटाई के दौरान वन्यजीवों को किसी तरह का नुकसान नहीं पहुंचाया जाएगा।
- प्रतिपूर्ति पौधारोपण राज्य सरकार द्वारा प्रस्तावित सीए योजना के अनुसार Gulaher Minor RD Village Paid to Tail B/side, Samana & District Patiala, में पौधे लगाकर किया जाएगा और धन प्रयोक्ता एजेंसी द्वारा प्रदान किया जाएगा।
- अतिरिक्त प्रतिपूर्ति पौधारोपण राज्य सरकार द्वारा प्रस्तावित एसीए योजना के अनुसार Gulaher Minor RD Village Paid to Tail B/side, Samana & District Patiala, में पौधे लगाकर किया जाएगा और धन प्रयोक्ता एजेंसी द्वारा प्रदान किया जाएगा।
- प्रतिपूर्ति पौधारोपण और अतिरिक्त प्रतिपूर्ति पौधारोपण इस पत्र के जारी होने की तिथि से एक वर्ष के अन्दर हो जाना चाहिए।
- CEO, State CAMPA, इस कार्यालय द्वारा अनुमोदित सीए योजना के अनुसार CA वृक्षारोपण के लिए DFO को CAMPA Scheme के तहत धनराशि जारी करना सुनिश्चित करेंगे।
- DFO अनुमोदित CA Sites पर वृक्षारोपण करना सुनिश्चित करेंगे और MoEF&CC की अनुमति प्राप्त किए बिना अनुमोदित को नहीं बदलेंगे।
- राज्य सरकार प्रयोक्ता एजेंसी को वन भूमि को गैर वानिकी कार्यों के लिए हस्तान्तरण से पूर्व स्वीकृत प्रतिपूर्ति पौधारोपण (CA) क्षेत्र की KML फाइल को भारतीय वन सर्वेक्षण (FSI) के E-Green Watch पोर्टल पर अपलोड करना सुनिश्चित करेंगी।
- वन भूमि का प्रयोग प्रस्ताव में दर्शाये गये उद्देश्य के अलावा किसी अन्य उद्देश्य के लिये नहीं किया जायेगा।

I/60730/2023

- x. माननीय उच्चतम न्यायालय के निर्देशानुसार जब कभी भी NPV की राशि बढ़ाई जायेगी तो उस बढ़ी हुई NPV की राशि को जमा करने के लिए प्रयोक्ता एजेंसी बाध्य होगी और राज्य सरकार बढ़ी हुई राशि जमा कराना सुनिश्चित करेगी।
- xi. इस प्रस्ताव को 99 वर्षों के लिए अनुमति प्रदान की जायेगी, इसके उपरांत पुनः यह अनुमति भारत सरकार से प्राप्त करनी होगी। इस अनुमोदन के तहत Diversion की अवधि प्रयोक्ता एजेंसी के पक्ष में दी जाने वाली Lease की अवधि या परियोजना की अवधि जो भी कम हो के सह-समाप्ति होगी।
- xii. साथ लगते वन और वनभूमि को किसी तरह का कोई नुकसान नहीं पहुंचाया जायेगा और साथ लगते हुए वन और वनभूमि को बचाने के लिये सभी प्रयत्न किये जायेंगे।
- xiii. स्थानान्तरण के लिए प्रस्तावित वनभूमि को केंद्रीय सरकार की पूर्व अनुमति के बिना किसी भी परिस्थिति में किसी अन्य एजेंसी, विभाग या व्यक्ति विशेष को हस्तांतरित नहीं किया जायेगा।
- xiv. केंद्रीय सरकार की अनुमति के बिना प्रस्ताव के लेआउट प्लान को बदला नहीं जायेगा।
- xv. कूड़ा कर्कट निपटान जारी योजना के अनुसार किया जायेगा।
- xvi. अन्य कोई भी शर्त इस क्षेत्रीय कार्यालय द्वारा वन तथा वन्यजीवों के संरक्षण, सुरक्षा तथा विकास हेतु समय – समय पर लगाई जा सकती है।
- xvii. यदि आवश्यक हो तो प्रयोक्ता एजेंसी पर्यावरण (सुरक्षा) अधिनियम 1986, के अनुसार पर्यावरण अनुमति प्राप्त करेगी।
- xviii. इनमें से किसी भी शर्त का उल्लंघन वन संरक्षण अधिनियम, 1980 का उल्लंघन होगा तथा पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय के Handbook of Forest (Conservation) Act, 1980 and Forest Conservation Rules, 2003 (Guidelines & Clarifications), 2019 में उल्लिखित दिशानिर्देश 1.21 के अनुसार कार्यवाई की जायेगी।
- xix. यदि कोई अन्य सम्बंधित अधिनियम/अनुच्छेद/नियम/न्यायालय आदेश/अनुदेशआदि इस प्रस्ताव पर लागू होते हैं तो उनके अधीन जरूरी अनुमति लेना राज्य सरकार की जिम्मेवारी होगी।

2. मंत्रालय इस स्वीकृति को स्थगित/रद्द कर सकता है यदि उपरोक्त शर्तों में से किसी भी शर्त का कार्यान्वयन सन्तोषप्रद नहीं है। **राज्य सरकार वन विभाग के माध्यम से इन शर्तों का पालन सुनिश्चित करेगी।**

भवदीय,

Signed by

Raja Ram Singh

Date: 22-12-2023 12:05:01

हस्ता/-

(राजा राम सिंह)

उप-वन- महानिरीक्षक

RO, MoEF&CC

प्रतिलिपि:-

1. वन महानिरीक्षक (ROHQ), पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, इंदिरा पर्यावरण भवन, जोर बाग, अलीगंज, नई दिल्ली। (ramesh.pandy@nic.in)
2. प्रधान मुख्य वन संरक्षक, पंजाब, फॉरेस्ट कॉम्प्लेक्स, सै०-68, एस० ए० एस० नगर, मोहाली, पंजाब। (pccfpunjab@gmail.com)
3. मुख्य कार्यकारी अधिकारी, CAMPA, फॉरेस्ट कॉम्प्लेक्स, सै०-68, एस० ए० एस० नगर, मोहाली, पंजाब। (ceo.puncampa@gmail.com)
4. वन मण्डल अधिकारी, वन मण्डल और जिला पटियाला, पंजाब। (dfo-pta@gmail.com)
5. Madhav KRG HRC Private Limited village Akalgarh Tehsil Nabha District Patiala। (Harjitsingh66955@gmail.com)

ਨੰਬਰ 348

ਮਿਤੀ 06.05.2025

ਸੇਵਾ ਵਿਖੇ,

ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ / ਪਟਿਆਲਾ

ਜਲ ਨਿਕਾਸ-ਕਮ-ਮਾਈਨਿੰਗ ਅਤੇ ਜ਼ਿਆਲੋਜੀ

ਮੰਡਲ, ਡਬਲਿਊ. ਆਰ.ਡੀ. ਪੰਜਾਬ

ਵਿਸ਼ਾ : ਮੁੱਖ ਮੰਤਰੀ ਜੀ ਨੂੰ ਪੰਜਾਬ ਰਾਜ ਦੇ ਵੱਖ-ਵੱਖ ਜ਼ਿਲਿਆਂ ਤੋਂ ਪ੍ਰਾਪਤ ਹੋਈ ਡਾਕ ਦੇਣ ਨਿਪਟਾਰੇ ਸਬੰਧੀ ਬਾਬਤ ਬਰ ਖਿਲਾਫ ਮਾਧਵ ਕੇ ਆਰਜੀ ਗਰੁੱਪ ਨੇੜੇ ਟੋਲ ਪਲਾਜ਼ਾ ਅਕਾਲਗੜ ਤਹਿਸੀਲ ਨਾਭਾ ਜ਼ਿਲਾ ਪਟਿਆਲਾ ਵੱਲੋਂ ਬਰਸਾਤੀ ਪਾਣੀ ਦੇ ਨਿਕਾਸ ਕੁਦਰਤੀ ਵਹਾਓ ਨੂੰ ਗੈਰ ਕਾਨੂੰਨੀ ਤੌਰ ਤੇ ਕੰਧ ਬਣਾ ਕੇ ਰੋਕਣ ਬਾਰੇ

ਉਪਰੋਕਤ ਦੇ ਸਬੰਧ ਵਿੱਚ ਨਿਮਨ ਹਸਤਾਖਰ ਸਮੇਤ ਇੰਜ: ਰਾਜਬੀਰ ਸਿੰਘ, ਜੇ.ਈ. ਵੱਲੋਂ ਵਿਸ਼ਾ ਅੰਕਿਤ ਸ਼ਿਕਾਇਤ ਦਾ ਮੌਕਾ ਸ਼ਿਕਾਇਤ ਕਰਤਾ ਸ੍ਰੀ ਗੁਰਮੁਖ ਸਿੰਘ ਪੁੱਤਰ ਸ੍ਰੀ ਗੁਰਦਿਆਲ ਸਿੰਘ ਅਤੇ ਸ੍ਰੀ ਸੁਖਵਿੰਦਰ ਸਿੰਘ ਵਾਸੀ ਪਿੰਡ ਭਗਵਾਨਪੁਰਾ ਬਲਾਕ ਅਮਲੋ ਜ਼ਿਲਾ ਫਤਿਹਗੜ੍ਹ ਸਾਹਿਬ ਅਤੇ ਸ੍ਰੀ ਜਸਵਿੰਦਰ ਸਿੰਘ ਅਧਿਕਾਰਤ ਨੁਮਾਇੰਦਾ ਮਾਧਵ ਕੇ.ਆਰ.ਜੀ. ਇੰਡਸਟਰੀਜ਼ ਨਾਲ ਮਿਲ ਕੇ ਦੇਖਿਆ ਗਿਆ। ਸ਼ਿਕਾਇਤਕਰਤਾਵਾਂ ਵੱਲੋਂ ਦੱਸਿਆ ਗਿਆ ਕਿ ਅਮਲੋਹ ਭਾਦਸੇ ਮੇਨ ਰੋਡ ਤੇ ਮਾਧਵ ਕੇਆਰਜੀ ਫੈਕਟਰੀ ਦੇ ਪਿਛਲੇ ਪਾਸੇ ਫੈਕਟਰੀ ਦੀ ਬਾਊਂਡਰੀ ਵਾਲ ਦੇ ਨਾਲ ਉਹਨਾਂ ਦੀ ਜ਼ਮੀਨ ਦਾ ਰਕਬਾ ਹੈ। ਉਹਨਾਂ ਵੱਲੋਂ ਮੌਕੇ ਤੇ ਦੱਸਿਆ ਗਿਆ ਕਿ ਬਰਸਾਤੀ ਦਿਨਾਂ ਵਿੱਚ ਉਹਨਾਂ ਦੀ ਜ਼ਮੀਨ ਦੇ U/s (ਅਪ ਸਟਰੀਮ) ਵੱਲੋਂ Sheet Flow ਰਾਹੀਂ ਜੇ ਪਾਣੀ ਆਉਂਦਾ ਹੈ, ਉਹ ਉਕਤ ਫੈਕਟਰੀ ਦੀ ਬਾਊਂਡਰੀਵਾਲ ਦੀ ਰੁਕਾਵਟ ਹੋਣ ਕਾਰਨ ਅੱਗੇ ਨਹੀਂ ਜਾ ਸਕਦਾ। ਜਿਸ ਕਾਰਨ ਉਹਨਾਂ ਨੂੰ ਬਰਸਾਤੀ ਦਿਨਾਂ ਵਿੱਚ ਫਸਲੀ ਨੁਕਸਾਨ ਦਾ ਸਾਹਮਣਾ ਕਰਨਾ ਪੈਂਦਾ ਹੈ। ਉਨ੍ਹਾਂ ਵੱਲੋਂ ਇਸ ਸਬੰਧੀ ਉਕਤ ਫੈਕਟਰੀ ਵੱਲੋਂ ਫੈਕਟਰੀ ਦੀ ਬਾਊਂਡਰੀ ਵਾਲ ਦੀ ਉਸਾਰੀ ਸਮੇਂ ਸ਼ੀਟ ਫਲੋ ਦੇ ਪਾਣੀ ਨੂੰ ਲਗਾਉਣ / ਪਾਸ ਕਰਵਾਉਣ ਸਬੰਧੀ ਢੁਕਵੀਂ ਉਪਬੰਧਤਾ ਨਾ ਰੱਖਣ ਸਬੰਧੀ ਦੇਸ਼ ਲਗਾਇਆ ਗਿਆ।

ਉਹਨਾਂ ਵੱਲੋਂ ਇਹ ਵੀ ਦੱਸਿਆ ਗਿਆ ਕਿ ਉਕਤ ਬਾਊਂਡਰੀਵਾਲ ਦੇ ਨਾਲ ਨਾਲ ਉਹਨਾਂ ਦੀ ਜ਼ਮੀਨ ਦੇ ਖੱਬੇ ਪਾਸੇ ਜਾਂਦੀ ਪਹੀ ਵੀ ਸ਼ੀਟ ਫਲੋ ਦੇ ਪਾਣੀ ਵਿੱਚ ਰੁਕਾਵਟ ਬਣਦੀ ਹੈ ਜਿਸ ਕਾਰਨ ਬਰਸਾਤੀ ਸੀਜ਼ਨ ਵਿੱਚ ਦੇਹੇ ਜ਼ਿਮੀਦਾਰਾਂ ਦੀਆਂ ਜ਼ਮੀਨਾਂ ਵਿੱਚ ਪਾਣੀ ਖੜ ਜਾਣ ਕਾਰਨ ਉਹਨਾਂ ਨੂੰ ਨੁਕਸਾਨ ਦਾ ਸਾਹਮਣਾ ਕਰਨਾ ਪੈਂਦਾ ਹੈ।

ਉਕਤ ਦੇਵੇਂ ਜ਼ਿਮੀਦਾਰਾਂ ਵੱਲੋਂ ਮੰਗ ਕੀਤੀ ਗਈ ਕਿ ਉਕਤ ਫੈਕਟਰੀ ਵੱਲੋਂ ਫੈਕਟਰੀ ਦੀ ਕੰਧ ਦੇ ਨਾਲ ਨਾਲ ਇੱਕ ਓਪਨ ਡਰੇਨ ਦੀ ਪੁਟਾਈ ਕੀਤੀ ਜਾਣੀ ਬਣਦੀ ਹੈ ਤਾਂ ਜੋ ਸ਼ੀਟ ਫਲੋ ਦਾ ਬਰਸਾਤੀ ਪਾਣੀ ਜੋ ਕਿ ਫੈਕਟਰੀ ਦੀ ਬਾਊਂਡਰੀ ਵਾਲ ਦੀ Obstruction ਨਾਲ ਖੜਾ ਹੋ ਜਾਂਦਾ ਹੈ ਉਹ ਇਸ ਡਰੇਨ ਰਾਹੀਂ ਉਹਨਾਂ ਦੀ ਜ਼ਮੀਨ ਵਿੱਚੋਂ ਬਾਹਰ ਜਾ ਸਕੇ।

ਨਿਮਨਸਤਾਖਰ ਵੱਲੋਂ ਉਕਤ ਰਕਬੇ ਦਾ ਮੌਕਾ ਮੁਲਾਇਜ਼ਾ ਕਰਦਿਆਂ ਇਹ ਪਾਇਆ ਗਿਆ ਕਿ ਮਾਧਵ ਕੇ.ਆਰ.ਜੀ. ਫੈਕਟਰੀ ਦੀ ਬੈਕ ਸਾਈਡ ਬਾਊਂਡਰੀ ਵਾਲ (ਦਰਖਾਸਤ ਕਰਤਾ ਦੇ ਖੇਤਾ ਦੇ ਨਾਲ ਲਗਦੀ ਪਹੀ Revenue ਰਸਤੇ ਤੋਂ ਨਾਭਾ ਅਮਲੋਹ ਮੇਨ ਰੋਡ ਤੋਂ ਫੈਕਟਰੀ ਦੇ ਫਰੰਟ ਤੱਕ) ਦੀ ਲੰਬਾਈ 3350 ਫੁੱਟ ਹੈ। ਉਕਤ ਫੈਕਟਰੀ ਦੀ

ਬੈਕਸਾਈਡ ਬਾਉਂਡਰੀਵਾਲ ਜਿਸ ਵਿੱਚ ਤਕਰੀਬਨ 1350 ਫੁੱਟ ਦੀ ਲੰਬਾਈ ਵਿੱਚ ਉਕਤ ਫੈਕਟਰੀ ਵੱਲੋਂ ਬਾਉਂਡਰੀਵਾਲ ਦੇ ਨਾਲ ਨਾਲ ਪਾਣੀ ਦੀ ਨਿਕਾਸੀ ਹਿੱਤ ਕੰਕਰੀਟ ਟੇਅ ਡਰੇਨ (4.5'X2.5') ਦੀ ਉਸਾਰੀ ਪਹਿਲਾਂ ਹੀ ਕੀਤੀ ਹੋਈ ਹੈ ਜਿਸ ਨੂੰ ਨਾਲ ਨੱਥੀ Google Earth Site Plan ਵਿੱਚ Green line ਨਾਲ ਮਾਰਕ ਕਰਕੇ ਦਰਸਾਇਆ ਗਿਆ ਹੈ। ਅਤੇ ਉਕਤ ਫੈਕਟਰੀ ਦੀ ਤਕਰੀਬਨ 2000 ਫੁੱਟ ਦੀ ਲੰਬਾਈ (ਜਿਸ ਨੂੰ (Red line ਨਾਲ ਮਾਰਕ ਕਰਕੇ ਦਰਸਾਇਆ ਗਿਆ ਹੈ) ਵਿੱਚ ਕੰਧ ਦੇ ਨਾਲ ਨਾਲ ਡਰੇਨ ਦੀ ਮੰਗ ਉੱਤੇ ਦੇਵੇਂ ਜ਼ਿਮੀਦਾਰਾਂ ਵੱਲੋਂ ਕੀਤੀ ਗਈ ।

ਨਿਮਨਹਸਤਾਖਰ ਵੱਲੋਂ ਮਾਧਵ ਕੇਅਰ ਜੀ ਦੀ ਬਾਉਂਡਰੀ ਵਾਲ ਦੇ ਨਾਲ ਨਾਲ ਉਸਾਰੀ ਗਈ ਕਨਕਰੀਟ ਟੇਅ ਡਰੇਨ ਨੂੰ ਚੈੱਕ ਕੀਤਾ ਗਿਆ ਜੋ ਕਿ ਭਾਦਸੋ-ਅਮਲੋਹ ਮੇਨ ਰੋਡ ਤੇ ਇਸ ਕਨਕਰੀਟ ਡਰੇਨ ਦੇ Outfall point ਤੇ ਬੰਦ ਪਾਈ ਗਈ । ਜਿਸ ਕਾਰਨ ਟੇਅ ਡਰੇਨ ਵਿੱਚ ਪਾਣੀ ਖੜਾ ਸੀ। ਇਸ ਸਬੰਧੀ ਨਿਮਨਹਸਤਾਖਰ ਵੱਲੋਂ ਮਾਧਵ ਕੇ. ਆਰ.ਜੀ. ਇੰਡਸਟਰੀ ਦੇ ਨੁਮਾਇੰਦੇ ਨੂੰ ਉਕਤ ਟੇਅ ਡਰੇਨ ਵਿੱਚੋਂ ਆ ਰਹੇ ਪਾਣੀ ਦੀ ਨਿਕਾਸੀ ਲਈ concrete drain ਦੇ Outfall point ਤੇ ਢੁਕਵੇਂ ਪ੍ਰਬੰਧ ਕੀਤੇ ਜਾਣ ਸਬੰਧੀ ਹਦਾਇਤ ਕੀਤੀ ਗਈ ਅਤੇ ਉਨ੍ਹਾਂ ਵੱਲੋਂ ਇਸ ਸਬੰਧੀ ਉਕਤ ਕੰਪਨੀ ਦੇ ਮਾਲਕਾਂ ਨੂੰ ਸੂਚਿਤ ਕਰਨ ਅਤੇ ਇਸ ਸਬੰਧੀ ਢੁਕਵਾਂ ਉਪਰਾਲਾ ਕਰਨ ਦਾ ਭਰੋਸਾ ਵੀ ਦਵਾਇਆ ਗਿਆ।

ਮੌਕਾ ਵਾਚਣ ਤੇ ਪਾਇਆ ਗਿਆ ਕਿ ਉਕਤ ਦੇਵੇਂ ਜ਼ਿਮੀਦਾਰਾਂ ਦੀ ਜਮੀਨ ਦੇ D/s (ਡਾਊਨ ਸਟਰੀਮ) ਵੱਲ ਉਕਤ ਫੈਕਟਰੀ ਦੀ ਬਾਉਂਡਰੀ ਵਾਲ ਹੈ ਅਤੇ ਖੱਬੇ ਪਾਸੇ ਪਿੰਡ ਦੀ ਪਹੀ (Marked in Purple) ਜੋ ਕਿ ਉਕਤ ਜ਼ਿਮੀਦਾਰਾਂ ਦੀ ਜਮੀਨ ਤੋਂ ਤਕਰੀਬਨ 9 ਇੰਚ ਉੱਚੀ ਹੈ ਲੱਗਦੀ ਹੈ। ਜ਼ਿਮੀਦਾਰਾਂ ਵੱਲੋਂ ਦਰਸਾਏ ਉਕਤ ਤੱਥਾਂ ਦੀ ਪ੍ਰਮਾਣਿਕਤਾ ਲਈ ਸ਼ੀਟ ਫਲੇ ਦੇ Directional Flow ਨੂੰ ਜਾਨਣਾ ਜ਼ਰੂਰੀ ਹੈ ਤਾਂ ਜੋ ਜ਼ਿਮੀਦਾਰਾਂ ਵੱਲੋਂ ਪੇਸ਼ ਕੀਤਾ ਇਹ ਤੱਥ ਕਿ “ਉਕਤ ਫੈਕਟਰੀ ਦੀ ਬਾਉਂਡਰੀ ਵਾਲ ਸ਼ੀਟ ਫਲੇ ਵਿੱਚ ਰੁਕਾਵਟ ਬਣਦੀ ਹੈ” ਦੀ ਪ੍ਰਮਾਣਿਕਤਾ ਦੀ ਸਪਸ਼ਟਤਾ ਮਿਲ ਸਕੇ। ਇਸ ਤੋਂ ਇਲਾਵਾ ਇਹ ਵੀ ਜਾਨਣਾ ਜ਼ਰੂਰੀ ਹੈ ਕਿ ਸ਼ੀਟ ਫਲੇ ਦੀ ਡਾਇਰੈਕਸ਼ਨ ਫੈਕਟਰੀ ਦੀ ਬਾਉਂਡਰੀ ਵਾਲ ਵੱਲ ਹੈ ਜਾਂ ਸ਼ਿਕਾਇਤਕਰਤਾਵਾਂ ਦੀ ਜਮੀਨ ਦੇ ਖੱਬੇ ਪਾਸੇ ਲੱਗਦੀ 9 ਇੰਚ ਉੱਚੀ ਪਹੀ ਵੱਲ । ਇਸ ਸਬੰਧੀ ਉਕਤ ਤੱਥਾਂ ਦੀ ਸਪਸ਼ਟਤਾ ਹਿੱਤ GIS software ਅਤੇ GIS Wing ਰਾਹੀਂ ਲੋੜੀਂਦੀ ਕਾਰਵਾਈ ਕੀਤੀ ਜਾ ਰਹੀ ਹੈ ।


ਉਪ ਮੰਡਲ ਅਫਸਰ / ਪਟਿਆਲਾ

ਜਲ ਨਿਕਾਸ-ਕਮ-ਮਾਈਨਿੰਗ ਅਤੇ ਜਿਆਲੋਜੀ
ਉਪ ਮੰਡਲ, ਡਬਲਿਊ. ਆਰ. ਡੀ. ਪੰਜਾਬ

CM portal complaint

sheetflow madhav krg

Legend

- boundary wall without drain
- drain
- katcha rasta
- Land of Sh Gurmukh Singh and Sh. Sukhwinder Singh
- MADHAV KRG HRC PRIVATE LIMITED

The village is home to most of the restaurants

Oil Plaza

MADHAV KRG HRC PRIVATE LIMITED

Bhagwanpura

Land of Sh Gurmukh Singh and Sh. Sukhwinder Singh

Khalsa Karamana Store

Google Earth

Image © 2024 Google